



Royal Netherlands Academy of Arts and Sciences (KNAW) KONINKLIJKE NEDERLANDSE AKADEMIE VAN WETENSCHAPPEN

Frisian Community Glossary

Sijens, H.

2008

[Link to publication in KNAW Research Portal](#)

citation for published version (APA)

Sijens, H. (2008). Frisian Community Glossary.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the KNAW public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the KNAW public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

pure@knaw.nl

Part of Speech	Term Type	Definition (concept)	src Term	Target				
				tgt Term	tgt Part of Speech	tgt Grammatical Gender	tgt Number	Note
Noun	Abbreviated Form	The Windows-based directory service. Active Directory stores information about objects on a network and makes this information available to users and network administrators. Active Directory gives network users access to permitted resources anywhere on the network using a single logon process. It provides network administrators with an intuitive, hierarchical view of the network and a single point of administration for all network objects.	AD DS	AD DS	Proper Noun	Not Selected	Not Selected	
Noun	Proper Noun	The Windows-based directory service. Active Directory stores information about objects on a network and makes this information available to users and network administrators. Active Directory gives network users access to permitted resources anywhere on the network using a single logon process. It provides network administrators with an intuitive, hierarchical view of the network and a single point of administration for all network objects.	Active Directory Domain Services	Active Directory Domain Services	Proper Noun	Not Selected	Plural	
Noun	Full Form	Hardware that supports connecting a computer to a network or to a peripheral device such as a monitor, speakers, or a camera. An adapter can be a printed circuit board, a PC Card or CardBus device, or circuitry that is part of the motherboard itself.	adapter	adapter	Noun	de	Singular	
Noun	Full Form	The process of granting a person, computer process, or device access to certain information, services or functionality. Authorization is derived from the identity of the person, computer process, or device requesting access, which is verified through authentication.	authorization	autorisaasje	Noun	de	Singular	
Noun	Full Form	An area of memory reserved for temporarily holding data before that data is used by a receiving device or application.	buffer	buffer	Noun	de	Singular	
Noun	Full Form	A digitally signed statement that binds the identifying information of a user, computer, or service to a public/private key pair. A digital certificate is commonly used in the process of authentication and for securing information on networks.	certificate	sertifikaat	Noun	it	Singular	
Noun	Full Form	A digitally signed statement that binds the identifying information of a user, computer, or service to a public/private key pair. A digital certificate is commonly used in the process of authentication and for securing information on networks.	digital certificate	digitaal sertifikaat	Noun	it	Singular	
Noun	Abbreviated Form	A computer or program that connects to or requests the services of another computer or program. For example, an e-mail client is a program that enables you to send and receive e-mail messages. Typically, a client relies on another computer, called a server, to perform some operations.	client	client	Noun	de	Singular	
Noun	Full Form	A computer or program that connects to or requests the services of another computer or program. For example, an e-mail client is a program that enables you to send and receive e-mail messages. Typically, a client relies on another computer, called a server, to perform some operations.	client computer	clientkompjûter	Noun	de	Singular	
Noun	Full Form	A small data file that is stored on a user's local computer for record-keeping purposes and which contains information about the user that is pertinent to a Web site, such as user preferences.	cookie	cookie	Noun	it	Singular	
Noun	Full Form	Information that includes identification and proof of identification that is used to gain access to local and network resources. Examples of credentials are user names and passwords, smart cards, and certificates.	credentials	referinsjes	Noun	it	Plural	
Noun	Full Form	The movement of information from one location to another, either within a computer (as from a disk drive to memory), between a computer and an external device (as between a file server and a computer on a network), or between separate computers.	data transfer	data-oerdracht	Noun	de	Singular	
Noun	Full Form	The movement of information from one location to another, either within a computer (as from a disk drive to memory), between a computer and an external device (as between a file server and a computer on a network), or between separate computers.	transfer	oerdracht	Noun	de	Singular	
Noun	Full Form	The process of converting encrypted content back into its original form, often the process of converting ciphertext to plaintext. Decryption is the opposite of encryption.	decryption	dekodearring	Noun	de	Singular	
Noun	Abbreviated Form	Data that binds a sender's identity to the information being sent. A digital signature may be bundled with any message, file, or other digitally encoded information, or transmitted separately. Digital signatures are used in public key environments and provide nonrepudiation and integrity services.	signature	hantekening	Noun	de	Singular	
Noun	Full Form	Data that binds a sender's identity to the information being sent. A digital signature may be bundled with any message, file, or other digitally encoded information, or transmitted separately. Digital signatures are used in public key environments and provide nonrepudiation and integrity services.	digital signature	digitale hantekening	Noun	de	Singular	
Verb	Full Form	To transfer a copy of a file from a remote device to a requesting device by means of a modem or network.	download	ynlade	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	Software that enables hardware or devices (such as a printer, mouse, or keyboard) to work with your computer. Every device needs a driver in order for it to work.	driver	stjoerprogramma	Noun	it	Singular	
Noun	Full Form	Software that enables hardware or devices (such as a printer, mouse, or keyboard) to work with your computer. Every device needs a driver in order for it to work.	device driver	apparaatstjoerprogramma	Noun	it	Singular	

Noun	Not Selected	The ... character. Can also be represented by entering three dots with no spaces in between (...). Used to convey incompleteness.	ellipsis	weilletteken	Noun	it	Singular	
Noun	Full Form	The — character, based on the width of an uppercase M and used primarily to set off sentence elements.	em dash	em-streekje	Noun	it	Singular	
Noun	Full Form	A string that identifies a user so that the user can receive Internet e-mail.	e-mail address	e-mailadres	Noun	it	Singular	
Noun	Full Form	A string that identifies a user so that the user can receive Internet e-mail.	address	adres	Noun	it	Singular	
Noun	Full Form	The process of converting data into a coded form (ciphertext) to prevent it from being read and understood by an unauthorized party.	encryption	kodearring	Noun	de	Singular	
Noun	Abbreviated Form	A document listing common questions and answers on a particular subject.	FAQ	FAQ	Noun	Not Selected	Not Selected	
Noun	Full Form	A document listing common questions and answers on a particular subject.	frequently asked questions	faak stelde fragen	Noun	de	Plural	
Noun	Abbreviated Form	A member of the TCP/IP suite of protocols, used to copy files between two computers on the Internet. Both computers must support their respective FTP roles: one must be an FTP client and the other an FTP server.	FTP	FTP	Noun	Not Selected	Not Selected	
Noun	Proper Noun	A member of the TCP/IP suite of protocols, used to copy files between two computers on the Internet. Both computers must support their respective FTP roles: one must be an FTP client and the other an FTP server.	File Transfer Protocol	File Transfer Protocol	Noun	it	Singular	
Noun	Full Form	A pattern or mask through which data is passed to separate specified items.	filter	filter	Noun	it	Singular	
Noun	Abbreviated Form	A reusable magnetic storage medium. The floppy disk used today is the rigid 3.5-inch microfloppy that holds 1.44 MB. It is called floppy because the first varieties were housed in bendable jackets.	disk	skyfke	Noun	it	Singular	
Noun	Full Form	A reusable magnetic storage medium. The floppy disk used today is the rigid 3.5-inch microfloppy that holds 1.44 MB. It is called floppy because the first varieties were housed in bendable jackets.	floppy disk	skyfke	Noun	it	Singular	
Noun	Abbreviated Form	A unit of computer memory equal to 1,024 megabytes (1,024 * 1,048,576, [230] bytes).	GB	GB	Noun	Not Selected	Not Selected	
Noun	Full Form	A unit of computer memory equal to 1,024 megabytes (1,024 * 1,048,576, [230] bytes).	gigabyte	gigabyte	Noun	de	Singular	
Noun	Abbreviated Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	GUID	GUID	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	UUID	UUID	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	globally-unique identifier	globally unique identifier	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	universally unique identifier	universally unique identifier	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	unique identifier	unique identifier	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	globally unique identifier	globally unique identifier	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	Replication ID	Replikaasje-ID	Noun	de	Singular	
Noun	Full Form	A 16-byte value generated from the unique identifier on a device, the current date and time, and a sequence number. A GUID is used to identify a particular device, component, user, or session.	Global Universal Identification	Global Universal Identification	Noun	de	Singular	
Noun	Abbreviated Form	A display format, like that of Windows, that represents a program's functions with graphic images such as buttons and icons. GUIs enable a user to perform operations and make choices by pointing and clicking with a mouse.	GUI	GUI	Noun	Not Selected	Not Selected	
Noun	Full Form	A display format, like that of Windows, that represents a program's functions with graphic images such as buttons and icons. GUIs enable a user to perform operations and make choices by pointing and clicking with a mouse.	graphical user interface	grafyske brûkersinterface	Noun	de	Singular	
Not Selected	Full Form	A display format, like that of Windows, that represents a program's functions with graphic images such as buttons and icons. GUIs enable a user to perform operations and make choices by pointing and clicking with a mouse.	visual interface	fisuele interface	Noun	de	Singular	

Noun	Full Form	A computer that acts as a source of information or signals. The host computer provides services, such as news, mail, or data, to computers that connect to it. The term can refer to almost any kind of computer, from a centralized mainframe that is a host to its terminals, to a server that is host to its clients, to a desktop PC that is host to its devices, such as printers and scanners.	host	host	Noun	de	Singular	
Noun	Full Form	A document that serves as a starting point in a hypertext system. On the World Wide Web, an entry page for a set of Web pages and other files in a Web site. The home page is displayed by default when a visitor navigates to the site using a Web browser.	home page	thùsside	Noun	de	Singular	
Noun	Full Form	A document that serves as a starting point in a hypertext system. On the World Wide Web, an entry page for a set of Web pages and other files in a Web site. The home page is displayed by default when a visitor navigates to the site using a Web browser.	homepage	thùsside	Noun	de	Singular	
Noun	Abbreviated Form	A text markup language used to create documents for the Web. HTML defines the structure and layout of a web document by using a variety of tags and attributes.	HTML	HTML	Noun	Not Selected	Not Selected	
Noun	Full Form	A text markup language used to create documents for the Web. HTML defines the structure and layout of a web document by using a variety of tags and attributes.	Hypertext Markup Language	Hypertext Markup Language	Noun	de	Singular	
Noun	Abbreviated Form	The Internet protocol used to deliver information over the World Wide Web.	http	http	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	The Internet protocol used to deliver information over the World Wide Web.	HTTP	HTTP	Noun	Not Selected	Not Selected	
Noun	Full Form	The Internet protocol used to deliver information over the World Wide Web.	Hypertext Transfer Protocol	Hypertext Transfer Protocol	Noun	it	Singular	
Noun	Full Form	The row, column, or block of buttons or icons, usually displayed across the top of the screen, that represent tasks you can do within a program. For example, in Microsoft Word, the toolbar contains buttons you can click to apply bold formatting to text, print a file, or open a new document. The toolbar buttons provide shortcuts to common tasks frequently accessed from the menus.	toolbar	arkbalke	Noun	de	Singular	
Verb	Full Form	To reduce a window to a button on the taskbar by clicking the Minimize button (at the right of the title bar), or by pressing ALT+SPACEBAR and then pressing N.	minimize	minimalisearje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	ISP	ISP	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	service provider	serviceoanbieder	Noun	de	Singular	
Noun	Abbreviated Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	IAP	IAP	Noun	Not Selected	Not Selected	
Noun	Full Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	Internet service provider	ynternetoanbieder	Noun	de	Singular	
Noun	Full Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	access provider	tagongsoanbieder	Noun	de	Singular	
Noun	Full Form	A business that supplies Internet connectivity services to individuals, businesses, and other organizations. An ISP provides a telephone number, a user name, a password, and other connection information so that users can access the Internet through the ISP's computers.	Internet access provider	ynternettagongsoanbieder	Noun	de	Singular	
Noun	Full Form	A private network based on Internet protocols such as TCP/IP but designed for information management within a company or organization.	intranet	yntranet	Noun	it	Singular	
Noun	Full Form	A 32-bit (4-byte) binary number that uniquely identifies a host (computer) connected to the Internet to other Internet hosts, for the purposes of communication through the transfer of packets. An IP address is expressed in "dotted quad" format, consisting of the decimal values of its 4 bytes, separated with periods; for example, 127.0.0.1. The first 1, 2, or 3 bytes of the IP address identify the network the host is connected to; the remaining bits identify the host itself. The 32 bits of all 4 bytes together can signify almost 232, or roughly 4 billion, hosts.	IP address	IP-adres	Noun	it	Singular	
Noun	Abbreviated Form	An unsolicited and typically unwelcome message, often commercial or political in nature, transmitted via the Internet as a mass mailing (sometimes as if from a fictitious user or domain) to a large number of recipients.	UCE	UCE (net-frege e-mail)	Noun	Not Selected	Not Selected	
Noun	Full Form	An unsolicited and typically unwelcome message, often commercial or political in nature, transmitted via the Internet as a mass mailing (sometimes as if from a fictitious user or domain) to a large number of recipients.	junk e-mail	net-winske e-mail	Noun	de	Singular	

Noun	Full Form	An unsolicited and typically unwelcome message, often commercial or political in nature, transmitted via the Internet as a mass mailing (sometimes as if from a fictitious user or domain) to a large number of recipients.	spam	spam	Noun	de	Singular	
Noun	Full Form	An unsolicited and typically unwelcome message, often commercial or political in nature, transmitted via the Internet as a mass mailing (sometimes as if from a fictitious user or domain) to a large number of recipients.	junk mail	net-winske e-mail	Noun	de	Singular	
Noun	Full Form	An unsolicited and typically unwelcome message, often commercial or political in nature, transmitted via the Internet as a mass mailing (sometimes as if from a fictitious user or domain) to a large number of recipients.	unsolicited commercial e-mail	net-frege kommersjele e-mail	Noun	de	Singular	
Noun	Abbreviated Form	A network of computers, printers, and other devices located within a relatively limited area (for example, a building). A LAN enables any connected device to interact with any other on the network.	LAN	LAN	Noun	Not Selected	Not Selected	
Noun	Full Form	A network of computers, printers, and other devices located within a relatively limited area (for example, a building). A LAN enables any connected device to interact with any other on the network.	local area network	local area network	Noun	it	Singular	
Noun	Full Form	A network of computers, printers, and other devices located within a relatively limited area (for example, a building). A LAN enables any connected device to interact with any other on the network.	company network	bedriuwswetwerk	Noun	it	Singular	
Noun	Full Form	A record of transactions or activities that take place on a computer system.	log	lochboek	Noun	it	Singular	
Noun	Full Form	A list of names and e-mail addresses that are grouped under a single name. When a user places the name of the mailing list in a mail client's To: field, the client sends the message to the machine where the mailing list resides, and that machine automatically sends the message to all the addresses on the list (possibly allowing a moderator to edit it first).	mailing list	adresselist	Noun	de	Singular	
Noun	Abbreviated Form	Usually 1,048,576 bytes. It is sometimes interpreted as 1 million bytes.	MB	MB	Noun	Not Selected	Not Selected	
Noun	Full Form	Usually 1,048,576 bytes. It is sometimes interpreted as 1 million bytes.	megabyte	megabyte	Noun	de	Singular	
Noun	Abbreviated Form	A device that allows computer information to be transmitted and received over a telephone line or through broadband services such as cable or DSL.	modem	moadem	Noun	it	Singular	
Noun	Full Form	A device that allows computer information to be transmitted and received over a telephone line or through broadband services such as cable or DSL.	modulator/demodulator	modulator/demodulator	Noun	de	Singular	
Noun	Full Form	A forum on the Internet for threaded discussions on a specified range of subjects.	newsgroup	nijsgroep	Noun	de	Singular	
Noun	Full Form	A forum on the Internet for threaded discussions on a specified range of subjects.	discussion group	diskusjegroep	Noun	de	Singular	
Noun	Full Form	A forum on the Internet for threaded discussions on a specified range of subjects.	Internet forum	ynternetfoarum	Noun	it	Singular	
Noun	Full Form	Authorization to perform operations associated with a specific shared resource, such as a file, directory, or printer. Permissions must be granted by the system administrator to individual user accounts or administrative groups.	permissions	machtigings	Noun	de	Plural	
Noun	Full Form	Authorization to perform operations associated with a specific shared resource, such as a file, directory, or printer. Permissions must be granted by the system administrator to individual user accounts or administrative groups.	access permissions	tagongsmachtigings	Noun	de	Plural	
Noun	Abbreviated Form	A single point, which, in combination with other pixels -- a few or thousands -- makes up a graphic image. Short for picture element, a pixel is the smallest piece of a picture that can be manipulated.	pixel	piksel	Noun	de	Singular	
Noun	Abbreviated Form	A single point, which, in combination with other pixels -- a few or thousands -- makes up a graphic image. Short for picture element, a pixel is the smallest piece of a picture that can be manipulated.	pel	pel	Noun	de	Singular	
Noun	Full Form	A single point, which, in combination with other pixels -- a few or thousands -- makes up a graphic image. Short for picture element, a pixel is the smallest piece of a picture that can be manipulated.	picture element	ôfbyldingselemint	Noun	it	Singular	
Noun	Full Form	A window that appears when an option is selected. Typically, the window remains visible until the mouse button is released.	pop-up window	pop-upfinster	Noun	it	Singular	
Noun	Full Form	A server located on a network between client software, such as a Web browser, and another server. It intercepts all requests to the server to determine whether it can fulfill them itself. If not, it forwards the request to another server.	proxy server	proxyserver	Noun	de	Singular	
Noun	Full Form	A type of program consisting of a set of instructions to an application or tool program. A script usually expresses instructions by using the application's or tool's rules and syntax, combined with simple control structures such as loops and if/then expressions.	script	skript	Noun	it	Singular	
Noun	Abbreviated Form	A tested, cumulative set of all hotfixes, security updates, critical updates and updates, as well as additional fixes for problems found internally since the release of the product. Service packs may also contain a limited number of customer requested design changes or features, and contain all fixes since the previous service pack or RTM.	SP	SP	Noun	Not Selected	Not Selected	
Noun	Full Form	A tested, cumulative set of all hotfixes, security updates, critical updates and updates, as well as additional fixes for problems found internally since the release of the product. Service packs may also contain a limited number of customer requested design changes or features, and contain all fixes since the previous service pack or RTM.	service pack	servicepakket	Noun	it	Singular	
Noun	Abbreviated Form	The listing of contents at the beginning of a document or file.	TOC	ynhâldsopjefte	Noun	it	Singular	

Noun	Full Form	The listing of contents at the beginning of a document or file.	table of contents	ynhåldsopjeffe	Noun	it	Singular	
Noun	Full Form	The listing of contents at the beginning of a document or file.	Contents	Ynhâld	Noun	de	Singular	
Noun	Full Form	A software package that replaces an existing version of a product with a newer and/or more powerful or sophisticated version of the same product. The upgrade process typically leaves existing customer data and preferences intact while replacing the existing software with the newer version.	upgrade	upgrade	Noun	de	Singular	
Noun	Full Form	A software package that replaces an existing version of a product with a newer and/or more powerful or sophisticated version of the same product. The upgrade process typically leaves existing customer data and preferences intact while replacing the existing software with the newer version.	software upgrade	software-upgrade	Noun	de	Singular	
Verb	Full Form	To change to a newer, and/or more powerful or sophisticated version of a product.	upgrade	upgrade	Verb	Not Selected	Not Selected	
Verb	Full Form	To transfer a copy of a file from a local computer to a remote computer by means of a modem or network.	upload	oplade	Verb	Not Selected	Not Selected	
Noun	Full Form	A unique name identifying a user account to Windows. An account's user name must be unique among the other group names and user names within its own domain or workgroup.	user name	brûkersnamme	Noun	de	Singular	
Noun	Full Form	Code written with the express intention of replicating itself. A virus attempts to spread from computer to computer by attaching itself to a host program. It may damage hardware, software, or data.	virus	firus	Noun	it	Singular	
Noun	Full Form	A document on the World Wide Web. A Web page consists of an HTML file, with associated files for graphics and scripts, in a particular directory on a particular machine (and thus identifiable by an URL). Usually a Web page contains links to other Web pages.	Web page	webside	Noun	de	Singular	
Noun	Full Form	A document on the World Wide Web. A Web page consists of an HTML file, with associated files for graphics and scripts, in a particular directory on a particular machine (and thus identifiable by an URL). Usually a Web page contains links to other Web pages.	web page	webside	Noun	de	Singular	
Noun	Full Form	A document on the World Wide Web. A Web page consists of an HTML file, with associated files for graphics and scripts, in a particular directory on a particular machine (and thus identifiable by an URL). Usually a Web page contains links to other Web pages.	page	side	Noun	de	Singular	
Noun	Full Form	Self-propagating malicious code that can automatically distribute itself from one computer to another through network connections. A worm can take harmful action, such as consuming network or local system resources, possibly causing a denial of service attack.	worm	wjirm	Noun	de	Singular	
Noun	Product/Technology Name	A Web-based service that is designed to make signing in to Web sites fast and easy. This service enables participating sites to authenticate a user with a single set of sign-in credentials, alleviating the need to remember numerous passwords and user names.	Windows Live™ ID	Windows Live™ ID	Proper Noun	Not Selected	Not Selected	
Noun	Full Form	Utility or feature that aids in accomplishing a task or set of tasks.	tool	helpprogramma	Noun	it	Singular	
Noun	Full Form	In respect to privacy, an individual's ability to view, modify, and contest the accuracy and completeness of PII collected about him or her. Access is an element of the Fair Information Practices.	access	tagong	Noun	de	Singular	
Noun	Full Form	A supplemental program that can extend the capabilities of an application program.	add-in	ynfoechprogramma	Noun	it	Singular	
Noun	Full Form	A device that is traditionally added to the base computer system to increase functionality, such as audio, networking, graphics, or SCSI controller.	add-on	tafoeging	Noun	de	Singular	
Noun	Full Form	A device that is traditionally added to the base computer system to increase functionality, such as audio, networking, graphics, or SCSI controller.	add-on device	tafoegingskaart	Noun	de	Singular	
Noun	Full Form	A compressed file.	archive	argyf	Noun	it	Singular	
Noun	Full Form	Displacement of the left or right edge of a block of text in relation to the margin or to other blocks of text.	indent	ynspringing	Noun	de	Singular	
Noun	Full Form	An integrated proofing tool used to search on common words and display synonyms.	thesaurus	synonimelist	Noun	de	Singular	

Noun	Abbreviated Form	The extension of a private network that provides encapsulated, encrypted, and authenticated logical (not physical) links across shared or public networks. VPN connections typically provide remote access and router-to-router connections to private networks over the Internet.	VPN	VPN	Noun	Not Selected	Not Selected	
Noun	Full Form	The extension of a private network that provides encapsulated, encrypted, and authenticated logical (not physical) links across shared or public networks. VPN connections typically provide remote access and router-to-router connections to private networks over the Internet.	virtual private network	firtueel partikulier netwurk	Noun	it	Singular	
Noun	Full Form	In a formula, the exact address of a cell, regardless of the position of the cell that contains the formula. An absolute cell reference takes the form \$A\$1.	absolute cell reference	absolute selferwizing	Noun	de	Singular	
Noun	Full Form	The full Internet address of a page or other World Wide Web resource. The absolute URL includes a protocol, such as "http," network location, and optional path and file name — for example, http://example.microsoft.com/.	absolute URL	absolute URL	Noun	de	Singular	
Noun	Abbreviated Form	A statement issued by an Internet service provider or an online information service that indicates what activities users may or may not engage in while logged into the service. For example, some providers prohibit users from engaging in commercial activity on the network.	AUP	gebrûksregels	Noun	de	Plural	
Noun	Full Form	A statement issued by an Internet service provider or an online information service that indicates what activities users may or may not engage in while logged into the service. For example, some providers prohibit users from engaging in commercial activity on the network.	acceptable use policy	gebrûksregels	Noun	de	Plural	
Verb	Full Form	To gain entry to memory in order to read or write data.	access	tagong krije	Verb	Not Selected	Not Selected	
Noun	Full Form	A secret string of characters that lets users log on to a computer and access files, programs, and other resources. Passwords help ensure that unauthorized users do not access the computer.	access code	tagongskoade	Noun	de	Singular	
Noun	Full Form	A secret string of characters that lets users log on to a computer and access files, programs, and other resources. Passwords help ensure that unauthorized users do not access the computer.	password	wachtwurd	Noun	it	Singular	
Noun	Abbreviated Form	In Windows-based systems, a list of access control entries (ACE) that apply to an entire object, a set of the object's properties, or an individual property of an object, and that define the access granted to one or more security principals.	ACL	list tagongsbehear	Noun	de	Singular	
Noun	Full Form	In Windows-based systems, a list of access control entries (ACE) that apply to an entire object, a set of the object's properties, or an individual property of an object, and that define the access granted to one or more security principals.	access control list	list tagongsbehear	Noun	de	Singular	
Noun	Full Form	The quality of a system incorporating hardware or software to engage a flexible, customizable user interface, alternative input and output methods, and greater exposure of screen elements to make the computer usable by people with cognitive, hearing, physical, or visual disabilities.	accessibility	tagonklikheid	Noun	de	Singular	
Noun	Full Form	A device, such as a disk drive, printer, modem, or joystick, that is connected to a computer and is controlled by the computer's microprocessor.	accessory	râne-apparaat	Noun	it	Singular	
Noun	Full Form	A device, such as a disk drive, printer, modem, or joystick, that is connected to a computer and is controlled by the computer's microprocessor.	peripheral	râne-apparaat	Noun	it	Singular	
Noun	Full Form	The basic building block of a macro; a self-contained instruction that can be combined with other actions to automate tasks. This is sometimes called a command in other macro languages.	action	aksje	Noun	de	Singular	
Noun	Full Form	A query that copies or changes data.	action query	aksjequery	Noun	de	Singular	
Noun	Full Form	The smallest executable entity within a programming language.	action statement	ynstruksje	Noun	de	Singular	
Noun	Full Form	The smallest executable entity within a programming language.	statement	ynstruksje	Noun	de	Singular	
Adjective	Full Form	Pertaining to the device, program, file, or portion of the screen that is currently operational or subject to command operations. Usually the cursor or a highlighted section shows the active element on the display screen.	active	aktyf	Adjective	Not Selected	Not Selected	
Noun	Full Form	Dynamic content, such as a stock ticker, a weather map, or news, that is usually updated from the World Wide Web or a channel.	active content	aktive ynhâld	Noun	de	Singular	
Noun	Full Form	The document in which you're working. Text you type or graphics you insert in Microsoft Word appear in the active document. The title bar of the active document is highlighted.	active document	aktyf dokumint	Noun	it	Singular	
Noun	Full Form	The object with which the user is currently interacting or that has the input focus.	active object	aktyf objekt	Noun	it	Singular	
Noun	Abbreviated Form	A server-side scripting environment that can be used to create dynamic Web pages or build Web applications.	ASP	ASP	Noun	Not Selected	Not Selected	

Noun	Full Form	A server-side scripting environment that can be used to create dynamic Web pages or build Web applications.	Active Server Pages	Active Server Pages	Noun	de	Plural	
Noun	Full Form	The window in which a user is currently working or directing input. An active window is typically at the top of the Z order and is distinguished by the color of its title bar.	active window	aktyf finster	Noun	it	Singular	
Noun	Proper Noun	A set of technologies that allows software components to interact with one another in a networked environment, regardless of the language in which the components were created.	ActiveX	ActiveX	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A data access interface that communicates with OLE DB-compliant data sources to connect to, retrieve, manipulate, and update data.	ADO	ADO	Noun	Not Selected	Not Selected	
Noun	Full Form	A data access interface that communicates with OLE DB-compliant data sources to connect to, retrieve, manipulate, and update data.	ActiveX Data Objects	ActiveX-dataobjekten	Noun	de	Plural	
Noun	Full Form	The + character, used to indicate addition or a positive number.	addition operator	optelteken	Noun	it	Singular	
Noun	Full Form	The + character, used to indicate addition or a positive number.	plus sign	plusteken	Noun	it	Singular	
Noun	Full Form	A unique identifier that identifies a network node to other nodes on the network.	address	adres	Noun	it	Singular	
Noun	Full Form	A number specifying a location in memory where data is stored.	address	adres	Noun	it	Singular	
Noun	Full Form	A collection of contact information for particular individuals, groups or organizations.	address book	adresboek	Noun	it	Singular	
Noun	Full Form	A mode of setup that allows network administrators to silently deploy to client computers.	administrative setup	setup yn beheardersmoadus	Noun	de	Singular	
Noun	Full Form	A mode of setup that allows network administrators to silently deploy to client computers.	administrator setup	setup yn beheardersmoadus	Noun	de	Singular	
Noun	Abbreviated Form	The person in charge of managing a Windows computer. The administrator is responsible for installing software, assigning passwords, and managing files.	administrator	beheerder	Noun	de	Singular	
Noun	Full Form	The person in charge of managing a Windows computer. The administrator is responsible for installing software, assigning passwords, and managing files.	computer administrator	kompjûterbeheerder	Noun	de	Singular	
Noun	Full Form	An application that runs on a Simple Network Management Protocol (SNMP) managed device. The agent application is the object of management activities. A computer running SNMP agent software is also sometimes referred to as an agent.	agent	agint	Noun	de	Singular	
Noun	Full Form	An on-screen box, in a graphical user interface, that is used to deliver a message or warning.	alert box	warskôgingsfinster	Noun	it	Singular	
Noun	Full Form	A rule or procedure for solving a problem.	algorithm	algoritme	Noun	it	Singular	
Noun	Abbreviated Form	A name used to direct e-mail messages to a person or group of people on a network.	alias	alias	Noun	de	Singular	
Noun	Full Form	A name used to direct e-mail messages to a person or group of people on a network.	e-mail alias	e-mail alias	Noun	de	Singular	
Verb	Full Form	To position objects or text relative to some point, such as the page margin.	align	rjochtsje	Verb	Not Selected	Not Selected	
Noun	Full Form	The consistent positioning of text, graphics, and other objects. Types of alignment include left, right, and justified.	alignment	rjochtsjen	Noun	it	Singular	
Verb	Full Form	To reserve a resource for use at a later time.	allocate	tawize	Verb	Not Selected	Not Selected	
Noun	Full Form	The smallest amount of disk space that can be allocated to hold a file.	allocation unit	tawizingsienheid	Noun	de	Singular	
Noun	Full Form	The smallest amount of disk space that can be allocated to hold a file.	cluster	kluster	Noun	it	Singular	
Adjective	Full Form	Arranged in order according to the letters of the alphabet.	alphabetical	alfabetysk	Adjective	Not Selected	Not Selected	
Noun	Full Form	A keyboard key that is used in conjunction with another key to produce some special feature or function and is typically marked with the letters Alt.	ALT key	Alt-toets	Noun	de	Singular	
Noun	Full Form	The <> characters.	angle brackets	skerpe heakken	Noun	de	Plural	
Noun	Full Form	A record of synthetic, successive still images that produce an illusion of movement when played back.	animation	animaasje	Noun	de	Singular	

Noun	Abbreviated Form	A software technique for smoothing the jagged appearance of curved or diagonal lines caused by poor resolution on a display screen. Methods of anti-aliasing include surrounding pixels with intermediate shades and manipulating the size and horizontal alignment of the pixels.	AA	AA	Noun	Not Selected	Not Selected	
Noun	Full Form	A software technique for smoothing the jagged appearance of curved or diagonal lines caused by poor resolution on a display screen. Methods of anti-aliasing include surrounding pixels with intermediate shades and manipulating the size and horizontal alignment of the pixels.	antialiasing	anty-aliasing	Noun	de	Singular	
Noun	Full Form	A software technique for smoothing the jagged appearance of curved or diagonal lines caused by poor resolution on a display screen. Methods of anti-aliasing include surrounding pixels with intermediate shades and manipulating the size and horizontal alignment of the pixels.	anti-aliasing	anty-aliasing	Noun	de	Singular	
Noun	Full Form	An action query that adds the records in a query's result set to the end of an existing table.	append query	taheakquery	Noun	de	Singular	
Noun	Full Form	A small piece of code that can be transported over the Internet and executed on the recipient's machine. The term is especially used to refer to such programs as they are embedded in line as objects in HTML documents on the World Wide Web.	applet	applet	Noun	de	Singular	
Verb	Full Form	To remove selected information to another location for storage and occasional future access.	archive	argivearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A number that identifies each telephone service area in a country/region and is used as a dialing prefix.	area code	netnúmer	Noun	it	Singular	
Noun	Full Form	A value that a function uses to perform operations or calculations. The type of argument a function uses is specific to the function. Common arguments that are used within functions include numbers, text, cell references, and names.	argument	argumint	Noun	it	Singular	
Noun	Full Form	In programming, a list of data values, all of the same type, any element of which can be referenced by an expression consisting of the array name followed by an indexing expression. Arrays are part of the fundamentals of data structures, which, in turn, are a major fundamental of computer programming.	array	matriks	Noun	de	Singular	
Noun	Full Form	A message that appears in a newsgroup, public folder, or other forum accessible by a number of individuals.	article	berjocht	Noun	it	Singular	
Noun	Full Form	A message that appears in a newsgroup, public folder, or other forum accessible by a number of individuals.	post	berjocht	Noun	it	Singular	
Noun	Full Form	A performer of a song or other audio recording.	artist	artyst	Noun	de	Singular	
Noun	Abbreviated Form	A standard single-byte character encoding scheme used for text-based data. ASCII uses designated 7-bit or 8-bit number combinations to represent either 128 or 256 possible characters. Standard ASCII uses 7 bits to represent all uppercase and lowercase letters, the numbers 0 through 9, punctuation marks, and special control characters used in U.S. English. Most current x86-based systems support the use of extended (or "high") ASCII. Extended ASCII allows the eighth bit of each character to identify an additional 128 special symbol characters, foreign-language letters, and graphic symbols.	ASCII	ASCII	Noun	Not Selected	Not Selected	
Noun	Proper Noun	A standard single-byte character encoding scheme used for text-based data. ASCII uses designated 7-bit or 8-bit number combinations to represent either 128 or 256 possible characters. Standard ASCII uses 7 bits to represent all uppercase and lowercase letters, the numbers 0 through 9, punctuation marks, and special control characters used in U.S. English. Most current x86-based systems support the use of extended (or "high") ASCII. Extended ASCII allows the eighth bit of each character to identify an additional 128 special symbol characters, foreign-language letters, and graphic symbols.	American Standard Code for Information Interchange	American Standard Code for Information Interchange	Noun	Not Selected	Not Selected	
Noun	Full Form	The relationship of width and height for an image. When an image is displayed on different screens, the aspect ratio must be kept the same to avoid either vertical or horizontal distortion.	aspect ratio	hichte-breedteferhålding	Noun	de	Singular	
Noun	Full Form	The * character. Indicates multiplication in programming languages and also serves as a wildcard character representing one or more characters.	asterisk	stjerke	Noun	it	Singular	
Noun	Full Form	The @ character. In Internet e-mail addresses, @ separates the user name from the domain name, as in username@sample.com.	at sign	aapke	Noun	it	Singular	
Noun	Abbreviated Form	A high-speed, connection-oriented, virtual circuit-based packet switching protocol used to transport many different types of network traffic. ATM packages data in 53-byte, fixed-length cells that can be switched quickly between logical connections on a network.	ATM	ATM	Noun	Not Selected	Not Selected	
Noun	Full Form	A high-speed, connection-oriented, virtual circuit-based packet switching protocol used to transport many different types of network traffic. ATM packages data in 53-byte, fixed-length cells that can be switched quickly between logical connections on a network.	asynchronous transfer mode	asyngroane oerdrachtsmodus	Noun	de	Singular	
Verb	Full Form	To include an external document as part of an e-mail message.	attach	taheakje	Verb	Not Selected	Not Selected	
Noun	Full Form	An external file included with an e-mail message.	attachment	taheakke	Noun	de	Singular	
Noun	Full Form	Text that alerts a user to a note or a warning.	attention	warskôging	Noun	de	Singular	
Adjective	Full Form	Relating to frequencies within the range of perception by the human ear -- from about 15 to 20,000 hertz (cycles per second).	audio	lûds-	Other	Not Selected	Not Selected	
Noun	Full Form	A compact disc containing audio information (as opposed to a CD-ROM containing data and files).	audio CD	audio-cd	Noun	de	Singular	

Noun	Full Form	The process of validating the credentials of a person, computer process, or device. Authentication requires that the person, process, or device making the request provide a credential that proves it is what or who it says it is. Common forms of credentials are digital signatures, smart cards, biometric data, and a combination of user names and passwords.	authentication	ferifikaasje	Noun	de	Singular	
Noun	Full Form	The process of validating the credentials of a person, computer process, or device. Authentication requires that the person, process, or device making the request provide a credential that proves it is what or who it says it is. Common forms of credentials are digital signatures, smart cards, biometric data, and a combination of user names and passwords.	password authentication	wachtwurdferifikaasje	Noun	de	Singular	
Noun	Abbreviated Form	The authentication protocol (such as CHAP, PAP, EAP etc.) used when authenticating access to resources on a network.	auth method	ferifikaasjemetoade	Noun	de	Singular	
Noun	Full Form	The authentication protocol (such as CHAP, PAP, EAP etc.) used when authenticating access to resources on a network.	authentication method	ferifikaasjemetoade	Noun	de	Singular	
Noun	Full Form	A software feature that allows users to filter records in a spreadsheet or database by selecting filter criteria right in the working window rather than going through complex views and features.	AutoFilter	AutoFilter	Noun	it	Singular	
Noun	Full Form	A way to manipulate an application's objects from outside the application.	automation	automatisearring	Noun	de	Singular	
Noun	Proper Noun	A Component Object Model (COM) based technology that allows for interoperability among ActiveX components, including OLE components. Formerly referred to as OLE Automation.	Automation	Automation	Noun	de	Singular	
Verb	UI String	An Excel feature that automatically creates a sum formula based on user selection.	AutoSum	AutoSom	Noun	de	Singular	
Noun	Full Form	Memory that is not allocated to any program.	available memory	beskikber ûnthâld	Noun	it	Singular	
Noun	Full Form	A line bordering the chart plot area used as a frame of reference for measurement.	axis	as	Noun	de	Singular	
Verb	Full Form	To make a duplicate copy of a program, a disk, or data.	back up	reservekopy meitsje	Verb	Not Selected	Not Selected	
Noun	Full Form	The screen background image used on a graphical user interface such as Windows. Any pattern or picture that can be stored as a bitmap (.bmp) file can be set as a screen background.	background	efergrûn	Noun	de	Singular	
Noun	Full Form	The screen background image used on a graphical user interface such as Windows. Any pattern or picture that can be stored as a bitmap (.bmp) file can be set as a screen background.	desktop pattern	efergrûn	Noun	de	Singular	
Adjective	Full Form	In the context of processes or tasks that are part of an operating system or program, operating without interaction with the user while the user is working on another task.	background	efergrûn	Noun	de	Singular	
Noun	Full Form	The color against which characters and graphics are displayed.	background color	efergrûnkleur	Noun	de	Singular	
Noun	Full Form	The \ character.	backslash	backslash	Noun	de	Singular	
Noun	Full Form	The \ character.	backward slash	backslash	Noun	de	Singular	
Noun	Full Form	A keyboard key that moves the cursor to the left, one character at a time, usually erasing each character as it moves.	BACKSPACE key	Backspace-toets	Noun	de	Singular	
Noun	Full Form	A duplicate of a program, disk, or data, made either for archiving purposes or for safeguarding valuable files from loss in case the active copy is damaged or destroyed.	backup	reservekopy	Noun	de	Singular	
Noun	Full Form	A duplicate of a program, disk, or data, made either for archiving purposes or for safeguarding valuable files from loss in case the active copy is damaged or destroyed.	backup copy	reservekopy	Noun	de	Singular	
Noun	Full Form	A duplicate of a program, disk, or data, made either for archiving purposes or for safeguarding valuable files from loss in case the active copy is damaged or destroyed.	backup file	reservekopybestân	Noun	it	Singular	
Noun	Full Form	The capability of source code or programs developed on a more advanced system or compiler version to be executed or compiled by a less advanced (older) version.	backward compatibility	kompatibiliteit mei eardere ferzjes	Noun	de	Singular	
Noun	Full Form	The data transfer capacity of a transmission medium.	bandwidth	bânbreedte	Noun	de	Singular	
Noun	Full Form	A graphic ad that spans the full width of the page and is normally 120 pixels high.	banner	kopadvertinsje	Noun	de	Singular	
Noun	Full Form	A graph that uses horizontal bars to illustrate comparisons among individual data items.	bar chart	balkediagram	Noun	it	Singular	
Noun	Full Form	A graph that uses horizontal bars to illustrate comparisons among individual data items.	bar graph	balkediagram	Noun	it	Singular	
Noun	Full Form	The special identification code printed as a set of vertical bars of differing widths on books, grocery products, and other merchandise. Used for rapid, error-free input in such facilities as libraries, hospitals, and grocery stores, bar codes represent binary information that can be read by an optical scanner. The coding can include numbers, letters, or a combination of the two; some codes include built-in error checking and can be read in either direction.	bar code	streekjeskoade	Noun	de	Singular	
Noun	Full Form	A character that has meaning independent of other characters, or any graphical character that is not a diacritical mark.	base character	basisteken	Noun	it	Singular	
Noun	Full Form	In the printing and display of characters on the screen, an imaginary horizontal line with which the base of each character, excluding descenders, is aligned.	baseline	basisline	Noun	de	Singular	
Noun	Full Form	The speed at which a modem transmits data.	baud	baud	Noun	de	Singular	

Noun	Full Form	The speed at which a modem communicates. Baud rate refers to the number of times the condition of the line changes. This is equal to bits per second only if each signal corresponds to one bit of transmitted data.	baud rate	baudrate	Noun	de	Singular	
Noun	Abbreviated Form	A feature of e-mail programs that allows a user to send a copy of an e-mail message to a recipient without notifying other recipients that this was done.	bcc	bcc	Not Selected	Not Selected	Not Selected	
Noun	Full Form	A feature of e-mail programs that allows a user to send a copy of an e-mail message to a recipient without notifying other recipients that this was done.	blind carbon copy	blind carbon copy	Noun	de	Singular	
Noun	Abbreviated Form	A pre-released version of a product that is sent to customers and partners for evaluation and feedback.	beta	bêta	Noun	de	Singular	
Noun	Full Form	A pre-released version of a product that is sent to customers and partners for evaluation and feedback.	beta version	bêtaferzje	Noun	de	Singular	
Adjective	Abbreviated Form	Pertaining to a mixture of characters that are read from left to right and characters that are read from right to left.	bidi	bidi	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to a mixture of characters that are read from left to right and characters that are read from right to left.	bidirectional	twarjochtings-	Other	Not Selected	Not Selected	
Adjective	Full Form	A base-2 number system in which values are expressed as combinations of two digits, 0 and 1.	binary	binêr	Adjective	Not Selected	Not Selected	
Noun	Full Form	A file that contains encoded information that is interpreted according to the application that created it. In general, a binary file can be edited only by the application in which it was created.	binary file	binêr bestân	Noun	it	Singular	
Verb	Full Form	To connect a control to a field or group in the data source so that data entered into the control is saved to the corresponding field or group. When a control is unbound, it is not connected to a field or group, and data entered into the control is not saved.	bind	ferbine	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	The set of essential software routines that test hardware at startup, start the operating system, and support the transfer of data among hardware devices. The BIOS is stored in read-only memory (ROM) so that it can be executed when you turn on the computer. Although critical to performance, the BIOS is usually invisible to computer users.	BIOS	BIOS	Noun	it	Singular	
Noun	Full Form	The set of essential software routines that test hardware at startup, start the operating system, and support the transfer of data among hardware devices. The BIOS is stored in read-only memory (ROM) so that it can be executed when you turn on the computer. Although critical to performance, the BIOS is usually invisible to computer users.	basic input/output system	basic input-/outputsysteem	Noun	it	Singular	
Noun	Abbreviated Form	The smallest unit of information handled by a computer. One bit expresses a 1 or a 0 in a binary numeral, or a true or false logical condition. A group of 8 bits makes up a byte, which can represent many types of information, such as a letter of the alphabet, a decimal digit, or other character.	bit	bit	Noun	de	Singular	
Noun	Full Form	The smallest unit of information handled by a computer. One bit expresses a 1 or a 0 in a binary numeral, or a true or false logical condition. A group of 8 bits makes up a byte, which can represent many types of information, such as a letter of the alphabet, a decimal digit, or other character.	binary digit	bit	Noun	de	Singular	
Noun	Full Form	A picture made from a series of small dots, much like a piece of graph paper with certain squares filled in to form shapes and lines.	bitmap	bitmap	Noun	de	Singular	
Noun	Full Form	The number of bits transferred per unit of time, typically expressed in bits per second.	bit rate	bitrate	Noun	de	Singular	
Noun	Full Form	A location or selection of text in a file that you name for reference purposes. Bookmarks identify a location within your file that you can later refer or link to.	bookmark	blêdwizer	Noun	de	Singular	
Noun	Full Form	A location or selection of text in a file that you name for reference purposes. Bookmarks identify a location within your file that you can later refer or link to.	anchor	anker	Noun	it	Singular	
Noun	Full Form	To start or reset a computer by turning the power on, by pressing a reset button on the computer case, or by issuing a software command to restart.	start	opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of starting or resetting a computer. When first turned on (cold boot) or reset (warm boot), the computer runs the software that loads and starts the computer's operating system, which prepares it for use.	boot	opstarten	Noun	it	Singular	
Noun	Full Form	The process of starting or resetting a computer. When first turned on (cold boot) or reset (warm boot), the computer runs the software that loads and starts the computer's operating system, which prepares it for use.	bootstrap	opstarten	Noun	it	Singular	
Noun	Full Form	In a PC-compatible computer, the disk drive that the BIOS uses to automatically load the operating system when the computer is turned on.	boot drive	opstartstasjon	Noun	it	Singular	
Noun	Full Form	The partition that contains the Windows operating system and its support files. The boot partition can be, but does not have to be, the same as the system partition.	boot partition	opstartpartysje	Noun	de	Singular	
Noun	Not Selected	The visible line around the edge of an object. For example, the four lines of a rectangle that comprise its border.	border	râne	Noun	de	Singular	
Noun	Full Form	A control on a form or report used to display and manipulate OLE objects that are stored in tables.	bound object frame	ramt foar ôfhinklik objekt	Noun	it	Singular	
Noun	Full Form	A location in a program at which execution is halted so that a programmer can examine the program's status, the contents of variables, and so on.	breakpoint	ûnderbrekkingspunt	Noun	it	Singular	

Noun	Full Form	The perceived quality of radiance or luminosity of a visible object.	brightness	helderheid	Noun	de	Singular	
Adjective	Full Form	Of or relating to communications systems in which the medium of transmission (such as a wire or fiber-optic cable) carries multiple messages at a time, each message modulated on its own carrier frequency by a modem.	broadband	breedbân	Noun	de	Singular	
Verb	Full Form	To scan a database, a list of files, or the Internet, either for a particular item or for anything that seems to be of interest.	browse	sneupe	Verb	Not Selected	Not Selected	
Noun	Full Form	A typographical symbol, such as a filled or empty circle, diamond, box, or asterisk, used to set off a small block of text or each item in a list.	bullet	opsomteken	Noun	it	Singular	
Noun	Full Form	A list in which each item or block of text is preceded by a bullet.	bulleted list	list mei opsomtekens	Noun	de	Singular	
Noun	Full Form	A communication line used for data transfer among the components of a computer system.	bus	bus	Noun	de	Singular	
Noun	Full Form	An entity that provides goods and/or services to others.	business	saak	Noun	de	Singular	
Adjective	Full Form	Pertaining to time when a person is already scheduled for another task and is not available.	busy	beset	Adjective	Not Selected	Not Selected	
Noun	Full Form	A graphic element that appears similar to a physical button or keyboard key in the UI. A button is "pressed" by clicking on it with a mouse or, if the button has the focus, by hitting the when activated, performs a specified function. The user activates a button by clicking on it with a mouse or, if the button has the focus, by hitting ENTER or RETURN on the keyboard.	button	knop	Noun	de	Singular	
Noun	Full Form	The surface of a button where text or an image (typically indicating the button's function) may be displayed.	button face	knopflak	Noun	it	Singular	
Adverb	Full Form	How a program's action is determined if the user does not make a choice or supply a required value.	by default	standert	Noun	de	Singular	
Noun	Full Form	A unit of data that typically holds a single character, such as a letter, a digit, or a punctuation mark. Some single characters can take up more than one byte.	byte	byte	Noun	de	Singular	
Noun	Abbreviated Form	An entity responsible for establishing and vouching for the authenticity of public keys belonging to users (and entities) or other certification authorities. Activities of a certification authority may include binding public keys to distinguished names through signed certificates, managing certificate serial numbers and certificate revocation.	CA	CA	Noun	Not Selected	Not Selected	
Noun	Full Form	An entity responsible for establishing and vouching for the authenticity of public keys belonging to users (and entities) or other certification authorities. Activities of a certification authority may include binding public keys to distinguished names through signed certificates, managing certificate serial numbers and certificate revocation.	certification authority	sertifisearingsynstânsje	Noun	de	Singular	
Noun	Full Form	A device that enables a broadband connection to the Internet by using cable television infrastructure. Access speeds vary greatly, with a maximum throughput of 10 megabits per second (Mbps).	cable modem	kabelmodem	Noun	it	Singular	
Noun	Full Form	A special memory subsystem in which frequently used data values are duplicated for quick access.	cache	cache	Noun	de	Singular	
Verb	Full Form	To store frequently used data values in a special memory subsystem for quick access.	cache	bewarje yn cache	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of temporarily storing recently accessed information in a special memory subsystem for quicker access.	caching	bewarjen yn cache	Noun	it	Singular	
Noun	Full Form	A field defined in a query that displays the result of an expression rather than displaying stored data. The value is recalculated each time a value in the expression changes.	calculated field	berekkene fjild	Noun	it	Singular	
Noun	Full Form	Broadly, any device that performs arithmetic operations on numbers. Sophisticated calculators can be programmed for certain functions and can store values in memory, but they differ from computers in several ways: they have a fixed set of commands, they do not recognize text, they cannot retrieve values stored in a data file, and they cannot find and use values generated by a program such as a spreadsheet.	calculator	rekkenmasine	Noun	de	Singular	
Noun	Full Form	An application or tool in the form of an electronic calendar, commonly used for scheduling.	calendar program	agindaprogramma	Noun	it	Singular	
Noun	Full Form	An application or tool in the form of an electronic calendar, commonly used for scheduling.	calendar	aginda	Noun	de	Singular	
Verb	Full Form	To establish a connection through a telecommunications network.	call	belje	Verb	Not Selected	Not Selected	
Noun	Full Form	A service that notifies a user that a call is coming in while the user is in a call.	call waiting	wikselpetear	Noun	it	Singular	
Noun	Full Form	A marketing program that uses many communication vehicles (for example, ads and direct mail) to accomplish a specific result, such as increasing marketing share, introducing new products, or retaining customers.	campaign	kampanje	Noun	de	Singular	
Verb	Full Form	A marketing program that uses many communication vehicles (for example, ads and direct mail) to accomplish a specific result, such as increasing marketing share, introducing new products, or retaining customers.	marketing campaign	marketingkampanje	Noun	de	Singular	
Verb	Full Form	To revoke an action. To quit an action without saving any changes that the action would result in.	cancel	annulearje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	An (API) that is provided as part of Microsoft Windows. CryptoAPI provides a set of functions that allow applications to encrypt or digitally sign data in a flexible manner while providing protection for the user's sensitive private key data. Actual cryptographic operations are performed by independent modules known as (CSPs).	CAPI	CAPI	Noun	Not Selected	Not Selected	

Noun	Proper Noun	An (API) that is provided as part of Microsoft Windows. CryptoAPI provides a set of functions that allow applications to encrypt or digitally sign data in a flexible manner while providing protection for the user's sensitive private key data. Actual cryptographic operations are performed by independent modules known as (CSPs).	CryptoAPI	CryptoAPI	Noun	Not Selected	Not Selected	
Noun	Proper Noun	An (API) that is provided as part of Microsoft Windows. CryptoAPI provides a set of functions that allow applications to encrypt or digitally sign data in a flexible manner while providing protection for the user's sensitive private key data. Actual cryptographic operations are performed by independent modules known as (CSPs).	Cryptography Application Programming Interface	Cryptography Application Programming Interface	Noun	Not Selected	Not Selected	
Noun	Full Form	In some languages, a distinct, and usually larger, form of a letter. May be used in word-initial position in certain cases, or for emphasis.	capital letter	haadletter	Noun	de	Singular	
Noun	Full Form	In some languages, a distinct, and usually larger, form of a letter. May be used in word-initial position in certain cases, or for emphasis.	uppercase letter	haadletter	Noun	de	Singular	
Noun	Full Form	The use of a capital letter in writing or printing.	capitalization	haadlettergebrûk	Noun	it	Singular	
Noun	Abbreviated Form	A toggle key that, when on, shifts the alphabetic characters on the keyboard to uppercase.	CAPS LOCK	Caps Lock	Noun	Not Selected	Not Selected	
Noun	Full Form	A toggle key that, when on, shifts the alphabetic characters on the keyboard to uppercase.	CAPS LOCK key	Caps Lock-toets	Noun	de	Singular	
Noun	Full Form	Text that accompanies images or videos, either as a supplemental description or a transcript of spoken words.	caption	byskrift	Noun	it	Singular	
Noun	Full Form	Hardware that transfers audio and video from an external source, such as a VCR or camcorder, to a computer.	capture device	opnimapparaat	Noun	it	Singular	
Noun	Abbreviated Form	A directive to an e-mail program to send a complete copy of a given piece of mail to another individual. The use of cc mail addressing, as opposed to directly addressing the mail to a person, generally implies that the recipient is not required to take any action; the message is for informational purposes only. In a cc directive, the fact that this recipient received the mail is printed in the mail header and is thus known to all other recipients.	cc	cc	Noun	Not Selected	Not Selected	
Noun	Full Form	A directive to an e-mail program to send a complete copy of a given piece of mail to another individual. The use of cc mail addressing, as opposed to directly addressing the mail to a person, generally implies that the recipient is not required to take any action; the message is for informational purposes only. In a cc directive, the fact that this recipient received the mail is printed in the mail header and is thus known to all other recipients.	carbon copy	kopy	Noun	de	Singular	
Not Selected	Full Form	A directive to an e-mail program to send a complete copy of a given piece of mail to another individual. The use of cc mail addressing, as opposed to directly addressing the mail to a person, generally implies that the recipient is not required to take any action; the message is for informational purposes only. In a cc directive, the fact that this recipient received the mail is printed in the mail header and is thus known to all other recipients.	courtesy copy	kopy	Noun	de	Singular	
Noun	Full Form	The location where text or graphics will be inserted. Also used for text box controls to indicate input focus.	insertion point	ynfoechplak	Noun	it	Singular	
Noun	Full Form	The location where text or graphics will be inserted. Also used for text box controls to indicate input focus.	system caret	systeemyfoechteken	Noun	it	Singular	
Noun	Full Form	In computing, a catalog is a directory of information about data sets, files, or a database. A catalog usually describes where a data set, file or database entity is located and may also include other information, such as the type of device on which each data set or file is stored.	catalog	katalogus	Noun	de	Singular	
Noun	Abbreviated Form	An optical storage medium for digital data.	CD	cd	Noun	de	Singular	
Noun	Full Form	An optical storage medium for digital data.	compact disc	kompaktdisk	Noun	de	Singular	
Noun	Full Form	A device used to copy files to recordable CDs and DVDs.	CD burner	cd-brâner	Noun	de	Singular	
Noun	Full Form	A device used to copy files to recordable CDs and DVDs.	CD recorder	cd-opnimmer	Noun	de	Singular	
Noun	Full Form	A device used to copy files to recordable CDs and DVDs.	disc burner	cd-/dvd-brâner	Noun	de	Singular	
Noun	Full Form	A device that reads the information stored on a compact disc. A compact disc player contains the optical equipment necessary for reading a disc's contents and the electronic circuitry for interpreting the data as it is read.	CD player	cd-spiler	Noun	de	Singular	
Noun	Full Form	A device that reads the information stored on a compact disc. A compact disc player contains the optical equipment necessary for reading a disc's contents and the electronic circuitry for interpreting the data as it is read.	compact disc player	cd-spiler	Noun	de	Singular	
Noun	Abbreviated Form	A form of storage characterized by high capacity (roughly 650 MB) and the use of laser optics instead of magnetic means for reading data.	CD-ROM	cd-rom	Noun	de	Singular	
Noun	Full Form	A form of storage characterized by high capacity (roughly 650 MB) and the use of laser optics instead of magnetic means for reading data.	compact disc read-only memory	cd-rom	Noun	de	Singular	
Noun	Full Form	A box formed by the intersection of a row and a column in a worksheet or a table, in which you enter information.	cell	sel	Noun	de	Singular	
Noun	Full Form	The ¢ character.	cent sign	sintteken	Noun	it	Singular	

Verb	Full Form	To align objects or text around a point located in the middle of a line, page, or other defined area; in effect, to position items an equal distance from each margin or border.	center	sintrearje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	The computational and control unit of a computer. The CPU is the device that interprets and executes instructions. Mainframes and early minicomputers contained circuit boards full of integrated circuits that implemented the CPU. Single-chip central processing units, called microprocessors, made possible personal computers and workstations.	CPU	CPU	Noun	Not Selected	Not Selected	
Noun	Full Form	The computational and control unit of a computer. The CPU is the device that interprets and executes instructions. Mainframes and early minicomputers contained circuit boards full of integrated circuits that implemented the CPU. Single-chip central processing units, called microprocessors, made possible personal computers and workstations.	central processing unit	sintrale ferwurkingsienheid	Noun	de	Singular	
Noun	Full Form	The computational and control unit of a computer. The CPU is the device that interprets and executes instructions. Mainframes and early minicomputers contained circuit boards full of integrated circuits that implemented the CPU. Single-chip central processing units, called microprocessors, made possible personal computers and workstations.	microprocessor	mikroproessor	Noun	de	Singular	
Noun	Full Form	The computational and control unit of a computer. The CPU is the device that interprets and executes instructions. Mainframes and early minicomputers contained circuit boards full of integrated circuits that implemented the CPU. Single-chip central processing units, called microprocessors, made possible personal computers and workstations.	processor	proessor	Noun	de	Singular	
Noun	Abbreviated Form	A label with sophisticated anti-counterfeiting features that helps the end user identify that the computer uses a validly licensed copy of Microsoft Windows. The product name and a unique product key appear in the center of the label. The OEM must physically attach the COA label to the computer chassis, and it should never be removed from the computer.	COA	COA	Noun	it	Singular	
Noun	Full Form	A label with sophisticated anti-counterfeiting features that helps the end user identify that the computer uses a validly licensed copy of Microsoft Windows. The product name and a unique product key appear in the center of the label. The OEM must physically attach the COA label to the computer chassis, and it should never be removed from the computer.	certificate of authenticity	echtheidssertifikaat	Noun	it	Singular	
Noun	Full Form	A path through which information passes between two computers or devices. It can refer to the physical medium (such as wires) or to a set of properties that distinguishes one channel from another.	channel	kanaal	Noun	it	Singular	
Noun	Full Form	The simplest element used to represent written languages. The appearance of a character is not constant; a character's appearance depends on the font used, as well as the context of surrounding text.	character	teken	Noun	it	Singular	
Noun	Full Form	In text-based computer graphics, a block of memory addresses that correspond to character spaces on a display screen. The memory allocated to each character space is used to hold the description of the character to be displayed in that space.	character map	tekenset	Noun	de	Singular	
Noun	Full Form	A grouping of alphabetic, numeric, and other characters that have some relationship in common. For example, the standard ASCII character set includes letters, numbers, symbols, and control codes that make up the ASCII coding scheme.	character set	tekenset	Noun	de	Singular	
Noun	Full Form	The distance between characters in a line of text. Tracking, kerning, and scaling can be used to adjust the space between characters.	character spacing	tekenôfstân	Noun	de	Singular	
Noun	Full Form	A combination of any of the character formatting options identified by a style name.	character style	tekenopmaakprofyl	Noun	de	Singular	
Noun	Full Form	A type of payment card where the supplier is paid by the card issuer. The card holder then pays the card issuer.	charge card	kredytkaart	Noun	de	Singular	
Noun	Full Form	A type of payment card where the supplier is paid by the card issuer. The card holder then pays the card issuer.	credit card	kredytkaart	Noun	de	Singular	
Noun	Full Form	A graphic or diagram that displays data or the relationships between sets of data in pictorial rather than numeric form.	chart	grafyk	Noun	de	Singular	
Verb	Full Form	To carry on a real-time conversation with other users by computer.	chat	chatte	Verb	Not Selected	Not Selected	
Verb	Full Form	To add a check to a check box to specify a desired feature or option.	select	selektearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A control that indicates whether or not an option is selected. A check mark or "x" appears in the box when the option is selected.	check box	seleksjehokje	Noun	it	Singular	
Noun	Full Form	A small x or other sign that appears in the check box if the option represented by the box is selected.	check mark	finkje	Noun	it	Singular	
Noun	Full Form	The « character.	opening chevron	Frânsk oanhelteken iepenje	Noun	it	Singular	
Verb	Full Form	To decide on a particular option.	choose	kieze	Verb	Not Selected	Not Selected	
Noun	Full Form	A module that can contain the definition for a new object. Each instance of a class creates a new object. Procedures defined in the module become properties and methods of the object.	class module	klassemodule	Noun	de	Not Selected	

Verb	Full Form	To turn a setting off or to remove a value.	clear	útskeakelje	Verb	Not Selected	Not Selected	
Noun	Proper Noun	A font display technology that dramatically improves font display resolution so that letters on the computer screen appear smooth, not jagged. ClearType dramatically improves the readability of text on color LCD monitors with a digital interface, such as those found in laptops and high-quality flat-panel desktop displays.	ClearType	Clear Type	Noun	Not Selected	Not Selected	
Verb	Full Form	To press and release a mouse button once without moving the mouse. Clicking is usually performed to select or deselect an item or to activate a program or program feature.	click	klikke	Verb	Not Selected	Not Selected	
Noun	Full Form	A collection of proprietary or public-domain photographs, diagrams, maps, drawings, sounds, animations, and other graphics that can be downloaded from the collection and incorporated into documents.	clip art	yllustraasjes	Noun	de	Plural	
Noun	Full Form	The area of storage for objects, data, or their references after a user carries out a Cut or Copy command.	clipboard	klamboerd	Noun	it	Singular	
Noun	Abbreviated Form	The electronic circuit in a computer that generates a steady stream of timing pulses--the digital signals that synchronize every operation.	clock	klok	Noun	de	Singular	
Verb	Full Form	The electronic circuit in a computer that generates a steady stream of timing pulses--the digital signals that synchronize every operation.	system clock	systeemklok	Noun	de	Singular	
Verb	Full Form	To end an application's relationship with an open file so that the application will no longer be able to access the file without opening it again.	close	slute	Verb	Not Selected	Not Selected	
Noun	Full Form	The] character.	right bracket	kante heak rjochts	Noun	de	Singular	
Noun	Full Form	The » character.	closing chevron	Frânsk oanhelteken slute	Noun	it	Singular	
Noun	Full Form	The } character.	right brace	akkolade rjochts	Noun	de	Singular	
Noun	Full Form	The) character.	closing parenthesis	heakje lofts	Noun	de	Singular	
Noun	Full Form	A means of providing support for character sets and keyboard layouts for different countries or regions. A code page is a table that relates the binary character codes used by a program to keys on the keyboard or to characters on the display.	code page	koadetabel	Noun	de	Singular	
Noun	Abbreviated Form	An abbreviation for compressor/decompressor. Software or hardware used to compress and decompress digital media.	codec	codec	Noun	Not Selected	Not Selected	
Noun	Full Form	A startup process that begins with turning on the computer's power. Typically, a cold boot involves some basic hardware checking by the system, after which the operating system is loaded from disk into memory.	cold boot	kâlde start	Noun	de	Singular	
Noun	Full Form	A startup process that begins with turning on the computer's power. Typically, a cold boot involves some basic hardware checking by the system, after which the operating system is loaded from disk into memory.	cold start	kâlde start	Noun	de	Singular	
Verb	Full Form	To hide from view the subentries contained within a folder or outline section.	collapse	yntearre	Verb	Not Selected	Not Selected	
Noun	Full Form	The range of color values available to an image. Measured in bits per pixel.	color depth	kleurdjipte	Noun	de	Singular	
Noun	Full Form	The range of color values available to an image. Measured in bits per pixel.	bit depth	bitdjipte	Noun	de	Singular	
Noun	Full Form	The particular range of colors that a device is able to produce. A device such as a scanner, monitor, or printer can produce a unique range of colors, which is determined by the characteristics of the device itself.	color gamut	kleuregamma	Noun	it	Singular	
Noun	Full Form	A monitor designed to work with a video card or adapter to produce text or graphics images in color.	color monitor	kleuremonitor	Noun	de	Singular	
Noun	Full Form	A computer printer that can print full-color output. Most color printers can also produce black-and-white output.	color printer	kleureprinter	Noun	de	Singular	
Noun	Full Form	A profile that contains the data needed for translating the values of a color gamut. This data includes information about color, hue, saturation, and brightness.	color profile	kleurprofyl	Noun	it	Singular	
Noun	Full Form	A set of eight balanced colors that you can apply to slides notes pages or audience handouts. A color scheme consists of a background color a color for lines and text and six other colors selected to make slides easy to read.	color scheme	kleurskema	Noun	it	Singular	

Noun	Full Form	The three-dimensional space that is defined by a set of coordinates for representing color on devices such as monitors, scanners, and printers. For example, in the LAB color space, the colors are defined in terms of their luminance or whiteness (L), redness-greenness (A), and yellowness-blueness (B); the HVC system uses hue (H), value (V), and chroma (C). The two most common color space models are RGB and YUV.	color space	kleurromte	Noun	de	Singular	
Noun	Full Form	The three-dimensional space that is defined by a set of coordinates for representing color on devices such as monitors, scanners, and printers. For example, in the LAB color space, the colors are defined in terms of their luminance or whiteness (L), redness-greenness (A), and yellowness-blueness (B); the HVC system uses hue (H), value (V), and chroma (C). The two most common color space models are RGB and YUV.	color space model	kleurromte	Noun	de	Singular	
Noun	Full Form	A series of items arranged vertically within some type of framework--for example, a continuous series of cells running from top to bottom in a spreadsheet, a set of lines of specified width on a printed page, a vertical line of pixels on a video screen, or a set of values aligned vertically in a table or matrix.	column	kolom	Noun	de	Singular	
Noun	Full Form	A special symbol that breaks a column when inserted into a document. It ends the current column and starts the next column.	column break	kolomein	Noun	de	Singular	
Noun	Full Form	A graph that uses vertical bars to show data changes over a period of time or illustrate comparisons among items.	column chart	kolomdiagram	Noun	it	Singular	
Noun	Full Form	A standard Windows control that can be used to provide interactive column titles for a list.	column heading	kolomkop	Noun	de	Singular	
Noun	Full Form	A standard Windows control that combines text box and list box functions.	combo box	karlist mei ynfierhokje	Noun	it	Singular	
Noun	Full Form	A standard Windows control that combines text box and list box functions.	combo box control	karlist mei ynfierhokje	Noun	it	Singular	
Noun	Full Form	The , character.	comma	komma	Noun	de	Singular	
Noun	Full Form	An instruction to a computer program that, when issued by the user, causes an action to be carried out. Commands are usually either typed at the keyboard or chosen from a menu.	command	opdracht	Noun	de	Singular	
Noun	Full Form	A standard Windows control that initiates a command.	command button	opdrachtknop	Noun	de	Singular	
Noun	Full Form	A standard Windows control that initiates a command.	push button	drukknop	Noun	de	Singular	
Noun	Full Form	A string of text written in the command language and passed to the command interpreter for execution.	command line	opdrachtregel	Noun	de	Singular	
Noun	Full Form	A window that mimics an old MS-DOS display for typing command-line instructions.	command prompt window	opdrachtpromptfinster	Noun	it	Singular	
Verb	Full Form	To check two items, such as words, files, or numeric values, so as to determine whether they are the same or different. In a program, the outcome of a compare operation often determines which of two or more actions is taken next.	compare	ferlykje	Verb	Not Selected	Not Selected	
Noun	Full Form	The degree to which a computer, an attached device, a data file, or a program can work with or understand the same commands, formats, or language as another. True compatibility means that any operational differences are invisible to people and programs alike.	compatibility	kompatibiliteit	Noun	de	Singular	
Noun	Full Form	A feature of a computer or operating system that allows it to run programs written for a different system. Programs often run more slowly in compatibility mode.	compatibility mode	kompatibiliteitsmoadus	Noun	de	Singular	
Adjective	Full Form	Pertaining to a product that can work with or is equivalent to another product.	compatible	kompatibel	Adjective	Not Selected	Not Selected	
Verb	Full Form	To translate all the source code of a program from a high-level language into object code prior to execution of the program.	compile	kompilearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To translate all the source code of a program from a high-level language into object code prior to execution of the program.	build	kompilearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To create an object, such as an email message.	compose	opstelle	Verb	Not Selected	Not Selected	
Verb	Full Form	To reduce the size of a file so that it takes up less storage space and is easier to send in e-mail.	compress	komprimearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A process for removing redundant data from a digital media file or stream to reduce its size or the bandwidth used.	compression	kompresje	Noun	de	Singular	
Noun	Full Form	Any artificial language that can be used to define a sequence of instructions that can ultimately be processed and executed by the computer.	computer language	kompjûtertaal	Noun	de	Singular	
Noun	Full Form	Any artificial language that can be used to define a sequence of instructions that can ultimately be processed and executed by the computer.	programming language	programmeartaal	Noun	de	Singular	
Noun	Full Form	The state of an expression or a variable (for example, when a result can be either true or false, or equal or not equal).	condition	tastân	Noun	de	Singular	

Adjective	Full Form	Of, pertaining to, or characteristic of an action or operation that takes place based on whether or not a certain condition is true.	conditional	ûnder betingst	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	The entire interconnected set of hardware, or the way in which a network is laid out--the manner in which elements are connected.	configuration	konfiguraasje	Noun	de	Singular	
Noun	Full Form	The entire interconnected set of hardware, or the way in which a network is laid out--the manner in which elements are connected.	network configuration	netwurkkonfiguraasje	Noun	de	Singular	
Noun	Full Form	In reference to a single microcomputer, the sum of a system's internal and external components, including memory, disk drives, keyboard, video, and generally less critical add-on hardware, such as a mouse, modem, or printer. Software (the operating system and various device drivers), the user's choices established through configuration files such as the AUTOEXEC.BAT and CONFIG.SYS files on IBM PCs and compatibles, and sometimes hardware (switches and jumpers) are needed to "configure the configuration" to work correctly. Although system configuration can be changed, as by adding more memory or disk capacity, the basic structure of the system--its architecture--remains the same. See also AUTOEXEC.BAT, CONFIG.SYS.	configuration	konfiguraasje	Noun	de	Singular	
Verb	Full Form	To set up hardware and software.	configure	konfigurearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To acknowledge an action or the value of some data (e.g. password) by definite assurance.	confirm	befêstigje	Verb	Not Selected	Not Selected	
Noun	Full Form	A physical link via wire, radio, fiber-optic cable, or other medium between two or more communications devices.	connection	ferbining	Noun	de	Singular	
Noun	Full Form	The ability of hardware devices, software packages, or a computer itself to work with network devices or with other hardware devices, software packages, or a computer over a network connection.	connectivity	ferbiningsmooglikheden	Noun	de	Plural	
Noun	Full Form	A value that is not calculated and, therefore, does not change. For example, the number 210, and the text "Quarterly Earnings" are constants. An expression, or a value resulting from an expression, is not a constant.	constant	konstante	Noun	de	Singular	
Noun	Full Form	A person, inside or outside your organization, for whom you have created an entry where you can save several types of information, such as street and e-mail addresses, telephone and fax numbers, and Web page URLs.	contact	kontaktpersoan	Noun	de	Singular	
Noun	Full Form	A menu that is related to the active window or item, accessible by right-clicking the mouse.	context menu	kontekstmenu	Noun	it	Singular	
Noun	Full Form	A menu that is related to the active window or item, accessible by right-clicking the mouse.	shortcut menu	kontekstmenu	Noun	it	Singular	
Noun	Full Form	A menu that is related to the active window or item, accessible by right-clicking the mouse.	pop-up menu	kontekstmenu	Noun	it	Singular	
Noun	Full Form	A form of assistance in which a program that provides on-screen help shows information to the user concerning the current command or operation being attempted.	context-sensitive Help	kontekstôfhinklike Help	Noun	de	Singular	
Noun	Full Form	The degree of difference between light and dark extremes of color on a monitor or on printed output.	contrast	kontrast	Noun	it	Singular	
Noun	Full Form	An object that enables user interaction or input, often to initiate an action, display information, or set values.	control	bestjoeringselemint	Noun	it	Singular	
Noun	Full Form	Management of a computer and its processing abilities so as to maintain order as tasks and activities are carried out. Control applies to measures designed to ensure error-free actions carried out at the right time and in the right order relative to other data-handling or hardware-based activities.	control	bestjoering	Noun	de	Singular	
Noun	Abbreviated Form	A key that, when pressed in combination with another key, gives the other key an alternative meaning.	CTRL	Ctrl	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A key that, when pressed in combination with another key, gives the other key an alternative meaning.	CTRL key	Ctrl-toets	Noun	de	Singular	
Noun	Full Form	A key that, when pressed in combination with another key, gives the other key an alternative meaning.	Control key	Ctrl-toets	Noun	de	Singular	
Noun	Full Form	A utility that allows the user to customize the appearance and functionality of the computer, add or remove programs, and set up network connections and user accounts.	control panel	konfiguraasjeskerm	Noun	it	Singular	

Noun	Full Form	Any device that changes electrical signals or computer data from one form to another. For example, an analog-to-digital converter translates analog signals to digital signals.	converter	konverzjeprogramma	Noun	it	Singular	
Noun	Full Form	Each of a set of references that together describe the exact position of something with respect to a set of axes (or a row and column).	coordinate	koördinaat	Noun	de	Singular	
Noun	Full Form	A processor, distinct from the main microprocessor, that performs additional functions or assists the main microprocessor. The most common type of coprocessor is the floating-point coprocessor.	coprocessor	koprosessor	Noun	de	Singular	
Verb	Full Form	To duplicate information and reproduce it in another part of a document, in a different file or memory location, or in a different medium. A copy operation can affect data ranging from a single character to large segments of text, a graphics image, or one to many data files.	copy	kopiearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A method of protecting the rights of an originator of a creative work, such as a text, a piece of music, a painting, or a computer program, through law.	copyright	auteursrjocht	Noun	it	Singular	
Noun	Full Form	The © character. Normally included at the beginning of a copyright notice.	copyright symbol	auteursrjochtteken	Noun	it	Singular	
Adjective	Full Form	Damaged. Mostly used in regard to files or data.	corrupted	skeind	Adjective	Not Selected	Not Selected	
Verb	Full Form	To trim vertical or horizontal edges or an object. Pictures are often cropped to focus attention on a particular area.	crop	bysnije	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	Shading made up of regularly spaced, intersecting lines.	hatch	stekje	Noun	it	Singular	
Noun	Full Form	Shading made up of regularly spaced, intersecting lines.	cross hatch	stekje	Noun	it	Singular	
Noun	Full Form	A query that calculates a sum, average, count, or other type of total on records, and then groups the result by two types of information: one down the left side of the datasheet and the other across the top.	crosstab query	krústabelquery	Noun	de	Singular	
Noun	Full Form	A set of data that is organized and summarized into a multidimensional structure defined by a set of dimensions and measures.	cube	kubus	Noun	de	Singular	
Noun	Full Form	A set of data that is organized and summarized into a multidimensional structure defined by a set of dimensions and measures.	OLAP cube	OLAP-kubus	Noun	de	Singular	
Noun	Full Form	A symbol selected to designate a specific currency.	currency symbol	falutasymboal	Noun	it	Singular	
Noun	Full Form	The point where you can insert text or graphics. It usually appears as a blinking vertical line.	cursor	kursor	Noun	de	Singular	
Noun	Abbreviated Form	A type of installation that allows the user to specify certain installation settings and options, such as which components will be installed.	custom install	oanpaste ynstallaasje	Noun	de	Singular	
Noun	Full Form	A type of installation that allows the user to specify certain installation settings and options, such as which components will be installed.	custom installation	oanpaste ynstallaasje	Noun	de	Singular	
Noun	Full Form	A toolbar that you create for your application.	custom toolbar	oanpaste arkbalke	Noun	de	Singular	
Verb	Full Form	To modify or assemble hardware or software to suit the needs or preferences of the user.	customize	oanpasse	Verb	Not Selected	Not Selected	
Verb	Full Form	To remove part of a document, usually placing it temporarily in memory so that the cut portion can be inserted (pasted) elsewhere.	cut	knippe	Verb	Not Selected	Not Selected	
Noun	Full Form	The † character.	dagger	krúske	Noun	it	Singular	
Noun	Full Form	A representation of facts, concepts or instructions in a formalized manner, suitable for communication, interpretation or processing.	data	data	Noun	de	Plural	
Noun	Full Form	The process of writing new data to computer memory.	data entry	dataynfier	Noun	de	Singular	
Noun	Full Form	A field that contains the result of a query to an external data source.	data field	datafjild	Noun	it	Singular	
Noun	Abbreviated Form	The accuracy of data and its conformity to its expected value, especially after being transmitted or processed.	integrity	yntegriteit	Noun	de	Singular	

Noun	Full Form	The accuracy of data and its conformity to its expected value, especially after being transmitted or processed.	data integrity	datayntegriteit	Noun	de	Singular	
Noun	Full Form	The manipulation of data to transform it into some desired result.	data processing	dataferwurking	Noun	de	Singular	
Noun	Full Form	In communications, the portion of a Data Terminal Equipment (DTE) device that sends data.	data source	databoarne	Noun	de	Singular	
Noun	Full Form	A property of a field that defines the kinds of data the field can store.	data type	datatype	Noun	it	Singular	
Noun	Full Form	A collection of data formatted/arranged to allow for easy search and retrieval.	database	database	Noun	de	Singular	
Verb	Full Form	To detect, locate, and correct logical or syntactical errors in a program.	debug	flaterfrij meitsje	Verb	Not Selected	Not Selected	
Verb	Full Form	To convert encrypted content back into its original form.	decrypt	dekodearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A value that is automatically used by a program when the user does not specify an alternative. Defaults are built into a program when a value or option must be assumed for the program to function.	default	standertynstelling	Noun	de	Singular	
Noun	Full Form	In some dialog boxes, the command button that is selected or highlighted when the dialog box is initially displayed. The default button has a bold border, indicating that it will be chosen automatically if you press ENTER. You can override a default button by clicking Cancel or another command button.	default button	standertknop	Noun	de	Singular	
Noun	Full Form	The process of rewriting parts of a file to contiguous sectors on a hard disk to increase the speed of access and retrieval.	defragmentation	defragmintaasje	Noun	de	Singular	
Noun	Full Form	The ° character	degree symbol	graadteken	Noun	it	Singular	
Noun	Full Form	On IBM and PC-compatible computers, a key whose function changes depending on the application program. Usually it erases the character under the cursor, although in some applications it can erase selected text or graphics.	DELETE key	Delete-toets	Noun	de	Singular	
Verb	Full Form	To eliminate text, a file, or part of a document with the intention of removing the information permanently.	delete	wiskje	Verb	Not Selected	Not Selected	
Noun	Full Form	One or more special characters used to separate peers in a delimited structure, at any level (fields, records, and so on).	delimiter	skiedingsteken	Noun	it	Singular	
Not Selected	Full Form	To put into use.	deploy	brûke	Verb	Not Selected	Not Selected	
Noun	Full Form	A visual design surface.	designer	ûntwerpskerm	Noun	it	Singular	
Noun	Full Form	The work area on a computer screen that simulates the top of an actual desk. The desktop contains the Recycle Bin and other icons (shortcuts to programs, files, folders, and various types of documents such as letters, reports, or pictures) that you can arrange on the electronic desktop just as you would arrange real objects on top of a desk.	desktop	buroblêd	Noun	it	Singular	
Noun	Full Form	The location (drive, folder, or directory) to which a file is copied or moved.	destination	doel	Noun	it	Singular	
Verb	Full Form	To remove uninstalled application files from a destination computer.	detach	losmeitsje	Verb	Not Selected	Not Selected	
Noun	Full Form	Any piece of equipment that can be attached to a network or computer, for example, printers, keyboards, external disk drives, or other peripheral equipment. Devices normally require a device driver to function with Windows.	device	apparaat	Noun	it	Singular	
Noun	Full Form	Any mark placed over, under, or through a character, usually to indicate a change in phonetic value from the unmarked state. A character that is attached to it is a base character. Most diacritics are non-spacing characters that do not increase the width of the base character.	diacritical mark	diakritysk teken	Noun	it	Singular	
Noun	Full Form	Any mark placed over, under, or through a character, usually to indicate a change in phonetic value from the unmarked state. A character that is attached to it is a base character. Most diacritics are non-spacing characters that do not increase the width of the base character.	diacritic	diakritysk teken	Noun	it	Singular	
Not Selected	Full Form	To move the numbered wheel, press the buttons on a telephone or press the button in phone software in order to make a telephone/computer call.	dial	kieze	Verb	Not Selected	Not Selected	
Noun	Full Form	A sound emitted by the receiver of a telephone that indicates that a number can be dialed.	dial tone	kiestoan	Noun	de	Singular	

Noun	Full Form	A box associated with a task or program that contains buttons and options for completing the task. For example, if you create a document in Microsoft Word and then you want to save it, when you click Save, the Save As dialog box will appear.	dialog box	dialogoachfinster	Noun	it	Singular	
Adjective	Full Form	Pertaining to a connection that uses the public switched telephone network rather than a dedicated circuit or some other type of private network.	dial-up	ynbel-	Other	Not Selected	Not Selected	
Adjective	Full Form	In computing, a characteristic of data that is represented as binary digits (zeros and ones).	digital	digitaal	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A form of storage characterized by high capacity (roughly 650 MB) and the use of laser optics rather than magnetic means for reading data. Optical disk storage commonly used for audio, video, and computer data. DVDs range in capacity from 4.7 GB to 17 GB, and can store significantly more than a CD-ROM.	DVD	dvd	Noun	de	Singular	
Noun	Full Form	A form of storage characterized by high capacity (roughly 650 MB) and the use of laser optics rather than magnetic means for reading data. Optical disk storage commonly used for audio, video, and computer data. DVDs range in capacity from 4.7 GB to 17 GB, and can store significantly more than a CD-ROM.	digital video disk	digitale video disk	Noun	de	Singular	
Verb	Full Form	To cause text or an image to visually fade.	dim	dimme	Verb	Not Selected	Not Selected	
Noun	Full Form	An OLAP structure that organizes data into levels, such as Country/Region/City for a Geography dimension. In a PivotTable or PivotChart report, each dimension becomes a set of fields where you can expand and collapse detail.	dimension	diminsje	Noun	de	Singular	
Adjective	Full Form	The state of a control in which normal functionality is not presently available to a user.	dimmed	net beskikber	Adjective	Not Selected	Not Selected	
Adjective	Full Form	The state of a control in which normal functionality is not presently available to a user.	unavailable	net beskikber	Adjective	Not Selected	Not Selected	
Adjective	Full Form	The state of a control in which normal functionality is not presently available to a user.	disabled	net beskikber	Adjective	Not Selected	Not Selected	
Adjective	Full Form	The state of a control in which normal functionality is not presently available to a user.	grayed	net beskikber	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A technology that allows certain devices, such as hard disks and CD or DVD drives, to transfer information directly through the computer's memory without using the computer's processor. DMA improves the performance of the device and frees the computer's processor so it can perform other tasks.	DMA	DMA				
Noun	Full Form	A technology that allows certain devices, such as hard disks and CD or DVD drives, to transfer information directly through the computer's memory without using the computer's processor. DMA improves the performance of the device and frees the computer's processor so it can perform other tasks.	direct memory access	streekrjochte tagong ta ûnthâld	Noun	it	Singular	
Noun	Full Form	An information source that contains information about users, computer files, or other objects. In a file system, a directory stores information about files. In a distributed computing environment (such as a Windows domain), the directory stores information about objects such as printers, fax servers, applications, databases, and other users.	directory	directory	Noun	de	Singular	
Verb	Full Form	To make a device nonfunctional. For example, if you disable a device in a hardware configuration, you cannot use the device when your computer uses that hardware configuration. Disabling a device frees the resources that were allocated to the device.	disable	ûtskeakelje	Verb	Not Selected	Not Selected	
Noun	Full Form	A round, flat piece of nonmagnetic, shiny metal encased in a plastic coating, designed to be read from and written to by optical (laser) technology.	disc	skiif	Noun	de	Singular	
Noun	Full Form	A notice that warns that the manufacturer of the product limits liability in certain situations/uses.	disclaimer	frijwarder	Noun	de	Singular	
Verb	Full Form	To break a connection.	disconnect	ferbining ferbrekke	Verb	Not Selected	Not Selected	
Noun	Full Form	A device used to store information. There are two types of disks. Hard disks are permanent and installed into your computer. Floppy disks are portable and can be inserted into and removed from a floppy disk drive.	disk	skiif	Noun	de	Singular	
Verb	Full Form	To show something.	display	werjaan	Verb	Not Selected	Not Selected	
Noun	Full Form	The visual output device of a computer, which is commonly a CRT-based video display. With portable and notebook computers, the display is usually an LCD-based or a gas plasma-based flat-panel display.	display	byldskerm	Noun	it	Singular	
Noun	Full Form	A collection of users, computers, contacts, and other groups that is used only for e-mail distribution.	distribution list	ferstjoerderslist	Noun	de	Singular	
Noun	Full Form	A collection of users, computers, contacts, and other groups that is used only for e-mail distribution.	distribution group	ferstjoerdersgroep	Noun	de	Singular	
Noun	Abbreviated Form	An operating system feature that allows executable routines (generally serving a specific function or set of functions) to be stored separately as files with .dll extensions. These routines are loaded only when needed by the program that calls them.	DLL	DLL	Noun	Not Selected	Not Selected	
Noun	Full Form	An operating system feature that allows executable routines (generally serving a specific function or set of functions) to be stored separately as files with .dll extensions. These routines are loaded only when needed by the program that calls them.	dynamic-link library	dynamic-link library	Noun	Not Selected	Not Selected	
Noun	Full Form	A toolbar that is attached to one edge of the program window. When you drag a toolbar below the program title bar or to the left, right, or bottom edge of the window, the toolbar snaps into place on the edge of the program window.	docked toolbar	skoattele arkbalke	Noun	de	Singular	

Noun	Full Form	A unit for housing a portable computer that contains a power connection, expansion slots, and connections to peripherals, such as a monitor, printer, full-sized keyboard, and mouse. The docking station turns the portable computer into a desktop computer.	docking station	basisstasjon	Noun	it		
Noun	Full Form	Any self-contained piece of work created with an application program and, if saved on disk, given a unique filename by which it can be retrieved.	document	dokumint	Noun	it	Singular	
Noun	Abbreviated Form	A set of syntax rules for mark-up tags and their interpretation. Within an HTML (or XML) document, a DTD provides specific information on what tags are used in the document (and in what order those tags should appear), which tags can appear inside other ones, which tags have attributes, and so forth. Originally developed for use with Standard Generalized Markup Language (SGML), DTD defines the relationships between document elements.	DTD	DTD	Noun	Not Selected	Not Selected	
Noun	Full Form	A set of syntax rules for mark-up tags and their interpretation. Within an HTML (or XML) document, a DTD provides specific information on what tags are used in the document (and in what order those tags should appear), which tags can appear inside other ones, which tags have attributes, and so forth. Originally developed for use with Standard Generalized Markup Language (SGML), DTD defines the relationships between document elements.	document type definition	document type definition	Noun	de	Singular	
Noun	Full Form	In windowing environments, such as the Apple Macintosh and Microsoft Windows, an on-screen window (enclosed work area) in which the user can create, view, or work on a document.	document window	dokumintfinster	Noun	it	Singular	
Noun	Full Form	The set of possible values that you can specify for an independent variable in a function, or for a database attribute.	domain	domein	Noun	it	Singular	
Noun	Full Form	A collection of computers on a network that share a common database and security policy.	domain	domein	Noun	it	Singular	
Noun	Abbreviated Form	In an Active Directory forest, a server that contains a writable copy of the Active Directory database, participates in Active Directory replication, and controls access to network resources. Administrators can manage user accounts, network access, shared resources, site topology, and other directory objects from any domain controller in the forest.	DC	DC	Noun	Not Selected	Not Selected	
Noun	Full Form	In an Active Directory forest, a server that contains a writable copy of the Active Directory database, participates in Active Directory replication, and controls access to network resources. Administrators can manage user accounts, network access, shared resources, site topology, and other directory objects from any domain controller in the forest.	domain controller	domain controller	Noun	de	Singular	
Noun	Abbreviated Form	The standard used to measure screen and printer resolution, expressed as the number of dots that a device can display or print per linear inch. The greater the number of dots per inch, the better the resolution.	dpi	dpi	Noun	Not Selected	Not Selected	
Noun	Full Form	The standard used to measure screen and printer resolution, expressed as the number of dots that a device can display or print per linear inch. The greater the number of dots per inch, the better the resolution.	dots per inch	punten yn in inch	Noun	de	Plural	
Verb	Full Form	To press and release a mouse button twice in rapid succession without moving the mouse. Double-clicking is a means of rapidly selecting and activating a program or program feature.	double-click	dûbeldklikke	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	An advanced, distributed method of user authentication from Microsoft, allowing for single user log-on.	DPA	DPA/DWF	Noun	Not Selected	Not Selected	
Noun	Full Form	An advanced, distributed method of user authentication from Microsoft, allowing for single user log-on.	distributed password authentication	distribuearre wachtwoordferifikaasje	Noun	de	Singular	
Noun	Full Form	A preliminary version.	draft	konsept	Noun	it	Singular	
Verb	Full Form	To move an item on the screen by selecting the item and then pressing and holding down the mouse button while moving the mouse.	drag	slepe	Verb	Not Selected	Not Selected	
Noun	Full Form	An area of storage that is formatted with a file system and has a drive letter. The storage can be a floppy disk, a CD or DVD, a hard disk, or another type of disk.	drive	stasjon	Noun	it	Singular	
Noun	Full Form	The naming convention for disk drives on IBM and compatible computers. Drives are named by letter, beginning with A, followed by a colon.	drive letter	stasjonsletter	Noun	de	Singular	
Noun	Full Form	A standard Windows control that combines the characteristics of a text box with a drop-down list box.	drop-down combo box	ferfolchkarlist mei ynfierhokje	Noun	de	Singular	
Noun	Full Form	A menu that drops from the menu bar when requested and remains open without further action until the user closes it or chooses a menu item.	drop-down menu	ferfolchkarlist	Noun	de	Singular	
Verb	Full Form	To make a change to an existing file or document.	edit	bewurkje	Verb	Not Selected	Not Selected	
Noun	Full Form	A change made to a file or a document.	edit	bewurking	Noun	de	Singular	
Noun	Full Form	A program that creates files or makes changes to existing files.	editor	editor	Noun	de	Singular	
Noun	Abbreviated Form	A set of routines that an application uses to request and carry out lower-level services performed by a computer's operating system. These routines usually carry out maintenance tasks such as managing files and displaying information.	API	API	Noun	Not Selected	Not Selected	
Noun	Full Form	A set of routines that an application uses to request and carry out lower-level services performed by a computer's operating system. These routines usually carry out maintenance tasks such as managing files and displaying information.	application program interface	application program interface	Noun	de	Singular	

Noun	Full Form	A set of routines that an application uses to request and carry out lower-level services performed by a computer's operating system. These routines usually carry out maintenance tasks such as managing files and displaying information.	application programming interface	application programming interface	Noun	de	Singular	
Noun	Abbreviated Form	A serial communications port used to connect a device, such as a modem, printer, or mobile device, to a computer.	COM port	COM-poarte	Noun	de	Singular	
Noun	Full Form	A serial communications port used to connect a device, such as a modem, printer, or mobile device, to a computer.	communications port	kommunikaasje-poarte	Noun	de	Singular	
Noun	Full Form	A serial communications port used to connect a device, such as a modem, printer, or mobile device, to a computer.	serial port	seriële poarte	Noun	de	Singular	
Noun	Full Form	A unit of information within a markup language that is defined by a tag, or a pair of tags surrounding some content, and includes any attributes defined within the initial tag.	element	elemint	Noun	it	Singular	
Noun	Abbreviated Form	The exchange of text messages and computer files over a communications network, such as a local area network or the Internet.	e-mail	e-mail	Noun	de	Singular	
Noun	Abbreviated Form	The exchange of text messages and computer files over a communications network, such as a local area network or the Internet.	mail	mail	Noun	de	Singular	
Noun	Full Form	The exchange of text messages and computer files over a communications network, such as a local area network or the Internet.	electronic mail	elektroanyske post	Noun	de	Singular	
Noun	Abbreviated Form	A computer that stores e-mail messages.	e-mail server	e-mailserver	Noun	de	Singular	
Verb	Full Form	To insert information created in one program, such as a chart or an equation, into another program.	embed	ynslute	Verb	Not Selected	Not Selected	
Noun	Full Form	The – character, based on the width of an uppercase N and used primarily as a connecting element, especially with numbers.	en dash	en-streekje	Noun	it	Singular	
Noun	Full Form	The – character, based on the width of an uppercase N and used primarily as a connecting element, especially with numbers.	minus sign	min-teken	Noun	it	Singular	
Noun	Full Form	The process of turning data into a stream of bits. Encoding is part of the serialization process that converts data into a stream of ones and zeros.	encoding	kodearring	Noun	de	Singular	
Verb	Full Form	To programmatically disguise content to hide its substance.	encrypt	kodearje	Verb	Not Selected	Not Selected	
Noun	Not Selected	The ultimate user of a computer or computer application in its finished, marketable form.	end user	einbrûker	Noun	de	Singular	
Noun	Abbreviated Form	A legal agreement between a software or hardware manufacturer and the end user, with regard to the terms of use and transfer of the software.	license terms	lisinsjebepalings	Noun	de	Plural	
Noun	Full Form	A legal agreement between a software or hardware manufacturer and the end user, with regard to the terms of use and transfer of the software.	Microsoft Software License Terms	Microsoft Software Lisinsjebepalings	Noun	de	Plural	
Noun	Full Form	The keyboard key that is used at the end of a line or command to instruct the computer to process the command or text.	ENTER key	Enter-toets	Noun	de	Singular	
Noun	Abbreviated Form	An organization with more than 1000 employees and more than 500 personal computers.	LORG	grutte organisaasje	Noun	de	Singular	
Noun	Full Form	An organization with more than 1000 employees and more than 500 personal computers.	enterprise	organisaasje	Noun	de	Singular	
Noun	Full Form	An organization with more than 1000 employees and more than 500 personal computers.	large organization	grutte organisaasje	Noun	de	Singular	
Noun	Full Form	The process of inputting information.	entry	ynfier	Noun	de	Singular	
Noun	Full Form	A file that lists errors that were encountered during an operation.	error log	flaterlochboek	Noun	it	Singular	
Noun	Full Form	A keyboard key that sends the escape (ESC) character to the computer. Often this key moves the user back one level in the menu structure or exits the program.	ESC key	Esc-toets	Noun	de	Singular	
Noun	Full Form	An action or occurrence to which a program might respond. Examples include state changes, data transfers, key presses, and mouse movements.	event	barren	Noun	it	Singular	
Adjective	Full Form	A type of access to data in a database that is shared over a network. When you open a database in exclusive mode, you prevent others from opening the database.	exclusive	eksklusyf	Adjective	Not Selected	Not Selected	
Verb	Full Form	To output data and database objects to another database, spreadsheet, or file format so another database, application, or program can use the data or database objects. You can export data to a variety of supported databases, programs, and file formats.	export	eksportearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Any combination of operators, constants, literal values, functions, and names of fields (columns), controls, and properties that evaluates to a single value.	expression	ekspresje	Noun	de	Singular	
Adjective	Full Form	An orientation of printed paper where the printed side is against a surface. For example, paper is face down when it is placed in a copier with the printed side against the copying surface.	face down	foarkant ûnder	Not Selected	Not Selected	Not Selected	
Adjective	Full Form	An orientation of printed paper where the printed side is away from a surface. For example, paper is face up when it is placed in a copier with the printed side away from the copying surface.	face up	foarkant boppe	Not Selected	Not Selected	Not Selected	
Noun	Full Form	The inability of a computer system or related device to operate reliably or to operate at all.	failure	flater	Noun	de	Singular	

Noun	Abbreviated Form	A file system used by MS-DOS and other Windows operating systems to organize and manage files. The file allocation table is a data structure that Windows creates when you format a volume by using FAT or FAT32 file systems. Windows stores information about each file in the file allocation table so that it can retrieve the file later.	FAT	FAT	Noun	Not Selected	Not Selected	
Noun	Full Form	A file system used by MS-DOS and other Windows operating systems to organize and manage files. The file allocation table is a data structure that Windows creates when you format a volume by using FAT or FAT32 file systems. Windows stores information about each file in the file allocation table so that it can retrieve the file later.	file allocation table	bestånstawizingstabel	Noun	de	Singular	
Noun	Full Form	A user-defined shortcut to a Web site accessed from the Favorites menu.	favorite	favoryt	Noun	de	Singular	
Noun	Full Form	An area in a window or record that stores a single data value.	field	fjild	Noun	it	Singular	
Noun	Full Form	A collection of data or information. Almost all information stored in a computer must be in a file. There are many different types of files: data files, text files, program files, music files, and so on. Different types of files store different types of information. For example, program files store programs, whereas text files store text.	file	bestån	Noun	it	Singular	
Noun	Abbreviated Form	A set of characters added to the end of a file name that identifies the file type or format.	extension	taheaksel	Noun	it	Singular	
Noun	Full Form	A set of characters added to the end of a file name that identifies the file type or format.	file name extension	bestånstaheaksel	Noun	it	Singular	
Noun	Full Form	The structure or organization of data in a file. File format is usually indicated by the file name extension.	file format	bestånsyndieling	Noun	de	Singular	
Noun	Full Form	The structure or organization of data in a file. File format is usually indicated by the file name extension.	format	bestånsyndieling	Noun	de	Singular	
Noun	Full Form	In an operating system, the overall structure in which files are named, stored, and organized. NTFS, FAT, and FAT32 are types of file systems.	file system	bestånssystem	Noun	it	Singular	
Noun	Full Form	A description of the content or format of a file. File type is usually indicated by the file name extension.	file type	bestånstype	Noun	it	Singular	
Noun	Full Form	A column or combination of columns whose values match the primary key (PK) or unique key in the same or another table.	foreign key	referinsjekaai	Noun	de	Singular	
Verb	Full Form	To associate a flag with a message or other item.	flag	markearje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Marked with a flag.	flagged	markearre	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A hardware device that reads data from and writes data to floppy disks.	drive	stasjon	Noun	it	Singular	
Noun	Abbreviated Form	A hardware device that reads data from and writes data to floppy disks.	disk drive	diskettestasjon	Noun	it	Singular	
Noun	Full Form	A hardware device that reads data from and writes data to floppy disks.	floppy disk drive	diskettestasjon	Noun	it	Singular	
Noun	Full Form	A named storage area on a computer containing files and other folders. Folders are used to organize information electronically, the same way actual folders in a filing cabinet do.	folder	map	Noun	de	Singular	
Noun	Full Form	A graphic design applied to a collection of numbers, symbols, and characters. A font describes a certain typeface, along with other qualities such as size, spacing, and pitch.	font	lettertype	Noun	it	Singular	
Noun	Full Form	The point size of a set of characters in a particular typeface.	font size	tekengrutte	Noun	de	Singular	
Noun	Full Form	The stylistic attributes of a font — such as bold, italic, and underline.	font style	tekenstyl	Noun	de	Singular	
Noun	Full Form	One or more lines of text in the bottom margin area of a page. A footer may contain elements such as the page number, the name of the file, or the date.	footer	fuottekst	Noun	de	Singular	
Noun	Full Form	One or more lines of text in the bottom margin area of a page. A footer may contain elements such as the page number, the name of the file, or the date.	running foot	fuottekst	Noun	de	Singular	
Noun	Full Form	One or more lines of text in the bottom margin area of a page. A footer may contain elements such as the page number, the name of the file, or the date.	page footer	fuottekst	Noun	de	Singular	
Noun	Full Form	A structured document or template with spaces reserved for entering information and often containing special coding as well.	form	formulier	Noun	it	Singular	

Noun	Full Form	The overall layout or pattern of a document.	format	opmaak	Noun	de	Singular	
Verb	Not Selected	To prepare a disk for use by organizing its storage space into a collection of data "compartments", each of which can be located by the operating system so that data can be sorted and retrieved. When a previously used disk is formatted, any preexisting information on it is lost.	format	formatearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A sequence of values, cell references, names, functions, or operators in a cell that together produce a new value.	formula	formule	Noun	de	Singular	
Noun	Full Form	A small part, amount, or proportion of something.	fraction	stikje	Noun	it	Singular	
Noun	Full Form	One of many sequential images that make up video.	frame	ramt	Noun	it	Singular	
Noun	Full Form	An independent section on a webpage. Each frame is actually a separate webpage and can have its own scrollbars.	frame	ramt	Noun	it	Singular	
Noun	Full Form	In object-oriented programming, a reusable basic design structure, consisting of abstract and concrete classes, that assists in building applications.	framework	ûntwerpstruktuer	Noun	de	Singular	
Adjective	Full Form	A display mode that utilizes the entire screen, often by hiding elements such as menus, toolbars, title bars, scroll bars, and so on.	full screen	folslein skerm	Noun	it	Singular	
Noun	Full Form	A class of computer program in which one or more users interact with the computer as a form of entertainment.	game	spultsje	Noun	it	Singular	
Noun	Full Form	A dedicated device (or a set of services running on a dedicated computer) that routes network traffic and enables communication between different networking protocols. A gateway is a multiprotocol Internet Protocol (IP) router that translates between different transport protocols or data formats.	gateway	gateway	Noun	de	Singular	
Noun	Full Form	A category for grouping or describing multimedia, such as music categorized as "classical" or "jazz".	genre	sjenre	Noun	it	Singular	
Noun	Full Form	A symbol that you draw on the screen or a movement of your tablet pen that the Tablet PC interprets as a command, rather than writing or drawing.	gesture	haal	Noun	de	Singular	
Adjective	Full Form	Pertaining to an entire document, file, or program rather than to a restricted segment of it.	global	globaal	Adjective	Not Selected	Not Selected	
Noun	Full Form	A graphical representation of either a character, a part of a character, or a sequence of characters.	glyph	symboal	Noun	it	Singular	
Verb	UI String	A button on the address bar that enables the user to navigate to the specified location (such as a folder path or web address).	Go	Sykje	Verb	Not Selected	Not Selected	
Noun	Full Form	A gradual progression. For example, a progression from one color to another color, or from one shade to another shade of the same color.	gradient	gradueel ferrin	Noun	it	Singular	
Noun	Full Form	A piece of computer hardware that processes video information. The video card receives images (such as movies, animation, and text) from software programs on the computer, processes those images, and sends them to the screen.	video card	fideokaart	Noun	de	Singular	
Noun	Full Form	The ` character.	grave accent	stompteken	Noun	it	Singular	
Noun	Full Form	A sequence of shades ranging from black through white, used in computer graphics to add detail to images or to represent a color image on a monochrome output device.	grayscale	griswearde	Noun	de	Singular	
Noun	Full Form	The > character.	greater than sign	grutter-as-teken	Noun	it	Singular	
Noun	Full Form	The > character.	right angle bracket	skerpe heak rjochts	Noun	de	Singular	
Noun	Full Form	The ≥ character.	greater than or equal to sign	grutter-as- of gelyk-oan-teken	Noun	it	Singular	
Noun	Full Form	A collection of elements that can be treated as a whole.	group	groep	Noun	de	Singular	
Noun	Full Form	An administrative tool for managing user settings and computer settings across a network.	Group Policy	groepsbelied	Noun	it	Singular	
Noun	Full Form	An inflexible platter coated with material in which data can be recorded magnetically with read/write heads.	hard disk	hurde skiif	Noun	de	Singular	
Noun	Full Form	In the user interface, an interface added to an object that facilitates moving, sizing, reshaping, or other functions pertaining to an object.	handle	hângreep	Noun	de	Singular	
Noun	Full Form	Any token that a program can use to identify and access an object such as a device, a file, a window, or a dialog box.	handle	yngong	Noun	de	Singular	

Verb	Full Form	To stop responding.	hang	stûkje	Verb	Not Selected	Not Selected	
Noun	Full Form	In word processing or printing, text that is to appear at the top of pages. A header might be specified for the first page, all pages after the first, even pages, or odd pages. It usually includes the page number and may also show the date or the title or other information about a document.	header	koptekst	Noun	de	Singular	
Noun	Full Form	In word processing or printing, text that is to appear at the top of pages. A header might be specified for the first page, all pages after the first, even pages, or odd pages. It usually includes the page number and may also show the date or the title or other information about a document.	running head	koptekst	Noun	de	Singular	
Noun	Full Form	In word processing or printing, text that is to appear at the top of pages. A header might be specified for the first page, all pages after the first, even pages, or odd pages. It usually includes the page number and may also show the date or the title or other information about a document.	page header	koptekst	Noun	de	Singular	
Noun	Full Form	The capability of many programs and operating systems to display advice or instructions for using their features when so requested by the user, as by a screen button or menu item or a function key.	help	help	Noun	de	Singular	
Verb	Full Form	For a computer system, to be in an inactive state, but not shut off. When the computer is switched back on, the desktop is restored exactly as it was.	hibernate	sliepe	Verb	Not Selected	Not Selected	
Adjective	Full Form	Not visible to the user.	hidden	ferburgen	Adjective	Not Selected	Not Selected	
Noun	Full Form	Text that does not display in the normal view of a document's content.	hidden text	ferburgen tekst	Noun	de	Singular	
Noun	Full Form	A menu that appears when a user points to a command on a higher-level menu.	hierarchical menu	trepmenu	Noun	it	Singular	
Noun	Full Form	A menu that appears when a user points to a command on a higher-level menu.	cascading menu	trepmenu	Noun	it	Singular	
Noun	Full Form	A menu that appears when a user points to a command on a higher-level menu.	child menu	ûnderlizzend menu	Noun	it	Singular	
Noun	Full Form	A menu that appears when a user points to a command on a higher-level menu.	submenu	ûnderlizzend menu	Noun	it	Singular	
Verb	Full Form	To emphasize displayed characters, as by displaying them in reverse video (light on dark rather than dark on light, and vice versa) or against a colored background.	highlight	markearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A successful retrieval of a record matching a query.	hit	treffer	Noun	de	Singular	
Verb	Full Form	To hold the tablet pen above the screen, keeping the pointer in the same location, or briefly rest the mouse pointer on a button, link, or other UI element.	hover	oanwize	Verb	Not Selected	Not Selected	
Noun	Full Form	A text string used in HTML to identify a page element's type, format, and appearance.	HTML tag	HTML-koade	Noun	de	Singular	
Noun	Full Form	The <input type="checkbox"/> character, used to break a word between syllables at the end of a line or to separate the parts of a compound word.	hyphen	ôfbrekstreekje	Noun	it	Singular	
Noun	Abbreviated Form	The complementary tasks of gathering and distributing data. Input is data that is acquired from a device or entered by the user through a device. Output is data that is sent to a device.	I/O	I/O	Noun	Not Selected	Not Selected	
Noun	Full Form	The complementary tasks of gathering and distributing data. Input is data that is acquired from a device or entered by the user through a device. Output is data that is sent to a device.	input/output	input/output	Noun	de	Singular	
Noun	Abbreviated Form	Data structures that drivers use to communicate with each other.	IRP	IRP	Noun	Not Selected	Not Selected	
Noun	Full Form	Data structures that drivers use to communicate with each other.	I/O request packet	I/O-oanfraachpakket	Noun	it	Singular	
Noun	Full Form	A small picture that represents a file, folder, program, or other object or function.	icon	piktogram	Noun	it	Singular	
Noun	Full Form	Any text string used as a label.	identifier	identifikaasje	Noun	de	Singular	
Noun	Abbreviated Form	Software services that support Web site creation, configuration, and management, along with other Internet functions. Internet Information Services include Network News Transfer Protocol (NNTP), File Transfer Protocol (FTP), and Simple Mail Transfer Protocol (SMTP).	IIS	IIS	Noun	Not Selected	Not Selected	
Noun	Full Form	Software services that support Web site creation, configuration, and management, along with other Internet functions. Internet Information Services include Network News Transfer Protocol (NNTP), File Transfer Protocol (FTP), and Simple Mail Transfer Protocol (SMTP).	Internet Information Services	Internet Information Services	Noun	de	Plural	
Noun	Full Form	A stored description of a graphic picture, either as a set of brightness and color values of pixels or as a set of instructions for reproducing the picture.	image	ôfbylding	Noun	de	Singular	

Noun	Full Form	A stored description of a graphic picture, either as a set of brightness and color values of pixels or as a set of instructions for reproducing the picture.	digital image	digitale ôfbylding	Noun	de	Singular	
Noun	Full Form	A collection of files and folders (sometimes compressed into one file) that duplicates the original file and folder structure of an operating system. It often contains other files added by the OEM or corporation.	image	kopy	Noun	de	Singular	
Noun	Full Form	The processes involved in the capture, storage, display, and printing of graphical images.	imaging	replikaasje	Noun	de	Singular	
Noun	Full Form	A hardware type for digital cameras and scanners.	imaging device	byldapparaat	Noun	it	Singular	
Noun	Abbreviated Form	A program used to enter the thousands of different characters in written Asian languages with a standard 101-key keyboard. An IME consists of both an engine that converts keystrokes into phonetic and ideographic characters and a dictionary of commonly used ideographic words. As the user enters keystrokes, the IME engine attempts to identify which character or characters that the keystrokes should be converted into.	IME	IME	Noun	Not Selected	Not Selected	
Noun	Full Form	A program used to enter the thousands of different characters in written Asian languages with a standard 101-key keyboard. An IME consists of both an engine that converts keystrokes into phonetic and ideographic characters and a dictionary of commonly used ideographic words. As the user enters keystrokes, the IME engine attempts to identify which character or characters that the keystrokes should be converted into.	Input Method Editor	Input Method Editor	Noun	de	Singular	
Verb	Full Form	To bring information from one system or program into another. The system or program receiving the data must somehow support the internal format or structure of the data.	import	ymportearje	Verb	Not Selected	Not Selected	
Adjective	Full Form	The state of an object when it is not the focus of a user's input.	inactive	net-aktyf	Adjective	Not Selected	Not Selected	
Noun	Full Form	In an environment capable of displaying multiple on-screen windows, any window other than the one currently being used for work. An inactive window can be partially or entirely hidden behind another window, and it remains inactive until the user selects it.	inactive window	net-aktyf finster	Noun	it	Singular	
Adjective	Full Form	Unable to be used together.	incompatible	net-compatible	Adjective	Not Selected	Not Selected	
Verb	Full Form	To displace the left or right edge of a text item, such as a block or a line, relative to the margin or to another text item.	indent	ynspringe	Verb	Not Selected	Not Selected	
Noun	Full Form	A listing of keywords and associated data that point to the location of more comprehensive information, such as files and records on a disk or record keys in a database.	index	yndeks	Noun	de	Singular	
Noun	Full Form	Light that is beyond red in the color spectrum. While the light is not visible to the human eye, infrared transmitters and receivers can send and receive infrared signals.	infrared	ynfread	Noun	it	Singular	
Verb	Full Form	To set a variable to an initial value.	initialize	inisjalisearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To prepare a disk or computer for use.	initialize	inisjalisearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A peripheral device whose purpose is to allow the user to provide input to a computer system. Examples of input devices are keyboards, mice, joysticks, and styluses.	input device	ynfierapparaat	Noun	it	Singular	
Noun	Full Form	The location where the user is currently directing input.	input focus	ynfierfokus	Noun	de	Singular	
Noun	Full Form	A key on the keyboard, labeled "Insert" or "Ins", whose usual function is to toggle a program's editing setting between an insert mode and an overwrite mode, although it may perform different functions in different applications.	INSERT key	Insert-toets	Noun	de	Singular	
Verb	Full Form	When referring to hardware, to physically connect the device to your computer, to load device drivers onto your computer, and to configure device properties and settings.	install	ynstallearje	Verb	Not Selected	Not Selected	
Verb	Full Form	When referring to software, to load the program and installation files onto your computer so that the program runs correctly.	install	ynstallearje	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of adding software to a computer system.	installation	ynstallaasje	Noun	de	Singular	
Noun	Full Form	An object in relation to the class to which it belongs. For example, an object myList that belongs to a class List is an instance of the class List.	instance	ûnderdiel	Noun	it	Singular	
Noun	Full Form	An action statement in any computer language, most often in machine or assembly language. Most programs consist of two types of statements: declarations and instructions.	instruction	ynstruksje	Noun	de	Singular	
Noun	Full Form	A natural number, zero, or the negative of a natural number.	integer	hiel getal	Noun	it	Singular	
Noun	Abbreviated Form	A high-speed digital technology that uses existing telephone lines to provide Internet access.	ISDN	ISDN	Noun	Not Selected	Not Selected	
Noun	Full Form	A high-speed digital technology that uses existing telephone lines to provide Internet access.	Integrated Services Digital Network	Integrated Services Digital Network	Noun	it	Singular	
Adjective	Full Form	Characterized by conversational exchange of input and output, as when a user enters a question or command and the system immediately responds. The interactivity of microcomputers is one of the features that makes them approachable and easy to use.	interactive	ynteraktyf	Adjective	Not Selected	Not Selected	
Noun	Full Form	Software that enables a program to work with the user (the user interface, which can be a command-line interface, menu-driven, or a graphical user interface), with another program such as the operating system, or with the computer's hardware. See also application programming interface, graphical user interface.	interface	interface	Noun	de	Singular	

Noun	Abbreviated Form	A card, plug, or other device that connects pieces of hardware with the computer so that information can be moved from place to place. For example, standardized interfaces such as RS-232-C standard and SCSI enable communications between computers and printers or disks.	interface	interface	Noun	de	Singular	
Noun	Full Form	A card, plug, or other device that connects pieces of hardware with the computer so that information can be moved from place to place. For example, standardized interfaces such as RS-232-C standard and SCSI enable communications between computers and printers or disks.	hardware interface	hardware-interface	Noun	de	Singular	
Noun	Full Form	A modem constructed on an expansion card to be installed in one of the expansion slots inside a computer.	internal modem	yntern moadem	Noun	it	Singular	
Noun	Full Form	The worldwide collection of networks and gateways that use the TCP/IP suite of protocols to communicate with one another.	Internet	ynternet	Noun	it	Singular	
Noun	Full Form	An address for a resource on the Internet that is used by Web browsers to locate Internet resources. An Internet address typically starts with a protocol name, followed by the name of the organization that maintains the site; the suffix identifies the kind of organization it is.	Internet address	ynternetadres	Noun	it	Singular	
Noun	Abbreviated Form	A routable protocol in the TCP/IP protocol suite that is responsible for IP addressing, routing, and the fragmentation and reassembly of IP packets.	IP	IP	Noun	Not Selected	Not Selected	
Noun	Full Form	A routable protocol in the TCP/IP protocol suite that is responsible for IP addressing, routing, and the fragmentation and reassembly of IP packets.	Internet Protocol	ynternetprotokol	Noun	it	Singular	
Noun	Abbreviated Form	A signal sent by a device to get the attention of the processor when the device is ready to accept or send information.	IRQ	IRQ	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A signal sent by a device to get the attention of the processor when the device is ready to accept or send information.	interrupt	ynterruptsje-oanfraach	Noun	de	Singular	
Noun	Full Form	A signal sent by a device to get the attention of the processor when the device is ready to accept or send information.	interrupt request	ynterruptsje-oanfraach	Noun	de	Singular	
Adjective	Full Form	Erroneous or unrecognizable because of a flaw in reasoning or an error in input. Invalid results, for example, might occur if the logic in a program is faulty.	invalid	ûnjildich	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Erroneous or unrecognizable because of a flaw in reasoning or an error in input. Invalid results, for example, might occur if the logic in a program is faulty.	not valid	ûnjildich	Adjective	Not Selected	Not Selected	
Verb	Full Form	To reverse something or change it to its opposite.	invert	omkeare	Verb	Not Selected	Not Selected	
Noun	Full Form	Repeated execution of one or more statements or instructions. Statements or instructions so executed are said to be in a loop.	iteration	werhelling	Noun	de	Singular	
Noun	Product/Technology Name	An object-oriented programming language, developed by Sun Microsystems, Inc.	Java	Java	Noun	Not Selected	Not Selected	
Noun	Full Form	A program or task to be executed by a computer.	job	taak	Noun	de	Singular	
Noun	Full Form	A connection between multiple tables where records from related fields that match are combined and shown as one record. Records that don't match may be included or excluded, depending on the type of join.	join	gearfoeging	Noun	de	Singular	
Noun	Full Form	A pointing device that is used mainly, but not exclusively, for computer games. A joystick has a base, on which control buttons can be mounted, and a vertical stem that can be used to control the movement of an object on the screen.	joystick	joystick	Noun	de	Singular	
Noun	Full Form	The process of aligning text along both the left and right margins.	justification	útfolling	Noun	de	Singular	
Verb	Full Form	To adjust horizontal spacing so that text is aligned evenly along both the left and right margins. Justifying text creates a smooth edge on both sides.	justify	útfolje	Verb	Not Selected	Not Selected	
Noun	Full Form	A data unit equal to 1,024 bits.	kilobit	kilobit	Noun	de	Singular	
Noun	Full Form	The core of layered architecture that manages the most basic operations of the operating system and the computer's processor. The kernel schedules different blocks of executing code, called threads, for the processor to keep it as busy as possible and coordinates multiple processors to optimize performance. The kernel also synchronizes activities among Executive-level subcomponents, such as I/O Manager and Process Manager, and handles hardware exceptions and other hardware-dependent functions. The kernel works closely with the hardware abstraction layer.	kernel	kernel	Noun	de	Singular	
Noun	Full Form	In database management, an identifier for a record or group of records in a datafile.	key	kaai	Noun	de	Singular	

Noun	Full Form	On a keyboard, the combination of a plastic keycap, a tension mechanism that suspends the keycap but allows it to be pressed down, and an electronic mechanism that records the key press and key release.	key	toets	Noun	de	Singular	
Noun	Full Form	Any combination of keys that must be pressed sequentially.	key sequence	toetsekombinasie	Noun	de	Singular	
Noun	Full Form	Any combination of keys that must be pressed sequentially.	access key	tagongstoets	Noun	de	Singular	
Noun	Full Form	An input device consisting of a set of individual keys similar to those on a typewriter. It is used to convey information from a user to a computer or data communications circuit.	keyboard	toetseboerd	Noun	it	Singular	
Noun	Full Form	An input device consisting of a set of individual keys similar to those on a typewriter. It is used to convey information from a user to a computer or data communications circuit.	standard keyboard	standerttoetseboerd	Noun	it	Singular	
Noun	Full Form	The key arrangement used for a particular keyboard, including such factors as the number of keys (101 is the current standard) and the configuration of the keys (QWERTY is the United States standard). Some proprietary systems use different layouts, and many allow you to map the keys to characters according to your preferences.	keyboard layout	toetseboerdyndieling	Noun	de	Singular	
Noun	Full Form	Any combination of keystrokes that can be used to perform a task that would otherwise require a mouse or other pointing device.	keyboard shortcut	toetsekombinasie	Noun	de	Singular	
Noun	Abbreviated Form	A calculator-style block of keys, usually at the right side of a keyboard, that can be used to enter numbers.	keypad	siferblok	Noun	it	Singular	
Noun	Full Form	A calculator-style block of keys, usually at the right side of a keyboard, that can be used to enter numbers.	numeric keypad	siferblok	Noun	it	Singular	
Noun	Full Form	Any of the set of words that comprises a given programming language or set of operating-system routines.	keyword	stekwurd	Noun	it	Singular	
Noun	Full Form	A characteristic word, phrase, or code that is used to conduct sorting or searching operations.	keyword	stekwurd	Noun	it	Singular	
Verb	Full Form	To attach a label to.	label	labelje	Verb	Not Selected	Not Selected	
Noun	Full Form	An orientation where the long dimension of a rectangular area (for example, screen or paper) is horizontal.	landscape	lizzend	Adjective	Not Selected	Not Selected	
Noun	Full Form	A collection of binaries that can be installed on top of the core product and enables users to select a preferred language so that the user interface and Help files appear in that preferred language.	language pack	taalpakket	Noun	it	Singular	
Noun	Abbreviated Form	A data unit of 1,024 bytes.	KB	KB	Noun	Not Selected	Not Selected	
Noun	Full Form	A data unit of 1,024 bytes.	kilobyte	kilobyte	Noun	de	Singular	
Verb	Full Form	To activate an application program (especially on the Macintosh) from the operating system's user interface.	launch	opstarte	Verb	Not Selected	Not Selected	

Noun	Full Form	The protocol or protocols operating at a particular level within a protocol suite, such as IP within the TCP/IP suite.	layer	laach	Noun	de	Singular	
Noun	Full Form	In computer design, the arrangement of circuits and other components of the system.	layout	ûntwerp	Noun	it	Singular	
Noun	Full Form	The overall plan or design of a document system.	layout	yndieling	Noun	de	Singular	
Noun	Full Form	In programming, the order and sequence of input and output.	layout	yndieling	Noun	de	Singular	
Noun	Abbreviated Form	The primary access protocol for Active Directory. LDAP is an industry-standard protocol, established by the Internet Engineering Task Force (IETF), that allows users to query and update information in a directory service. Active Directory supports both LDAP version 2 and LDAP version 3.	LDAP	LDAP	Noun	it	Singular	
Noun	Full Form	The primary access protocol for Active Directory. LDAP is an industry-standard protocol, established by the Internet Engineering Task Force (IETF), that allows users to query and update information in a directory service. Active Directory supports both LDAP version 2 and LDAP version 3.	Lightweight Directory Access Protocol	Lightweight Directory Access Protocol	Noun	Not Selected	Not Selected	
Noun	Full Form	A line or row of characters used to lead the eye from a data label to a data point, or from a callout to the appropriate part of an illustration.	leader	opfolteken	Noun	it	Singular	
Noun	Full Form	A line or row of characters used to lead the eye from a data label to a data point, or from a callout to the appropriate part of an illustration.	leader line	opfolteken	Noun	it	Singular	
Verb	Full Form	To align text along the left margin.	left align	lofterkant rjochtsje	Verb	Not Selected	Not Selected	
Noun	Full Form	The key on the keyboard that is labeled with a left arrow.	left arrow	pylk nei lofts	Noun	de	Singular	
Noun	Full Form	The { character.	left brace	akkolade lofts	Noun	de	Singular	
Noun	Full Form	The (character.	opening parenthesis	rûne heak lofts	Noun	de	Singular	
Noun	Full Form	The [character.	left bracket	kante heak lofts	Noun	de	Singular	
Adjective	Full Form	Pertaining to keyboard settings, document views, user interface objects, and languages for which text is displayed in a left-to-right direction. English and most other European languages are left-to-right languages.	left-to-right	fan lofts nei rjochts	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Of or pertaining to documents, data, software, or hardware that existed prior to a certain time.	legacy	ferâldere	Adjective	Not Selected	Not Selected	
Noun	Full Form	The ≤ character.	less than or equal to sign	lytser-as- of gelyk-oan-teken	Noun	it	Singular	
Noun	Full Form	The < character.	less than sign	lytser-as-teken	Noun	it	Singular	
Noun	Full Form	The < character.	left angle bracket	skerpe heak lofts	Noun	de	Singular	
Noun	Full Form	The name of a set of members in a dimension hierarchy such that all members of the set are at the same distance from the root of the hierarchy. For example, a time hierarchy may contain the levels Year, Month, and Day.	level	nivo	Noun	it	Singular	
Noun	Full Form	The name of a set of members in a dimension hierarchy such that all members of the set are at the same distance from the root of the hierarchy. For example, a time hierarchy may contain the levels Year, Month, and Day.	dimension level	nivo	Noun	it	Singular	
Noun	Full Form	The right of a person or company to use software in a particular way, as described in the terms of the license agreement. Copyright law also limits how a person may use the software. A person needs a license agreement for each software program they use.	license	brûkersrjocht	Noun	it	Singular	
Noun	Full Form	In word processing, a string of characters displayed or printed in a single horizontal row.	line	rigel	Noun	de	Singular	
Noun	Full Form	The point at which one line ends and another begins.	line break	rigelein	Noun	de	Singular	
Noun	Full Form	The amount of space from the bottom of one line of text to the bottom of the next line.	line spacing	rigelôfstân	Noun	de	Singular	
Noun	Full Form	An object that is inserted into a document but still exists in the source file. When information is linked, the new document is updated automatically if the information in the original document changes.	linked object	keppele objekt	Noun	it	Singular	
Noun	Full Form	A control in Windows that enables the user to choose one option from a list of possibilities.	list box	karlist	Noun	de	Singular	
Noun	Full Form	A character that separates items in a list.	list separator	listskiedingsteken	Noun	it	Singular	
Noun	Full Form	A security group that can be granted rights and permissions only to resources on the computer on which the group is created. Local groups can have any user accounts that are local to the computer as members, as well as users, groups, and computers from a domain to which the computer belongs.	local group	lokale groep	Noun	de	Singular	
Noun	Full Form	A collection of rules and data specific to a language and a geographic area. Locales include information on sorting rules, date and time formatting, numeric and monetary conventions, and character classification.	locale	lânynstellings	Noun	de	Plural	

Noun	Full Form	A file that stores messages generated by an application, service, or operating system. These messages are used to track the operations performed. Log files are usually plain text (ASCII) files and often have a .log extension.	log file	lochboekbestân	Noun	it	Singular	
Verb	Full Form	To terminate a session with a computer, program, or network.	log off	ôfmelde	Verb	Not Selected	Not Selected	
Verb	Full Form	To gain access to a specific computer, program, or network by identifying oneself with a username and a password.	log on	oanmelde	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of recording actions that take place on a computer, network, or system.	logging	lochboekregistraasje	Noun	de	Singular	
Noun	Full Form	A distinctive symbol that identifies you, your business, or your organization. It can combine a name, motto, and graphics.	logo	logo	Noun	it	Singular	
Verb	Full Form	To execute a group of statements repeatedly.	loop	werhelje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Of, pertaining to, or characterized by non-capital letters.	lowercase	yn lytse letters	Adjective	Not Selected	Not Selected	
Noun	Full Form	A set of keystrokes and instructions recorded and saved as a key combination (such as CTRL + X) or file name. When the macro is used, all of the recorded steps are performed automatically. Macros save time by replacing a series of frequently performed steps with a simple key combination or name.	macro	makro	Noun	de	Singular	
Noun	UI String	A display utility that makes the computer screen more readable by people who have low vision by creating a separate window that displays a magnified portion of the screen.	Magnifier	fergrutglês	Noun	it	Singular	
Noun	Full Form	The individual, or account, to whom an e-mail message is sent.	mail recipient	e-mailûntfanger	Noun	de	Singular	
Noun	Full Form	The location where e-mail is delivered.	mailbox	postbus	Noun	de	Singular	
Noun	Full Form	A label that is printed with a recipient's address and is used to mail or ship an item.	mailing label	adresetiket	Noun	it	Singular	
Noun	Full Form	A label that is printed with a recipient's address and is used to mail or ship an item.	shipping label	adresetiket	Noun	it	Singular	
Noun	Full Form	In a mail-merge operation, the document that contains the text and graphics that are the same for each version of the merged document, for example, the return address or salutation in a form letter.	main document	haaddokumint	Noun	it	Singular	
Noun	Abbreviated Form	A small, portable personal computer that runs on either batteries or AC power, designed for use during travel.	laptop	laptop	Noun	de	Singular	
Noun	Abbreviated Form	A small, portable personal computer that runs on either batteries or AC power, designed for use during travel.	laptop PC	laptopkompjûter	Noun	de	Singular	
Noun	Full Form	A small, portable personal computer that runs on either batteries or AC power, designed for use during travel.	laptop computer	laptopkompjûter	Noun	de	Singular	
Noun	Abbreviated Form	A type of display that uses a liquid compound having a polar molecular structure, sandwiched between two transparent electrodes. When an electric field is applied, the molecules align with the field, forming a crystalline arrangement that polarizes the light passing through it. A polarized filter laminated over the electrodes blocks polarized light. In this way, a grid of electrodes can selectively "turn on" a cell, or a pixel, containing the liquid crystal material, turning it dark.	LCD	LCD	Noun	Not Selected	Not Selected	
Noun	Full Form	A type of display that uses a liquid compound having a polar molecular structure, sandwiched between two transparent electrodes. When an electric field is applied, the molecules align with the field, forming a crystalline arrangement that polarizes the light passing through it. A polarized filter laminated over the electrodes blocks polarized light. In this way, a grid of electrodes can selectively "turn on" a cell, or a pixel, containing the liquid crystal material, turning it dark.	liquid crystal display	liquid crystal display	Noun	de	Singular	
Noun	Full Form	A nonprinting mark you insert to end the current line and continue the text on the next line.	manual line break	hânmjittige nije rigel	Noun	de	Singular	
Noun	Abbreviated Form	A messaging architecture that enables multiple applications to interact with multiple messaging systems across a variety of hardware platforms. MAPI is built on the Component Object Model (COM) foundation.	MAPI	MAPI	Noun	Not Selected	Not Selected	

Noun	Full Form	A messaging architecture that enables multiple applications to interact with multiple messaging systems across a variety of hardware platforms. MAPI is built on the Component Object Model (COM) foundation.	Messaging Application Programming Interface	Messaging Application Programming Interface	Noun	de	Singular	
Noun	Abbreviated Form	The blank space outside the printing area on a page.	margin	marzje	Noun	de	Singular	
Noun	Full Form	The blank space outside the printing area on a page.	page margin	bledsidemarzje	Noun	de	Singular	
Noun	Full Form	Comments and tracked changes such as insertions, deletions, and formatting changes.	markup	opmerkings	Noun	de	Plural	
Noun	Full Form	Moving text that is used on a data access page to draw the user's attention to a specific page element, such as a headline or an important announcement.	marquee	ljochtkrante	Noun	de	Singular	
Noun	Full Form	The key used by the client and server for all session key generation. The master key is used to generate the client-read key, the client-write key, the server-read key, and the server-write key. Master keys can be exported as simple key BLOBs.	master key	haadkaai	Noun	de	Singular	
Verb	Full Form	To enlarge a window to its largest size by double-clicking the title bar, clicking the Maximize button (at the right of the title bar), or by pressing ALT+SPACEBAR and then pressing X.	maximize	maksimalisearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Any fixed or removable objects that store computer data. Examples include hard disks, floppy disks, tapes, and compact discs.	media	media	Noun	de	Plural	
Noun	Full Form	A single media file, including art, sound, animation, or movies.	media clip	mediaklip	Noun	de	Singular	
Noun	Full Form	A single media file, including art, sound, animation, or movies.	clip	klip	Noun	de	Singular	
Noun	Full Form	A file that contains audio, video, or script data.	media file	mediabestân	Noun	it	Singular	
Noun	Full Form	A server that hosts and delivers media across a network.	media server	mediaserver	Noun	de	Singular	
Noun	Full Form	A list of textual or graphical choices from which a user can choose.	menu	menu	Noun	it	Singular	
Noun	Full Form	A rectangular bar displayed in an application program's on-screen window, often at the top, from which menus can be selected by the user. Names of available menus are displayed in the menu bar; choosing one with the keyboard or with a mouse causes the list of options in that menu to be displayed.	menu bar	menubalke	Noun	de	Singular	
Noun	Full Form	A command button that displays a menu.	menu button	menuknop	Noun	de	Singular	
Noun	Full Form	Summary information about an e-mail message including these fields: Subject, From, Received, Importance, Attachment, and Size.	message header	berjochtkop	Noun	de	Singular	
Noun	Full Form	Information about the properties or structure of data that is not part of the values the data contains.	metadata	metadata	Noun	de	Plural	
Verb	Full Form	In file management, to move files or programs from an older file format or protocol to a more current format or protocol.	migrate	ferhúzje	Verb	Not Selected	Not Selected	
Noun	Full Form	An installation where only the necessary components are installed on a system.	minimum installation	minimumynstallaasje	Noun	de	Singular	
Noun	Full Form	A dialog that requires the user to take some action before the focus can switch to another form or dialog box. Dialog boxes and messages are usually modal.	modal dialog	modaal dialoochfinster	Noun	it	Singular	
Noun	Full Form	The operational state of a computer or a program. For example, edit mode is the state in which a program accepts changes to a file.	mode	moadus	Noun	de	Singular	
Noun	Full Form	A keyboard key that, when pressed (and held), changes the actions of ordinary input.	modifier key	wizigingstoets	Noun	de	Singular	
Noun	Full Form	The television-like hardware that includes a screen.	monitor	byldskerm	Noun	it	Singular	
Noun	Full Form	An input device with the following features: a flat-bottomed casing designed to be gripped by one hand; one or more buttons on the top; a multidirectional detection device (a ball, laser or optical device) on the bottom; and a cable or wireless connection to the computer.	mouse	mûs	Noun	de	Singular	
Noun	Abbreviated Form	On a mouse, a movable piece that is pressed to activate some function. Older mouse models have only one button; newer models typically have two or more buttons.	button	knop	Noun	de	Singular	
Noun	Full Form	On a mouse, a movable piece that is pressed to activate some function. Older mouse models have only one button; newer models typically have two or more buttons.	mouse button	mûsknop	Noun	de	Singular	
Noun	Full Form	The action of pressing and releasing one of the mouse buttons.	mouse click	mûsklik	Noun	de	Singular	
Noun	Full Form	A predefine command for a single mouse click or a double mouse click, with or without a modifier key, that can be used to perform a task.	mouse shortcut	mûs-toetskombinaasje	Noun	de	Singular	
Noun	Abbreviated Form	A Microsoft computer operating system with a command-line interface that is used to control many internal computer functions, such as running programs and organizing and maintaining files.	MS-DOS	MS-DOS	Noun	Not Selected	Not Selected	

Noun	Abbreviated Form	A Microsoft computer operating system with a command-line interface that is used to control many internal computer functions, such as running programs and organizing and maintaining files.	MS-DOS operating system	MS-DOS-bestjoeringssystem	Noun	it	Singular	
Noun	Proper Noun	A Microsoft computer operating system with a command-line interface that is used to control many internal computer functions, such as running programs and organizing and maintaining files.	Microsoft Disk Operating System	Microsoft Disk Operating System	Noun	Not Selected	Not Selected	
Noun	Full Form	The process of selecting nonadjacent and adjacent files and objects.	multiple selection	mearfâldige seleksje	Noun	de	Singular	
Other	Abbreviated Form	A phrase used when an appropriate answer is not available.	n/a	n.f.t.	Other	Not Selected	Not Selected	
Other	Abbreviated Form	A phrase used when an appropriate answer is not available.	N/A	n.f.t.	Other	Not Selected	Not Selected	
Other	Abbreviated Form	A phrase used when an appropriate answer is not available.	not applicable	net fan tapassing	Other	Not Selected	Not Selected	
Other	Abbreviated Form	A value that represents the result of an invalid calculation.	NaN	NaN	Other	Not Selected	Not Selected	
Other	Full Form	A value that represents the result of an invalid calculation.	not a number	gjin getal	Other	Not Selected	Not Selected	
Verb	Full Form	To move around in a document.	navigate	navigearje	Verb	Not Selected	Not Selected	
Noun	Full Form	On a Web page, a grouping of hyperlinks for getting around in that particular Web site.	navigation bar	navigaasjebalke	Noun	de	Singular	
Noun	Full Form	The area of an application window that enables the user to navigate to different parts of the program.	navigation pane	navigaasjedielfinster	Noun	it	Singular	
Noun	Full Form	A decreased indent.	negative indent	negative ynspringing	Noun	de	Singular	
Noun	Full Form	A group of computers and other devices, such as printers and scanners, connected by a communications link, enabling all the devices to interact with each other. Networks can be small or large, permanently connected through wires or cables, or temporarily connected through phone lines or wireless transmissions. The largest network is the Internet, which is a worldwide group of networks.	network	netwurk	Noun	it	Singular	
Noun	Full Form	An expansion card or other device used to provide network access to a computer or other device, such as a printer. Mediates between the computer and physical media, such as cabling, over which transmissions travel.	network adapter	netwurkadapter	Noun	de	Singular	
Noun	Full Form	A person responsible for planning, configuring, and managing the day-to-day operation of the network.	network administrator	netwurkbehearder	Noun	de	Singular	
Noun	Not Selected	On a local area network (LAN), a drive that other computers on the network can connect to. A network drive allows people to access shared files and folders.	network drive	netwurkstasjon	Noun	it	Singular	
Noun	Full Form	A user-friendly name displayed in place of a network location, e-mail address, or other, more formal name.	nickname	bynamme	Noun	de	Singular	
Noun	Full Form	A location in a hierarchy (often a tree structure) that can have links to one or more nodes below it.	node	knooppunt	Noun	it	Singular	
Noun	Full Form	For local area networks (LANs), a device that is connected to the network and is capable of communicating with other network devices.	node	knooppunt	Noun	it	Singular	
Noun	Full Form	A hyphen that is used to prevent a hyphenated word, number, or phrase from breaking if it falls at the end of a line.	nonbreaking hyphen	fêst ôfbrekstreekje	Noun	it	Singular	
Noun	Full Form	A character used to control the format of displayed or printed information, rather than to represent a particular letter, digit, or other special character. The space () is one of the more important nonprinting characters.	nonprinting character	net ôf te printsjen teken	Noun	it	Singular	
Noun	Full Form	A view that shows text formatting and a simplified page layout.	normal view	gewoane werjefte	Noun	de	Singular	
Noun	Full Form	The area on the taskbar adjacent to the system control area that contains icons that appear when certain events occur, such as when you receive e-mail.	notification area	systeemromte	Noun	de	Singular	
Noun	Full Form	The area on the taskbar adjacent to the system control area that contains icons that appear when certain events occur, such as when you receive e-mail.	status area	systeemromte	Noun	de	Singular	
Noun	Abbreviated Form	An enhanced file system that heightens reliability, by providing transaction logs to help recover from disk failures; security, by enabling you to set permissions for directories or individual files; and other advanced features that are not found in any version of a FAT file system.	NTFS	NFTS	Noun	Not Selected	Not Selected	
Noun	Full Form	An enhanced file system that heightens reliability, by providing transaction logs to help recover from disk failures; security, by enabling you to set permissions for directories or individual files; and other advanced features that are not found in any version of a FAT file system.	NTFS file system	NFTS-bestânsysteem	Noun	it	Singular	
Noun	Abbreviated Form	A category of objects that share a common set of characteristics. Each object in the directory is an instance of one or more classes in the schema.	class	klasse	Noun	de	Singular	

Noun	Full Form	A category of objects that share a common set of characteristics. Each object in the directory is an instance of one or more classes in the schema.	object class	objektklasse	Noun	de	Singular	
Noun	Abbreviated Form	A technology for transferring and sharing information among applications.	OLE	OLE	Noun	Not Selected	Not Selected	
Noun	Full Form	A technology for transferring and sharing information among applications.	object linking and embedding	object linking and embedding	Noun	de	Singular	
Noun	Abbreviated Form	The process in which an electronic device examines printed characters on paper and determines their shapes by detecting patterns of dark and light. Once the scanner or reader has determined the shapes, character recognition methods-pattern matching with stored sets of characters-are used to translate the shapes into computer text.	OCR	OCR	Noun	Not Selected	Not Selected	
Noun	Full Form	The process in which an electronic device examines printed characters on paper and determines their shapes by detecting patterns of dark and light. Once the scanner or reader has determined the shapes, character recognition methods-pattern matching with stored sets of characters-are used to translate the shapes into computer text.	optical character recognition	optical character recognition	Noun	de	Singular	
Noun	Full Form	A program file used to connect to a particular database. Each database program, such as Access or dBASE, or database management system, such as SQL Server, requires a different driver.	ODBC driver	ODBC-stjoerprogramma	Noun	it	Singular	
Adjective	Full Form	A network status that indicates a client is not connected to a server.	offline	offline	Adjective	Not Selected	Singular	
Adjective	Full Form	In reference to a computing device or a program, unable to communicate with a primary database or controlling computer.	offline	offline	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A technology that uses multidimensional structures to provide rapid access to data for analysis. The source data for OLAP is commonly stored in data warehouses in a relational database.	OLAP	OLAP	Noun	Not Selected	Not Selected	
Noun	Full Form	A technology that uses multidimensional structures to provide rapid access to data for analysis. The source data for OLAP is commonly stored in data warehouses in a relational database.	online analytical processing	online analytical processing	Noun	de	Singular	
Noun	Full Form	An object that supports the OLE protocol for object linking and embedding.	OLE object	OLE-objekt	Noun	it	Singular	
Adjective	Full Form	In reference to one or more computers, connected to a network.	online	online	Adjective	Not Selected	Not Selected	
Adjective	Full Form	In reference to a user, currently connected to the Internet, an online service, or a BBS or using a modem to connect to another modem.	online	online	Adjective	Not Selected	Not Selected	
Noun	Full Form	The software that controls the allocation and usage of hardware resources such as memory, central processing unit (CPU) time, disk space, and peripheral devices. The operating system is the foundation on which programs are built.	operating system	bestjoeringssysteem	Noun	it	Singular	
Noun	Full Form	In mathematics, an action performed on a set of entities that produces a new entity. Examples of mathematical operations are addition and subtraction.	operation	bewurking	Noun	de	Singular	
Noun	Full Form	A specific action carried out by a computer in the process of executing a program.	operation	bewurking	Noun	de	Singular	
Noun	Full Form	A sign or symbol that specifies the type of calculation to perform within an expression. There are mathematical, comparison, logical, and reference operators.	operator	operator	Noun	de	Singular	
Verb	Full Form	To configure a device or application so that it performs better. For example, to fine-tune a program so that it runs more quickly or takes up less space.	optimize	optimalisearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A standard Windows control that allows a user to select from a fixed set of mutually exclusive choices.	option button	karrûntsje	Noun	it	Singular	
Noun	Full Form	A standard Windows control that allows a user to select from a fixed set of mutually exclusive choices.	radio button	karrûntsje	Noun	it	Singular	
Noun	UI String	A menu choice in many applications that allows the user to specify how the program will act each time it is used. For example, the user may be allowed to specify which view will be used when opening a file, or the default location in which certain file types will be saved.	Options	Opsjes	Noun	de	Plural	
Noun	Full Form	A number whose form indicates position in an ordered sequence of items, such as first, third, or twentieth.	ordinal number	rangtelwurd	Noun	it	Singular	
Noun	Abbreviated Form	A diagram that is used to show hierarchical relationships; for example, company management and employee structures.	org chart	organogram	Noun	it	Singular	
Noun	Full Form	A diagram that is used to show hierarchical relationships; for example, company management and employee structures.	organization chart	organogram	Noun	it	Singular	
Noun	Full Form	A folder that stores messages that have been created but not yet sent.	outbox	postbus ÚT	Noun	de	Singular	
Noun	Full Form	Worksheet data in which rows or columns of detail data are grouped so that you can create summary reports. The outline can summarize either an entire worksheet or a selected portion of it.	outline	oersjoch	Noun	it	Singular	
Noun	Full Form	The point at which one page ends and another begins.	page break	bledside-ein	Noun	de	Singular	
Noun	Full Form	A keyboard key (often labeled "PgDn") that is often used to move the cursor down to the top of the next page or a specific number of lines. Its function may vary in different programs.	PAGE DOWN key	PageDown-toets	Noun	de	Singular	
Noun	Full Form	A keyboard key (often labeled "PgUp") that is often used to move the cursor up to the top of the previous page or a specific number of lines. Its function may vary in different programs.	PAGE UP key	PageUp-toets	Noun	de	Singular	
Noun	Full Form	A portion of the document window bounded by and separated from other portions by vertical or horizontal bars.	pane	dielfinster	Noun	it	Singular	

Noun	Full Form	A type of query that, when you run it, prompts for values (criteria) to use to select the records for the result set so that the same query can be used to retrieve different result sets.	parameter query	parameterquery	Noun	de	Singular	
Noun	Full Form	The quality of sameness or equivalence, in the case of computers usually referring to an error-checking procedure in which the number of 1s must always be the same--either even or odd--for each group of bits transmitted without error.	parity	pariteit	Noun	de	Singular	
Verb	Full Form	To break input into smaller chunks so that a program can act upon the information.	parse	parsearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A section of space on a physical disk that functions as if it were a separate disk. Once you create partitions, format them, and assign a drive letter to them, they divide up the memory and storage space on your computer. You can create partitions on your hard drive in order to install more than one operating system. For example, you can install Windows 2000 on one partition and Windows XP on another, so that you can have both operating systems on the same computer.	partition	partysje	Noun	de	Singular	
Noun	Full Form	A section of space on a physical disk that functions as if it were a separate disk. Once you create partitions, format them, and assign a drive letter to them, they divide up the memory and storage space on your computer. You can create partitions on your hard drive in order to install more than one operating system. For example, you can install Windows 2000 on one partition and Windows XP on another, so that you can have both operating systems on the same computer.	disk partition	skiifpartysje	Noun	de	Singular	
Verb	Full Form	To insert text or a graphic that has been cut or copied from one document into a different location in the same or a different document.	paste	plakke	Verb	Not Selected	Not Selected	
Noun	Full Form	A route through a structured collection of information, as in a database, a program, or files stored on disk.	path	paad	Noun	it	Singular	
Noun	Full Form	An effect created by simple, repeating designs such as vertical or horizontal lines.	pattern	patroan	Noun	it	Singular	
Verb	Full Form	To stop the operation of a program or execution of a command temporarily.	pause	ûnderbrekke	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A proposed protocol standard that supports authentication and encryption to secure privacy in Internet communications. PCT is similar to the Secure Sockets Layer (SSL) protocol.	PCT	PCT	Noun	Not Selected	Not Selected	
Noun	Full Form	A proposed protocol standard that supports authentication and encryption to secure privacy in Internet communications. PCT is similar to the Secure Sockets Layer (SSL) protocol.	Private Communication Technology	Private Communication Technology	Noun	de	Singular	
Noun	Full Form	Any of the devices on a layered communications network that operate on the same protocol level.	peer	peer	Noun	de	Singular	
Noun	Full Form	The % character.	percent sign	prosintteken	Noun	it	Singular	
Noun	Abbreviated Form	A secret identification code similar to a password that is assigned to an authorized user. A PIN is used in combination with an ATM card or smart card, for example, to unlock an authorized functionality such as access to a bank account.	PIN	pinakoade	Noun	de	Singular	
Noun	Full Form	A secret identification code similar to a password that is assigned to an authorized user. A PIN is used in combination with an ATM card or smart card, for example, to unlock an authorized functionality such as access to a bank account.	personal identification number	pinakoade	Noun	de	Singular	
Noun	Abbreviated Form	A feature of x86-based servers that allows computers running Windows Server 2003, Enterprise Edition, and Windows Server 2003, Datacenter Edition, to support more than 4 gigabytes (GB) of physical memory. Physical Address Extension (PAE) allows up to 64 GB of physical memory to be used as regular 4-kilobyte (KB) pages and expands the number of bits that can be used by the kernel to address physical memory from 32 to 36.	PAE	PAE	Noun	Not Selected	Not Selected	
Noun	Full Form	A feature of x86-based servers that allows computers running Windows Server 2003, Enterprise Edition, and Windows Server 2003, Datacenter Edition, to support more than 4 gigabytes (GB) of physical memory. Physical Address Extension (PAE) allows up to 64 GB of physical memory to be used as regular 4-kilobyte (KB) pages and expands the number of bits that can be used by the kernel to address physical memory from 32 to 36.	physical address extension	physical address extension	Noun	de	Singular	
Noun	Full Form	A type of graph that presents values as percentages (slices) of a whole.	pie chart	sirkeldiagram	Noun	it	Singular	
Noun	Full Form	A symbolic value used in place of a real value that is unknown or unavailable at the current time, or that is not displayed for security reasons.	placeholder	tydlike oantsjutting	Noun	de	Singular	
Noun	Full Form	A string of text that is displayed with one value for each text attribute: typeface, slant, and weight.	plain text	platte tekst	Noun	de	Singular	
Noun	Full Form	Data in its unencrypted or decrypted form.	plaintext	net-kodearre tekst	Noun	de	Singular	
Noun	Full Form	Data in its unencrypted or decrypted form.	cleartext	net-kodearre tekst	Noun	de	Singular	
Noun	Full Form	A client program or control that receives digital media content streamed from a server or played from local files. Windows Media Player is an example of a player.	player	spiler	Noun	de	Singular	
Noun	Full Form	A list of digital media content.	playlist	ôfspyllist	Noun	de	Singular	
Noun	Full Form	An auxiliary software component that extends or enhances the features of other software.	plug-in	ynstekker	Noun	de	Singular	
Noun	Full Form	The ± character.	plus or minus sign	plus-minteken	Noun	it	Singular	
Noun	Full Form	A unit of measure used in printing, equal to approximately 1/72 of an inch. Character height and the amount of space (leading) between lines of text are usually specified in points.	point	punt	Noun	de	Singular	

Noun	Full Form	An input device used to control an on-screen cursor for such actions as "pressing" on-screen buttons in dialog boxes, choosing menu items, and selecting ranges of cells in spreadsheets or groups of words in a document.	pointing device	oanwiisapparaat	Noun	it	Singular	
Noun	Abbreviated Form	A set of industry-standard framing and authentication protocols that are included with Windows to ensure interoperability with other remote access software. PPP negotiates configuration parameters for multiple layers of the Open Systems Interconnection (OSI) model. The Internet standard for serial communications, PPP defines how data packets are exchanged with other Internet-based systems using a modem connection. PPP is documented in RFC 1661.	PPP	PPP	Noun	Not Selected	Not Selected	
Noun	Proper Noun	A set of industry-standard framing and authentication protocols that are included with Windows to ensure interoperability with other remote access software. PPP negotiates configuration parameters for multiple layers of the Open Systems Interconnection (OSI) model. The Internet standard for serial communications, PPP defines how data packets are exchanged with other Internet-based systems using a modem connection. PPP is documented in RFC 1661.	Point-to-Point Protocol	Point-to-Point Protocol	Noun	it	Singular	
Noun	Abbreviated Form	A specification for connecting users on an Ethernet network to the Internet through a broadband connection, such as a single DSL line, wireless device, or cable modem. Using PPPoE and a broadband modem, LAN users can gain individual authenticated access to high-speed data networks. By combining Ethernet and Point-to-Point Protocol (PPP), PPPoE provides an efficient way to create a separate connection for each user to a remote server.	PPPoE	PPPoE	Noun	Not Selected	Not Selected	
Noun	Full Form	A specification for connecting users on an Ethernet network to the Internet through a broadband connection, such as a single DSL line, wireless device, or cable modem. Using PPPoE and a broadband modem, LAN users can gain individual authenticated access to high-speed data networks. By combining Ethernet and Point-to-Point Protocol (PPP), PPPoE provides an efficient way to create a separate connection for each user to a remote server.	Point-to-Point Protocol over Ethernet	Point-to-Point Protocol oer Ethernet	Noun	it	Singular	
Noun	Full Form	A hardware- or software-based interface used to transfer information between a computer and other devices. Hardware ports are physical connections that are visible on the outside of the computer. Software ports are the numbered gateways in programs that software programs use to exchange information.	port	poarte	Noun	de	Singular	
Noun	Full Form	Any computer designed to be moved easily.	portable computer	draachbere kompjûter	Noun	de	Singular	
Noun	Full Form	An orientation where the long dimension of a rectangular area (for example, screen or paper) is vertical.	portrait orientation	steande rjochting	Noun	de	Singular	
Noun	Full Form	An orientation where the long dimension of a rectangular area (for example, screen or paper) is vertical.	portrait	steand	Adjective	Not Selected	Not Selected	
Verb	Full Form	To submit an article in a newsgroup or other online conference or forum. The term is derived from the "posting" of a notice on a physical bulletin board.	post	poste	Verb	Not Selected	Not Selected	
Noun	Full Form	An alphanumeric code assigned to all addresses in order to facilitate mail delivery.	postal code	postkoade	Noun	de	Singular	
Noun	Full Form	The # character.	pound (key)	stekje	Noun	it	Singular	
Noun	Full Form	The # character.	number sign	stekje	Noun	it	Singular	
Noun	Full Form	One or more fields that uniquely identify each record in a table. In the same way that a license plate number identifies a car, the primary key uniquely identifies a record.	primary key	primêre kaai	Noun	de	Singular	
Noun	Full Form	The button on your pointing device that you use most often for clicking and double-clicking.	primary mouse button	primêre mûsknop	Noun	de	Singular	
Noun	Full Form	The button on your pointing device that you use most often for clicking and double-clicking.	left mouse button	lofter mûsknop	Noun	de	Singular	
Noun	Full Form	A key on IBM PC and compatible keyboards that normally causes the computer to send a character-based "picture" of the screen contents to the printer.	PRINT SCREEN key	PrintScrn-toets	Noun	de	Singular	
Noun	Full Form	A device that puts text or images on paper or other print media.	printer	printer	Noun	de	Singular	
Noun	Full Form	A device that puts text or images on paper or other print media.	print device	printer	Noun	de	Singular	
Noun	Full Form	The control customers have over the collection, use, and distribution of their personal information.	privacy	privacy	Noun	de	Singular	
Noun	Full Form	A sequence of declarations and statements that are executed as a unit.	procedure	proseduere	Noun	de	Singular	
Noun	Full Form	A sequence of 25 letters and numbers. During Windows installation, you must enter the product key to activate Windows.	product key	produktkoade	Noun	de	Singular	
Noun	Full Form	A complete, self-contained set of instructions a computer follows and uses (like a recipe) to perform specific tasks. For example, Microsoft Word is a word processing program, and Excel is an accounting program.	program	programma	Noun	it	Singular	
Noun	Full Form	A complete, self-contained set of instructions a computer follows and uses (like a recipe) to perform specific tasks. For example, Microsoft Word is a word processing program, and Excel is an accounting program.	application	tapassing	Noun	de	Singular	
Noun	Full Form	A characteristic or parameter of an object or device.	property	eigenskip	Noun	de	Singular	

Verb	Full Form	To configure settings to restrict access to or permissions for a file or specific elements within a file.	protect	befeiligje	Verb	Not Selected	Not Selected	
Noun	Full Form	A standard set of formats and procedures that enable computers to exchange information.	protocol	protokol	Noun	it	Singular	
Verb	Full Form	To make a form, view, device or other resource available over a network.	publish	publisearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A formalized instruction to a database to either return a set of records or perform a specified action on a set of records as specified in the query.	query	query	Noun	de	Singular	
Noun	Full Form	The ? character, used as a punctuation mark or wildcard character.	question mark	fraachteken	Noun	it	Singular	
Noun	Full Form	A list of programs or tasks waiting for execution.	queue	wachtrige	Noun	de	Singular	
Noun	Abbreviated Form	The main internal storage area the computer uses to run programs and store data. Information stored in RAM is temporary and is designed to clear when the computer is turned off.	RAM	RAM	Noun	Not Selected	Not Selected	
Noun	Full Form	The main internal storage area the computer uses to run programs and store data. Information stored in RAM is temporary and is designed to clear when the computer is turned off.	random access memory	random access memory	Noun	de	Singular	
Noun	Abbreviated Form	A semiconductor circuit that contains information that cannot be modified.	ROM	ROM	Noun	Not Selected	Not Selected	
Noun	Full Form	A semiconductor circuit that contains information that cannot be modified.	read-only memory	read-only memory	Noun	de	Not Selected	
Verb	Full Form	To restart a computer. You can reboot by clicking 'Start', clicking 'Shut Down', and then clicking 'Restart' (called a warm boot), or by turning the computer off and then back on (called a cold boot).	reboot	op 'e nij starte	Verb	Not Selected	Not Selected	
Verb	Full Form	To restart a computer. You can reboot by clicking 'Start', clicking 'Shut Down', and then clicking 'Restart' (called a warm boot), or by turning the computer off and then back on (called a cold boot).	restart	op 'e nij starte	Verb	Not Selected	Not Selected	
Noun	Full Form	A group of related fields (columns) of information treated as a unit and arranged in a horizontal line in a table or spreadsheet.	record	record	Noun	it	Singular	
Noun	Full Form	A group of related fields (columns) of information treated as a unit and arranged in a horizontal line in a table or spreadsheet.	row	rige	Noun	de	Singular	
Noun	Full Form	The place in which Windows stores deleted files. You can retrieve files you deleted in error, or you can empty the Recycle Bin to create more disk space.	Recycle Bin	jiskefet	Noun	it	Singular	
Noun	Abbreviated Form	A color model that describes color information in terms of the red (R), green (G), and blue (B) intensities that make up the color.	RGB	RGB	Noun	Not Selected	Not Selected	
Noun	Full Form	A color model that describes color information in terms of the red (R), green (G), and blue (B) intensities that make up the color.	red-green-blue	read-grien-blau	Noun	Not Selected	Not Selected	
Verb	Full Form	To update displayed information with current data.	refresh	fernije	Verb	Not Selected	Not Selected	
Noun	Full Form	A database repository for information about a computer's configuration. The registry contains information that Windows continually references during operation, such as: profiles for each user; the programs installed on the computer and the types of documents that each can create; property settings for folders and program icons; what hardware exists on the system; which ports are being used. The registry is organized hierarchically as a tree, and it is made up of keys and their subkeys, hives, and entries.	registry	register	Noun	it	Singular	
Noun	Full Form	The likelihood of a computer system or device continuing to function over a given period of time and under specified conditions.	reliability	betrouberheid	Noun	de	Singular	
Noun	Full Form	Part of the integrated Routing and Remote Access service that provides remote networking for telecommuters, mobile workers, and system administrators who monitor and manage servers at multiple branch offices. Users can use Network Connections to dial in to remotely access their networks for services such as file and printer sharing, electronic mail, scheduling, and SQL database access.	remote access	eksterne tagong	Noun	de	Singular	
Noun	Full Form	The creation of an image containing geometric models, using color and shading to give the image a realistic look. Usually part of a geometric modeling package such as a CAD program, rendering uses mathematics to describe the location of a light source in relation to the object and to calculate the way in which the light would create highlights, shading, and variations in color. Realism can range from opaque, shaded polygons to images approximating photographs in their complexity.	rendering	rendering	Noun	de	Singular	

Noun	Full Form	The process of copying updated data from a data store or file system on a source computer to a matching data store or file system on one or more destination computers to synchronize the data.	replication	replikaasje	Noun	de	Singular	
Noun	Full Form	A measure of the fineness of detail in an image or text, usually as produced by a monitor or printer.	resolution	resolúsje	Noun	de	Singular	
Noun	Full Form	Generally, any part of a computer system or network, such as a disk drive, printer, or memory, that can be allotted to a running program or a process.	resource	boarne	Noun	de	Singular	
Verb	Full Form	To copy files from a backup storage device to their normal location, especially if the files are being copied to replace files that were accidentally lost or deleted.	restore	weromsette	Verb	Not Selected	Not Selected	
Verb	Full Form	To align text along the right margin.	right align	rjochterkant rjochtsje	Verb	Not Selected	Not Selected	
Noun	Full Form	A return to a previous stable condition, as when the contents of a hard disk are restored from a backup after a destructive hard disk error.	rollback	weromdraai-aksje	Noun	de	Singular	
Noun	Full Form	The top-level directory (or folder) on a computer, partition or volume, or Macintosh-accessible volume.	root directory	haaddirectory	Noun	de	Singular	
Noun	Full Form	The top-level directory (or folder) on a computer, partition or volume, or Macintosh-accessible volume.	root folder	haadmap	Noun	de	Singular	
Noun	Full Form	A device that sends, or routes, information between two networks (for example, between a home network and the Internet).	router	router	Noun	de	Singular	
Noun	Full Form	The horizontal arrangement of cells in a table or spreadsheet.	row	rige	Noun	de	Singular	
Verb	Full Form	To write data (typically a file) to a storage medium.	save	bewarje	Verb	Not Selected	Not Selected	
Verb	Full Form	To enlarge or reduce the display of an item, such as a drawing or a proportional character font, by adjusting its size proportionally.	scale	skaal oanpasse	Verb	Not Selected	Not Selected	
Verb	Full Form	In facsimile and other optical technologies, to move a light-sensitive device across an image-bearing surface such as a page of text, converting the light and dark areas on the surface to binary digits that can be interpreted by a computer.	scan	skenne	Verb	Not Selected	Not Selected	
Noun	Full Form	An optical input device that uses light-sensing equipment to capture an image on paper or some other object. Captured image data is converted into binary files that can be stored and manipulated by computer programs.	scanner	skanner	Noun	de	Singular	
Noun	Full Form	The set of definitions for the universe of objects that can be stored in a directory. For each object class, the schema defines which attributes an instance of the class must have, which additional attributes it can have, and which other object classes can be its parent object class.	schema	skema	Noun	it	Singular	
Noun	Full Form	The graphic portion of a visual output device.	screen	byldskerm	Noun	it	Singular	
Noun	Full Form	A keyboard key that controls the effect of the cursor control keys and sometimes prevents the screen from scrolling.	SCROLL LOCK key	Scroll-Lock-toets	Noun	de	Singular	
Verb	Full Form	To move a document or other data in a window in order to view a particular portion of it. Scrolling may be controlled by the mouse, arrow keys, or other keys on the keyboard.	scroll	skowe	Verb	Not Selected	Not Selected	
Noun	Full Form	A standard Windows control that supports scrolling.	scroll bar	skobalke	Noun	de	Singular	
Noun	Full Form	A component of a scroll bar that indicates the relative position (and optionally the proportion) of the visible information relative to the entire amount of information. The user can drag the scroll box to view areas of information not currently visible.	scroll box	skoblok	Noun	it	Singular	
Noun	Full Form	The process of seeking a particular file or specific data. A search is carried out by a program through comparison or calculation to determine whether a match to some pattern exists or whether some other criteria have been met.	search	sykaksje	Noun	de	Singular	
Noun	Full Form	A program that searches for key words in documents, databases, Internet content or other files.	search engine	sykmaschine	Noun	de	Singular	
Noun	Full Form	The button on your pointing device that you use to display shortcut menus or other program-specific features.	right mouse button	rjochter mûsknop	Noun	de	Singular	
Noun	Full Form	On a network, protection of a computer system and its data from harm or loss, implemented especially so that only authorized users can gain access to shared files.	security	befeiliging	Noun	de	Singular	
Noun	Abbreviated Form	A data structure of variable length that identifies user, group, and computer accounts.	SID	SID	Noun	Not Selected	Not Selected	
Noun	Full Form	A data structure of variable length that identifies user, group, and computer accounts.	security ID	befeiligings-id	Noun	de	Singular	

Noun	Full Form	A data structure of variable length that identifies user, group, and computer accounts.	security identifier	befeiligings-id	Noun	de	Singular	
Verb	Full Form	To mark text, cells, and similar items that will be subject to a user action, such as copying text.	select	selektearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To transmit a message or file through a communications channel.	send	ferstjoere	Verb	Not Selected	Not Selected	
Noun	Full Form	An number assigned to a specific inventory item to identify it and differentiate it from similar items with the same item number.	serial number	searjenûmer	Noun	it	Singular	
Noun	Full Form	A program, routine, or process that performs a specific system function to support other programs, particularly at a low (close to the hardware) level. When services are provided over a network, they can be published in Active Directory, facilitating service-centric administration and usage. Some examples of services are the Security Accounts Manager service, File Replication service, and Routing and Remote Access service.	service	service	Noun	de	Singular	
Noun	Full Form	A configuration element that controls the behavior of applications or the run-time environment.	setting	ynstelling	Noun	de	Singular	
Noun	Full Form	A color variation produced by mixing black with a pure color. A 10-percent shade is one part of the original color and nine parts black.	shade	skaad	Noun	it	Singular	
Verb	Full Form	To make resources, such as folders and printers, available to others.	share	diele	Verb	Not Selected	Not Selected	
Noun	Full Form	A folder on another computer that has been made available for other people to use on the network.	shared folder	diede map	Noun	de	Singular	
Noun	Full Form	The command interpreter that is used to pass commands to the operating system.	shell	shell	Noun	de	Singular	
Noun	Full Form	A keyboard key that, when pressed in combination with another key, gives that key an alternative meaning, for example, producing an uppercase character when a letter key is pressed. The SHIFT key is also used in various key combinations to create nonstandard characters or to perform special operations.	SHIFT key	Shift-toets	Noun	de	Singular	
Noun	Full Form	An icon that serves as a link to a file, program, or location.	shortcut	fluchkeppeling	Noun	de	Singular	
Noun	Full Form	Any combination of keys that must be pressed simultaneously.	shortcut key	toetsekombinaasje	Noun	de	Singular	
Noun	Full Form	Any combination of keys that must be pressed simultaneously.	key combination	toetsekombinaasje	Noun	de	Singular	
Verb	Full Form	To close the operating system in an orderly fashion.	shut down	ôfslute	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of quitting all programs before closing the operating system.	shutdown	ôfslute	Verb	Not Selected	Not Selected	
Verb	Full Form	To create a user session for an Internet account. You sign in to a Microsoft .NET Passport account, an Internet service provider account, or an XML Web service.	sign in	oanmelde	Verb	Not Selected	Not Selected	
Verb	Full Form	To end a user session for an Internet account. You sign out of a Microsoft .NET Passport account, an Internet service provider account, or an XML Web service.	sign out	ôfmelde	Verb	Not Selected	Not Selected	
Noun	Full Form	One mouse click (usually with the left mouse button).	single click	inkeldklik	Noun	de	Singular	
Noun	Full Form	A handle that supports sizing an object.	sizing handle	formaatgreep	Noun	de	Singular	
Noun	Full Form	A power management mode that shuts down all unnecessary computer operations to save energy after it has received no input or other activity for a specified period of time.	sleep	sliepstân	Noun	de	Singular	
Noun	Full Form	A power management mode that shuts down all unnecessary computer operations to save energy after it has received no input or other activity for a specified period of time.	sleep mode	sliepstân	Noun	de	Singular	
Noun	Full Form	A standard Windows control that displays and sets a value from a continuous range of possible values, such as brightness or volume.	slider	skoknop	Noun	de	Singular	

Noun	Full Form	A font effect in which lowercase text appears as capital letters in a reduced font size.	small caps	lyts kapitaal	Noun	de	Singular	
Noun	Full Form	A credit card–sized device with an embedded microprocessor and a small amount of storage that is used, with an access code, to enable certificate-based authentication. Smart cards securely store certificates, public and private keys, passwords, and other types of personal information.	smart card	smartcard	Noun	de	Singular	
Verb	Full Form	To organize information, such as a list of files, in a particular order. For example, a list of files can be sorted alphabetically by name in ascending or descending order.	sort	sortearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Hardware that enables sounds to be recorded, played back, and heard on a computer.	sound card	lûdskaart	Noun	de	Singular	
Noun	Abbreviated Form	A disk, file, document, or other collection of information from which data is taken or moved.	source	boarne	Noun	de	Singular	
Noun	Full Form	A disk, file, document, or other collection of information from which data is taken or moved.	data source	databoarne	Noun	de	Singular	
Noun	Full Form	A long key occupying much of the bottom row of most keyboards that sends a space character to the computer.	SPACEBAR	spaaasjebalke	Noun	de	Singular	
Noun	Full Form	The ability to interpret spoken words and convert them into computer-readable text. Speech recognition programs allow you to enter text by speaking into a microphone, rather than using a keyboard.	speech recognition	spraakwerkenning	Noun	de	Singular	
Noun	Full Form	The ability to interpret spoken words and convert them into computer-readable text. Speech recognition programs allow you to enter text by speaking into a microphone, rather than using a keyboard.	voice recognition	spraakwerkenning	Noun	de	Singular	
Noun	Full Form	A division between window panes in a split window; the split bar visually separates window panes.	split bar	splitsbalke	Noun	de	Singular	
Noun	Full Form	A special control added to a window, typically adjacent to the scroll bar, that allows a user to split a window or adjust a window split.	split box	splitsfek	Noun	it	Singular	
Noun	Abbreviated Form	An application commonly used for budgets, forecasting, and other finance-related tasks that organizes data values using cells, where the relationships between cells are defined by formulas. A change to one cell produces changes to related cells. Spreadsheet programs usually provide graphing capabilities for output and a variety of formatting options for text, numeric values, and graph features.	spreadsheet	rekkenblêd	Noun	it	Singular	
Noun	Full Form	An application commonly used for budgets, forecasting, and other finance-related tasks that organizes data values using cells, where the relationships between cells are defined by formulas. A change to one cell produces changes to related cells. Spreadsheet programs usually provide graphing capabilities for output and a variety of formatting options for text, numeric values, and graph features.	spreadsheet program	rekkenblêdprogramma	Noun	it	Singular	
Noun	Abbreviated Form	A database query and programming language widely used for accessing, querying, updating, and managing data in relational database systems.	SQL	SQL	Noun	Not Selected	Not Selected	
Noun	Full Form	A database query and programming language widely used for accessing, querying, updating, and managing data in relational database systems.	Structured Query Language	Structured Query Language	Noun	de	Singular	
Noun	Full Form	A statistical measure of the amount by which a set of values differs from the arithmetical mean, equal to the square root of the mean of the differences' squares.	standard deviation	standertdeviaasje	Noun	de	Singular	
Adjective	Full Form	A state in which your computer consumes less power when it is idle, but remains available for immediate use. While your computer is on standby, information in computer memory is not saved on your hard disk. If there is an interruption in power, the information in memory is lost.	standby	yn wachtstân	Adjective	Not Selected	Not Selected	
Noun	Full Form	The process of starting or resetting a computer.	startup	opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	The condition at a particular time of any of numerous elements of computing--a device, a communications channel, a network station, a program, a bit, or other element--used to report on or to control computer operations.	status	status	Noun	de	Singular	
Adjective	Full Form	In information processing, fixed or predetermined.	static	statysk	Adjective	Not Selected	Not Selected	
Noun	Full Form	A horizontal window at the bottom of a parent window in which an application can display various kinds of status information. The status bar can be divided into parts to display more than one type of information.	status bar	statusbalke	Noun	de	Singular	
Verb	Full Form	To halt a process or action, typically without restoring the prior state.	stop	ophâlde	Verb	Not Selected	Not Selected	

Noun	Full Form	A precompiled collection of SQL statements and optional control-of-flow statements stored under a name and processed as a unit. They are stored in an SQL database and can be run with one call from an application.	stored procedure	bewarre prosedure	Noun	de	Singular	
Noun	Full Form	Digital media that is in the process of being delivered in a continuous flow across a network.	stream	datastream	Noun	de	Singular	
Adjective	Full Form	Pertaining to a formatting style in which characters are crossed out by horizontal line.	strikethrough	trochhelle	Adjective	Not Selected	Not Selected	
Noun	Full Form	A group of characters or character bytes handled as a single entity. Computer programs use strings to store and transmit data and commands. Most programming languages consider strings (such as 2674:gstmn) as distinct from numeric values (such as 470924).	string	tekenrige	Noun	de	Singular	
Noun	Full Form	A text file containing code to apply semantics such as page layout specifications to published content.	style sheet	opmaakmodel	Noun	it	Singular	
Noun	Full Form	An index entry that falls under a more general heading. For example, the index entry "planets" could have the subentries "Mars" and "Venus."	subentry	subyngong	Noun	de	Singular	
Noun	Full Form	Assistance, such as technical advice provided to customers.	support	stipe	Noun	de	Singular	
Noun	Abbreviated Form	A tool used to ensure that a file or directory on a client computer contains the same data as a matching file or directory on a server.	Sync Manager	Syngronisaasjebehear	Noun	it	Singular	
Noun	Full Form	A tool used to ensure that a file or directory on a client computer contains the same data as a matching file or directory on a server.	synchronization manager	syngronisaasjebehear	Noun	it	Singular	
Noun	Full Form	A tool used to ensure that a file or directory on a client computer contains the same data as a matching file or directory on a server.	Synchronization Manager	Syngronisaasjebehear	Noun	it	Singular	
Noun	Full Form	A word with the same meaning as another in the same language but often with different implications and associations.	synonym	synonym	Noun	it	Singular	
Noun	Full Form	The order in which a command must be typed, and the elements that follow the command.	syntax	syntaksis	Noun	de	Singular	
Noun	Full Form	An error in the grammatical structure of the code or expression.	syntax error	syntaksisflater	Noun	de	Singular	
Noun	Full Form	A set of items or devices working together to accomplish a task.	system	systeem	Noun	it	Singular	
Noun	Abbreviated Form	The person responsible for administering use of a multiuser computer system, communications system, or both. A system administrator performs such duties as assigning user accounts and passwords, establishing security access levels, allocating storage space, and watching for unauthorized access.	sysadmin	systeembehearder	Noun	de	Singular	
Noun	Full Form	The person responsible for administering use of a multiuser computer system, communications system, or both. A system administrator performs such duties as assigning user accounts and passwords, establishing security access levels, allocating storage space, and watching for unauthorized access.	system administrator	systeembehearder	Noun	de	Singular	
Noun	Full Form	The person responsible for administering use of a multiuser computer system, communications system, or both. A system administrator performs such duties as assigning user accounts and passwords, establishing security access levels, allocating storage space, and watching for unauthorized access.	administrator	behearder	Noun	de	Singular	
Noun	Full Form	A Regional and Language Options setting that specifies the default code pages and associated bitmap font files for a specific computer that affects all of that computer's users. The default code pages and fonts enable a non-Unicode application written for one operating system language version to run correctly on another operating system language version.	Language for non-Unicode programs	taal foar net-Unicode programma's	Noun	de	Singular	
Noun	Full Form	A menu that contains commands you can use to manipulate a window or close a program. You click the program icon at the left of the title bar to open this menu. The context menu of a window replaces this menu.	control menu	systeemmenu	Noun	it	Singular	
Noun	Full Form	A character used to align lines and columns on screen and in print. A tab is a single character and therefore can be added, deleted, or overtyped with a single keystroke.	tab character	tabteken	Noun	it	Singular	
Noun	Full Form	A standard Windows control that looks similar to a notebook or file divider and provides navigation between different pages or sections of information in a window.	tab control	tabcontrol	Noun	de	Singular	
Noun	Full Form	A standard Windows control that looks similar to a notebook or file divider and provides navigation between different pages or sections of information in a window.	tab	tab	Noun	de	Singular	

Noun	Full Form	A keyboard key, often labeled with both a left-pointing and a right-pointing arrow, that traditionally (as in word processing) is used to insert tab characters into a document. In other applications, such as menu-driven programs, the TAB key is often used to move the on-screen highlight from place to place.	TAB key	Tab-toets	Noun	de	Singular	
Noun	Full Form	A database object that stores data in records (rows) and fields (columns). The data is usually about a particular category of things, such as employees or orders.	table	tabel	Noun	de	Singular	
Verb	Full Form	To touch an item once with the tablet pen and then lift the pen quickly.	tap	tikje	Verb	Not Selected	Not Selected	
Noun	Full Form	A list of tasks that appears in the Tasks folder and in the TaskPad in Calendar.	task list	taaklist	Noun	de	Singular	
Noun	Full Form	The bar that contains the 'Start' button and appears by default at the bottom of the desktop. You can click the taskbar buttons to switch between programs. You can also hide the taskbar, move it to the sides or top of the desktop, and customize it in other ways.	taskbar	taakbalke	Noun	de	Singular	
Noun	Full Form	A button that represents an item or program that is open and running on your computer. For example, if you open Microsoft Word, and then minimize it, it will be displayed as a taskbar button, which you can then click when you want to maximize it.	taskbar button	taakbalkeknop	Noun	de	Singular	
Noun	Abbreviated Form	A set of networking protocols widely used on the Internet that provides communications across interconnected networks of computers with diverse hardware architectures and various operating systems. TCP/IP includes standards for how computers communicate and conventions for connecting networks and routing traffic.	TCP/IP	TCP/IP	Noun	Not Selected	Not Selected	
Noun	Full Form	A set of networking protocols widely used on the Internet that provides communications across interconnected networks of computers with diverse hardware architectures and various operating systems. TCP/IP includes standards for how computers communicate and conventions for connecting networks and routing traffic.	Transmission Control Protocol/Internet Protocol	Transmission Control Protocol/Internet Protocol	Noun	it	Singular	
Noun	Full Form	A file that contains some pre-defined formatting, layout, and/or text and graphics and that serves as the basis for new documents with a similar look or purpose.	template	sjabloon	Noun	it	Singular	
Noun	Abbreviated Form	A measurement used for high-capacity data storage. One terabyte equals 240, or 1,099,511,627,776, bytes, although it is commonly interpreted as simply one trillion bytes.	TB	TB	Noun	Not Selected	Not Selected	
Noun	Full Form	A measurement used for high-capacity data storage. One terabyte equals 240, or 1,099,511,627,776, bytes, although it is commonly interpreted as simply one trillion bytes.	terabyte	terabyte	Noun	de	Singular	
Noun	Full Form	The area within a shape that can contain text.	text frame	tekstramt	Noun	it	Singular	
Noun	Abbreviated Form	A device that enables the transmission of typed messages over phone lines. These devices typically include keyboards for typing messages to send and display and/or printers to receive messages from one device to another.	TDD	TDD	Noun	Not Selected	Not Selected	
Noun	Full Form	A device that enables the transmission of typed messages over phone lines. These devices typically include keyboards for typing messages to send and display and/or printers to receive messages from one device to another.	text telephone	teksttelefoon	Noun	de	Singular	
Noun	Full Form	A device that enables the transmission of typed messages over phone lines. These devices typically include keyboards for typing messages to send and display and/or printers to receive messages from one device to another.	telephone device for the deaf	teksttelefoon	Noun	de	Singular	
Noun	Product/Technology Name	A device that enables the transmission of typed messages over phone lines. These devices typically include keyboards for typing messages to send and display and/or printers to receive messages from one device to another.	Microsoft text telephone	Microsoft-teksttelefoon	Noun	de	Singular	
Noun	Full Form	A feature that consists of advanced text wrap functionality, allowing the user to select from various styles to specify how text flows around objects or graphics in a document.	text wrapping	tekstrigeloanpasser	Noun	de	Singular	
Adjective	Abbreviated Form	Pertaining to technologies for converting textual (ASCII) information into synthetic speech output. Used in voice-processing applications requiring production of broad, unrelated, and unpredictable vocabularies, such as products in a catalog or names and addresses. This technology is appropriate when system design constraints prevent the more efficient use of speech concatenation alone.	TTS	TTS	Noun	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to technologies for converting textual (ASCII) information into synthetic speech output. Used in voice-processing applications requiring production of broad, unrelated, and unpredictable vocabularies, such as products in a catalog or names and addresses. This technology is appropriate when system design constraints prevent the more efficient use of speech concatenation alone.	text-to-speech	tekst-nei-spraak	Noun	de	Singular	
Noun	Full Form	A set of visual elements that provide a unified look for your computer desktop. A theme determines the look of the various graphic elements of your desktop, such as the windows, icons, fonts, colors, and the background and screen saver pictures.	theme	tema	Noun	it	Singular	
Noun	Full Form	A type of object within a process that runs program instructions. Using multiple threads allows concurrent operations within a process and enables one process to run different parts of its program on different processors simultaneously. A thread has its own set of registers, its own kernel stack, a thread environment block, and a user stack in the address space of its process.	thread	thread	Noun	de	Singular	

Noun	Full Form	In e-mail and Internet newsgroup conversations, a series of messages and replies that are all related to a specific topic.	thread	diskusjetried	Noun	de	Singular	
Adjective	Abbreviated Form	Existing in reference to three measures.	3-D	3-D	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Existing in reference to three measures.	three-dimensional	trijediminsjonaal	Adjective	Not Selected	Not Selected	
Noun	Full Form	A miniature version of an image that is often used for quick browsing through multiple images.	thumbnail	miniatuer	Noun	de	Singular	
Noun	Full Form	A certification specifying that a particular message existed at a specific time and date. In a digital context, trusted third parties generate a trusted time stamp for a particular message by having a time stamping service append a time value to a message and then digitally signing the result.	time stamp	tiidstimpel	Noun	it	Singular	
Noun	Full Form	A color mixed with white. A 10-percent tint is one part of the original color and nine parts white.	tint	tint	Noun	de	Singular	
Noun	Full Form	A type of note that helps users apply the techniques and procedures described in the text to their specific needs. A tip suggests alternative methods that may not be obvious and helps users understand the benefits and capabilities of the product. A tip is not essential to the basic understanding of the text.	tip	tip	Noun	de	Singular	
Noun	Full Form	The horizontal bar at the top of a window that displays the name of the window. Title bars can contain different buttons, such the Minimize, Maximize, and Close buttons, so that you can control how you want to view the window.	title bar	titelbalke	Noun	de	Singular	
Noun	Full Form	A keyboard key that alternates between turning a particular operation, function, or mode on or off.	toggle key	wikseltoets	Noun	de	Singular	
Noun	Full Form	A command button used in a toolbar (or status bar).	toolbar button	arkbalkeknop	Noun	de	Singular	
Noun	Abbreviated Form	In Active Directory replication, the set of connections that domain controllers use to replicate information among themselves.	topology	topology	Noun	de	Singular	
Noun	Full Form	In Active Directory replication, the set of connections that domain controllers use to replicate information among themselves.	replication topology	replikaasjetopology	Noun	de	Singular	
Noun	Full Form	An individual song or other discrete piece of audio content.	track	nûmer	Noun	it	Singular	
Verb	Full Form	To follow the flow of information; to monitor progress.	track	byhâlde	Verb	Not Selected	Not Selected	
Verb	Full Form	To move data from one location to another.	transfer	oerbringe	Verb	Not Selected	Not Selected	
Noun	Full Form	The sending of information over a communications line or a circuit.	transmission	ferstjoeren	Noun	it	Singular	
Noun	Full Form	A data structure containing zero or more nodes that are linked together in a hierarchy. If any nodes are present, one node is the root; each node except the root is the child of one and only one other node, and each node has zero or more nodes as children.	tree	struktuer	Noun	de	Singular	
Noun	Abbreviated Form	Existing in reference to two measures, such as height and width--for example, a two-dimensional model drawn with reference to an x-axis and a y-axis, or a two-dimensional array of numbers placed in rows and columns.	2-D	2-D	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Existing in reference to two measures, such as height and width--for example, a two-dimensional model drawn with reference to an x-axis and a y-axis, or a two-dimensional array of numbers placed in rows and columns.	two-dimensional	twadiminsjonaal	Adjective	Not Selected	Not Selected	
Noun	Full Form	The _ character.	underscore	ûnderstrekingsteken	Noun	it	Singular	
Noun	Full Form	A character encoding standard developed by the Unicode Consortium that represents almost all of the written languages of the world. The Unicode character repertoire has multiple representation forms, including UTF-8, UTF-16, and UTF-32. Most Windows interfaces use the UTF-16 form.	Unicode	Unicode	Noun	Not Selected	Not Selected	
Verb	Full Form	When referring to a device, to remove the corresponding device drivers from the hard disk and physically remove the device from the computer.	uninstall	ynstallaasje opheffe	Verb	Not Selected	Not Selected	
Verb	Full Form	When referring to software, to remove program files and folders from the hard disk and remove related data from the registry so the software is no longer available.	uninstall	fuortsmite	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A group of related Web pages that is hosted by an HTTP server on the World Wide Web. The pages in a Web site generally cover one or more topics and are interconnected through hyperlinks.	site	webstee	Noun	it	Singular	
Noun	Full Form	A group of related Web pages that is hosted by an HTTP server on the World Wide Web. The pages in a Web site generally cover one or more topics and are interconnected through hyperlinks.	Web site	webstee	Noun	it	Singular	
Verb	Full Form	To change an existing row of data in the data store or to transmit pending changes to the data store.	update	bywurkje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Of, pertaining to, or characterized by capital letters.	uppercase	yn haadletters	Adjective	Not Selected	Not Selected	
Noun	Full Form	Settings that define customization preferences for a particular user, such as desktop settings, persistent network connections, personally identifiable information (PII), website use, or other behaviors and demographics data.	user profile	brûkersprofyl	Noun	it	Singular	
Noun	Full Form	A person who uses a computer. If the computer is connected to a network, a user can access the programs and files on the computer, as well as programs and files located on the network (depending on account restrictions determined by the network administrator).	user	brûker	Noun	de	Singular	

Noun	Abbreviated Form	Tasks that a user is permitted to perform on a computer system or domain. There are two types of user rights on a Windows-based computer: privileges and logon rights. An example of a privilege is the right to shut down the system. An example of a logon right is the right to log on to a computer interactively. Both types are assigned by administrators to individual users or groups as part of the security settings for the computer.	rights	rjochten	Noun	de	Plural	
Noun	Full Form	Tasks that a user is permitted to perform on a computer system or domain. There are two types of user rights on a Windows-based computer: privileges and logon rights. An example of a privilege is the right to shut down the system. An example of a logon right is the right to log on to a computer interactively. Both types are assigned by administrators to individual users or groups as part of the security settings for the computer.	user rights	brûkersrjochten	Noun	de	Plural	
Adjective	Full Form	Easy to learn and easy to use.	user-friendly	brûkersfreonlik	Adjective	Not Selected	Not Selected	
Noun	Full Form	A property that defines valid input values for a field or record in a table, or a control on a form.	validation rule	falidaasjeregel	Noun	de	Singular	
Noun	Full Form	A quantity assigned to an element such as a variable, symbol, or label.	value	wearde	Noun	de	Singular	
Noun	Full Form	A particular issue or release of a hardware product or software title.	version	ferzje	Noun	de	Singular	
Noun	Full Form	A particular issue or release of a hardware product or software title.	edition	ferzje	Noun	de	Singular	
Noun	Full Form	The consistent vertical positioning of text, graphics, and other objects.	vertical alignment	fertikaal rjochtsjen	Noun	it	Singular	
Noun	Full Form	The character.	vertical bar	steand streekje	Noun	it	Singular	
Noun	Full Form	The character.	pipe	steand streekje	Noun	it	Singular	
Verb	Full Form	To cause an application to display information on a computer screen.	view	werjaan	Verb	Not Selected	Not Selected	
Noun	Full Form	A list of selected fields that are related to one record type. The fields to be displayed are defined by a query that includes filters to limit the data displayed.	view	werjefte	Noun	de	Singular	
Noun	Full Form	The display of data or an image from a given perspective or location.	view	werjefte	Noun	de	Singular	
Noun	Abbreviated Form	The / character.	slash	slash	Noun	de	Singular	
Noun	Full Form	The / character.	forward slash	slash	Noun	de	Singular	
Noun	Full Form	The / character.	slash mark	slashteken	Noun	it	Singular	
Adjective	Full Form	Of or pertaining to a device or service that appears to the user as something it actually is not or that does not physically exist.	virtual	firtueel	Adjective	Not Selected	Not Selected	
Noun	Full Form	In a virtual memory system, the address the application uses to reference memory. The kernel and the memory management unit (MMU) translate this address into a physical address before the memory is actually read or written.	virtual address	firtueel adres	Noun	it	Singular	
Noun	Full Form	A series of measures to protect a machine from being infected by a virus.	virus protection	firusbefeiliging	Noun	de	Singular	
Noun	Full Form	A portion of unique computer code contained in a virus. Antivirus programs search for known virus signatures to identify infected programs and files.	virus signature	firushantekening	Noun	de	Singular	
Not Selected	Full Form	A property of a replica that indicates which members of the replica set it can synchronize with and which conflict resolution rules apply. Replicas fall into three visibility types: global, local, and anonymous.	visibility	sichtberheid	Noun	de	Singular	
Noun	Full Form	The loudness of an audio signal.	volume	lûdsterkte	Noun	de	Singular	
Noun	Full Form	A storage area on a hard disk that is formatted with a file system. Volumes have drive letters assigned to them. A single hard disk can have multiple volumes. Some volumes can span multiple hard disks.	volume	folume	Noun	it	Singular	

Noun	Abbreviated Form	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	W3	W3	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	WWW	WWW	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	web	web	Noun	it	Singular	
Noun	Full Form	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	World Wide Web	World Wide Web	Noun	it	Singular	

Noun	Not Selected	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	Web	Web	Noun	it	Singular	
Noun	Full Form	In a graphical user interface such as Windows, a pattern or picture in the screen background that can be chosen by the user.	wallpaper	eftergrûn	Noun	de	Singular	
Noun	Full Form	The restarting of a running computer without first turning off the power.	warm boot	waarm opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	The restarting of a running computer without first turning off the power.	warm start	waarm opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	The restarting of a running computer without first turning off the power.	soft restart	waarm opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	The restarting of a running computer without first turning off the power.	soft reboot	waarm opstarte	Verb	Not Selected	Not Selected	
Noun	Full Form	An image that appears as the background to a document. Generally faded and transparent, so that text can be clearly read over it.	watermark	wettermerk	Noun	it	Singular	
Noun	Abbreviated Form	A software program used to locate and display Web pages. Some browsers also allow users to send and receive e-mail, read newsgroups, and play sound or video files.	browser	sneuper	Noun	de	Singular	
Noun	Full Form	A software program used to locate and display Web pages. Some browsers also allow users to send and receive e-mail, read newsgroups, and play sound or video files.	Web browser	websneuper	Noun	de	Singular	
Noun	Full Form	The last line of a paragraph printed by itself at the top of a page.	widow	huorrekyn	Noun	it	Singular	
Noun	Full Form	A keyboard character that can be used to represent one or many characters when conducting a query. The question mark (?) represents a single character, and the asterisk (*) represents one or more characters.	wildcard character	jokerteken	Noun	it	Singular	
Noun	Full Form	A keyboard character that can be used to represent one or many characters when conducting a query. The question mark (?) represents a single character, and the asterisk (*) represents one or more characters.	wildcard	jokerteken	Noun	it	Singular	
Noun	Full Form	A keyboard character that can be used to represent one or many characters when conducting a query. The question mark (?) represents a single character, and the asterisk (*) represents one or more characters.	pattern-matching character	jokerteken	Noun	it	Singular	
Noun	Full Form	A viewing area on a computer screen where programs and processes are displayed. For example, if you open Microsoft Word, Outlook, and a digital picture, each runs and appears in its own window. You can close, resize, or move each window independently, and you can minimize the window to a button on the taskbar.	window	finster	Noun	it	Singular	
Noun	Full Form	A utility in Windows 9x that enables the user to locate and open files and folders.	Windows Explorer	Windows Sneuper	Noun	de	Singular	
Noun	Full Form	An operating system service that enables the operating system to manage the installation process. Windows Installer technologies are divided into two parts that work in combination: a clientside installer service (Msiexec.exe) and a package (.msi) file. Windows Installer uses the information contained within a package file to install the application.	Windows Installer	Windows Installer	Noun	de	Singular	
Adjective	Full Form	Of, pertaining to, or characteristic of communications that take place without the use of interconnecting wires or cables, such as by radio, microwave, or infrared.	wireless	triedleas	Adjective	Not Selected	Not Selected	
Noun	Not Selected	A local area network (LAN) that sends and receives data via radio, infrared optical signaling, or some other technology that does not require a physical connection between individual nodes and the hub. Wireless LANs are often used in office or factory settings where a user must carry a portable computer from place to place.	wireless LAN	triedleas LAN	Noun	it	Singular	
Noun	Full Form	An interactive help utility that walks you through each step of a particular task.	wizard	helper	Noun	de	Singular	
Noun	Full Form	A feature that calculates and displays the number of words, characters, lines, pages and paragraphs in a document.	Word Count	wurdteller	Noun	de	Singular	
Noun	Full Form	The act of entering and editing text with a word processor.	word processing	tekstferwurkjen	Noun	it	Singular	
Noun	Full Form	An application for creating and manipulating text-based documents.	word processor	tekstferwurker	Noun	de	Singular	
Not Selected	Full Form	The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	word wrap	rigelôfbrekker	Noun	de	Singular	
Noun	Full Form	The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	wordwrap	rigelôfbrekker	Noun	de	Singular	

Noun	Full Form	The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	line wrap	rigelöfbrekker	Noun	de	Singular	
Noun	Full Form	The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	text wrap	rigelöfbrekker	Noun	de	Singular	
Noun	Full Form	Text objects you create with ready-made effects to which you can apply additional formatting options.	WordArt	WordArt	Noun	Not Selected	Not Selected	
Noun	Full Form	In a spreadsheet program, a file containing one or more related worksheets.	workbook	wurkmap	Noun	de	Singular	
Noun	Full Form	A group of computers that are connected on a network and share resources, such as printers and files.	workgroup	wurkgroep	Noun	de	Singular	
Noun	Full Form	A group of computers that are connected on a network and share resources, such as printers and files.	peer-to-peer network	peer-to-peer-netwurk	Noun	it	Singular	
Noun	Full Form	The primary document that you use in Excel to store and work with data. A worksheet consists of cells that are organized into columns and rows; a worksheet is always stored in a workbook.	worksheet	wurkblêd	Noun	it	Singular	
Verb	Full Form	To transfer information either to a storage device, such as a disk, or to an output device, such as the monitor or a printer. Writing is the means by which a computer provides the results of processing. A computer can also be said to write to the screen when it displays information on the monitor.	write	skriuwe	Verb	Not Selected	Not Selected	
Noun	Full Form	A privilege on a computer system that allows a user to save, change, or delete stored data. Write access is usually set by the system administrator for a networked or server system and by the owner of the computer for a stand-alone machine.	write access	skriuwtagong	Noun	de	Singular	
Verb	Full Form	To prevent the writing (recording) of information, usually on a disk.	write-protect	foar skriuwen befeiligje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to a disk to which content cannot be recorded.	write-protected	foar skriuwen befeilige	Adjective	Not Selected	Not Selected	
Verb	Full Form	To enlarge a selected portion of a graphical image or document to fill a window or the screen.	zoom	ynzooome	Verb	Not Selected	Not Selected	
Verb	Full Form	To enlarge a selected portion of a graphical image or document to fill a window or the screen.	zoom in	ynzooome	Verb	Not Selected	Not Selected	
Verb	Full Form	To adjust the perspective of an image or document in order to view a larger area on the screen at one time, as if viewed from farther away.	zoom out	útzooome	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A Microsoft Windows multimedia file format for sound and videos that uses the Microsoft Resource Interchange File Format (RIFF) specification.	AVI	AVI	Noun	Not Selected	Not Selected	
Noun	Full Form	A Microsoft Windows multimedia file format for sound and videos that uses the Microsoft Resource Interchange File Format (RIFF) specification.	Audio Video Interleaved	Audio Video Interleaved	Noun	Not Selected	Not Selected	
Noun	Full Form	A transmission medium designed for high-speed data transfers over long distances. Cable modem services and Digital Subscriber Line (DSL) are examples of broadband networks.	broadband	breedbân	Noun	de	Singular	
Noun	Full Form	A transmission medium designed for high-speed data transfers over long distances. Cable modem services and Digital Subscriber Line (DSL) are examples of broadband networks.	broadband network	breedbânnetwurk	Noun	it	Singular	
Noun	Full Form	In a DVD, a portion of a title, such as a scene or sequence. A title can contain one or more chapters.	chapter	haadstik	Noun	it	Singular	
Noun	Abbreviated Form	A type of CD on which files can be copied, but not erased or replaced. A type of CD-ROM that can be written on a CD recorder and read on a CD-ROM drive.	CD-R	cd-r	Noun	de	Singular	
Noun	Full Form	A type of CD on which files can be copied, but not erased or replaced. A type of CD-ROM that can be written on a CD recorder and read on a CD-ROM drive.	compact disc-recordable	cd-recordable	Noun	de	Singular	
Noun	Abbreviated Form	A type of CD on which files can be copied, erased, and replaced. Also, the technology, equipment, software, and media used in the production of multiple-write CDs.	CD-RW	cd-rw	Noun	Not Selected	Not Selected	
Noun	Full Form	A type of CD on which files can be copied, erased, and replaced. Also, the technology, equipment, software, and media used in the production of multiple-write CDs.	compact disc-rewritable	cd-rewritable	Noun	de	Singular	
Noun	Full Form	A display setting that holds up to 256 specific color entries. Any color palette attached to a picture is by definition an 8-bit palette.	8-bit color	8-bits kleuren	Noun	de	Plural	
Noun	Full Form	A hyperlink to the exact location of a file on a file server, the World Wide Web, or a company intranet. Absolute links use an exact path; if you move the file containing the hyperlink or a hyperlink destination, the link breaks.	absolute link	absolute keppeling	Noun	de	Singular	
Noun	Full Form	Places the element relative to either the element's parent or, if there isn't one, the body. Values for the element's Left and Top properties are relative to the upper-left corner of the element's parent.	absolute positioning	absolute pleatsing	Noun	de	Singular	

Noun	Full Form	Places the element relative to either the element's parent or, if there isn't one, the body. Values for the element's Left and Top properties are relative to the upper-left corner of the element's parent.	fixed positioning	absolute pleatsing	Noun	de	Singular	
Noun	Full Form	Utilities that make computers easier to use for people with disabilities. Examples of accessibility aids include screen readers, speech recognition programs, and on-screen keyboards.	accessibility aids	tagonklikheidsfunksjes	Noun	de	Plural	
Noun	Full Form	Additional information required by some macro actions - for example, the object affected by the action or special conditions under which the action is carried out.	action argument	aksje-argumint	Noun	it	Singular	
Noun	Full Form	A row in the upper part of the Macro window in which you enter macro names, actions, conditions, and comments associated with a particular macro or macro group.	action row	aksjerige	Noun	de	Singular	
Verb	Full Form	To make a chart sheet or worksheet the active, or selected, sheet. The sheet that you activate determines which menu bar and toolbars are displayed.	activate	aktivearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Used by Web browsers to display text during image downloads for users who have graphics turned off, and for users who rely on screen-reading software to convert graphics on the screen to spoken words.	alternative text	ferfangende tekst	Noun	de	Singular	
Noun	Abbreviated Form	In a tree structure, the element of which a given element is a child. Equivalent to a parent element.	ancestor	boppelizzend elemint	Noun	it	Singular	
Noun	Full Form	In a tree structure, the element of which a given element is a child. Equivalent to a parent element.	ancestor element	boppelizzend elemint	Noun	it	Singular	
Noun	Full Form	A task that has been sent to someone as a task request in an e-mail message. When you assign a task, you give up ownership of it (unless the assignee declines it). The assigner can receive status reports for the task.	assigned task	tawiisde taak	Noun	de	Singular	
Noun	Full Form	A database on a server that matches user names to passwords.	authentication database	ferifikaasjedatabase	Noun	de	Singular	
Noun	Full Form	A feature which automatically and periodically removes items to another folder, or deletes them, based on the amount of time they have been in the folder.	AutoArchive	Auto-argivearring	Noun	de	Singular	
Noun	Full Form	The underlying or original style on which other styles in a document are dependent. When you change a formatting element of the base style in a document, all other styles that originate from the base style will also reflect the change.	base style	basisopmaakprofyl	Noun	it	Singular	
Noun	Full Form	A three-dimensional edge effect that is applied to the border of an object.	bevel	skeane râne	Noun	de	Singular	
Noun	Full Form	The text that forms the major content of a publication. Does not include titles, headlines, pull quotes, and captions, for example.	body text	haadtekst	Noun	de	Singular	
Noun	Full Form	In a shared file, information that is maintained about changes made in past editing sessions. The information includes the name of the person who made each change, when the change was made, and what data was changed.	change history	wizingsoersjoch	Noun	it	Singular	
Noun	Full Form	The entire chart and all its elements.	chart area	grafykgebiet	Noun	it	Singular	
Noun	Full Form	In a tree structure, an element that is contained by a parent element. A subordinate element.	child element	ûnderlizzend elemint	Noun	it	Singular	
Noun	Full Form	A set of color choices located in a workpane.	color box	kleurefek	Noun	it	Singular	
Noun	Full Form	A range of colors in which each color gradually blends into the next one. For example, a blue ramp gradually blends hues of blue from pure black to pure blue.	color ramp	kleurferrin	Noun	it	Singular	
Noun	Full Form	A decomposed layer of a full-color image used in printing. Typical printing processes use four color separations (cyan, magenta, yellow, and black) which combine together to produce the final image.	color separation	kleurskieding	Noun	de	Plural	
Noun	Full Form	The horizontal bar at the top of a column. You can click a column selector to select an entire column in the query design grid or the filter design grid.	column selector	kolomkiezer	Noun	de	Singular	
Noun	Full Form	A mark inserted in a document to show where a comment has been added.	comment mark	opmerkingsteken	Noun	it	Singular	
Noun	Full Form	Colors that are opposite each other on the color wheel, such as yellow and blue.	complementary colors	komplemintêre kleuren	Noun	de	Plural	
Noun	Full Form	A language whose characters require ligation or shaping, such as a right-to-left language (Arabic, Farsi, Hebrew, and Urdu) or certain South Asian languages.	complex script	kompleks skriftype	Noun	it	Singular	
Noun	Full Form	An index file with two columns: the first column lists the text in the document that you want to index, and the second column lists the index entries to generate from the text in the first column.	concordance file	konkordânsjebestân	Noun	it	Singular	
Noun	Full Form	An expression that yields a Boolean value (true or false). Such expressions can involve comparisons (testing values for equality or, for non-Boolean values, the < [less than] or > [greater than] relation) and logical combination (using Boolean operators such as AND, OR, and XOR) of Boolean expressions.	conditional expression	ekspresje op betingst	Noun	de	Singular	
Noun	Full Form	An expression that yields a Boolean value (true or false). Such expressions can involve comparisons (testing values for equality or, for non-Boolean values, the < [less than] or > [greater than] relation) and logical combination (using Boolean operators such as AND, OR, and XOR) of Boolean expressions.	Boolean expression	Booleaanske ekspresje	Noun	de	Singular	
Noun	Full Form	The process of changing the appearance of a control, including its visibility and read-write state, based on values entered into the form.	conditional formatting	opmaak op betingst	Noun	de	Singular	
Noun	Full Form	A Web Storage System content class defines the intent or purpose of an item along with the names of properties that are intended for items in this class.	content class	ynhâldsklasse	Noun	de	Singular	
Noun	Full Form	A design template that also contains text suggestions on each slide. You replace the text suggestions with the text that you want. A content template contains a slide master and an optional title master.	content template	ynhâldssjabloan	Noun	it	Singular	

Noun	Full Form	A pair of values representing the x- and y-coordinates of a point that are stored in a two-dimensional array that can contain coordinates for many points.	coordinate pair	koördinatepear	Noun	it	Singular	
Noun	Full Form	A list of words not in the standard dictionary that an author wants the spelling checker to accept as correct.	custom dictionary	oanpaste wurdlist	Noun	de	Singular	
Noun	Full Form	An item of a custom group field. A custom group contains two or more items from a row or column field.	custom group	oanpaste groep	Noun	de	Singular	
Noun	Full Form	A field in the row or column area that contains custom groups as its items.	custom group field	fjild mei oanpaste groepen	Noun	it	Singular	
Noun	Full Form	A dialog box that displays one complete record at a time. You can use data forms to add, change, locate, and delete records.	data form	dataformulier	Noun	it	Singular	
Noun	Abbreviated Form	The structure or appearance of a unit of data, such as a field, or text in a message body.	format	yndieling	Noun	de	Singular	
Noun	Full Form	The structure or appearance of a unit of data, such as a field, or text in a message body.	data format	datayndieling	Noun	de	Singular	
Noun	Full Form	A label that provides additional information about a data marker, which represents a single data point or value that originates from a datasheet cell.	data label	datalabel	Noun	it	Singular	
Noun	Full Form	A window that you can display when a data access page is open in Design view.	Data Outline	data-oersjoch	Noun	it	Singular	
Noun	Full Form	An individual value plotted in a chart and represented together with other data points by bars, columns, lines, pie or doughnut slices, dots, and various other shapes called data markers. Data markers of the same color constitute a data series.	data point	datapunt	Noun	it	Singular	
Noun	Full Form	Related data points that are plotted in a chart. Each data series in a chart has a unique color or pattern and is represented in the chart legend. You can plot one or more data series in a chart. Pie charts have only one data series.	data series	datarige	Noun	de	Singular	
Noun	Full Form	A range of cells that shows how changing certain values in your formulas affects the results of the formulas. Data tables provide a shortcut for calculating multiple versions in one operation and a way to view and compare the results of all of the different variations together on your worksheet.	data table	datatabel	Noun	de	Singular	
Noun	Full Form	The process of testing the accuracy of data; a set of rules you can apply to a control to specify the type and range of data that users can enter into that control.	data validation	datafalidaasje	Noun	de	Singular	
Noun	Full Form	A connection that specifies the name, type, location, and optional information for a database file.	database connection	databaseferbining	Noun	de	Singular	
Noun	Full Form	A value that is automatically entered in a field or control when you add a new record. You can either accept the default value or override it by typing a value.	default value	standertwearde	Noun	de	Singular	
Verb	Full Form	In an outline, to change a heading to body text or to a lower heading level - for example, to change from Heading 5 to Heading 6.	demote	nivo ferleegje	Verb	Not Selected	Not Selected	
Noun	Full Form	An item (such as a page, frameset, item type, form, view, script file, text file, cascading style sheet, or image) that contributes to an overall pattern, scheme, or layout.	design element	ûntwerpelemint	Noun	it	Singular	
Noun	Full Form	A file that contains the styles in a presentation, including the type and size of bullets and fonts; placeholder sizes and positions; background design and fill; color schemes; and a slide master and optional title master.	design template	ûntwerpsjabloan	Noun	it	Singular	
Noun	Full Form	A window that shows the design of these database objects - tables, queries, forms, reports, macros, and data access pages. In Design view, you can create new database objects and modify the design of existing ones.	Design view	ûntwerpwerjefte	Noun	de	Singular	
Noun	Full Form	The file that a linked or embedded object is inserted into. The source file contains the information that is used to create the object. When you change information in a destination file, the information is not updated in the source file.	destination file	doelbestân	Noun	it	Singular	
Noun	Full Form	A combination of a digital certificate and a public and private encryption key set.	Digital ID	digitale id	Noun	de	Singular	
Noun	Full Form	An image that has been captured electronically with a digital camera or scanner.	digital photo	digitale foto	Noun	de	Singular	
Noun	Full Form	A control that appears dimmed on a form or data access page. A disabled control cannot get the focus and will not respond to mouse clicks.	disabled control	útskeakele bestjoeringselemint	Noun	it	Singular	
Noun	Full Form	A folder where a collection of files is shared and the files often use the same template. Each file in a library is associated with user-defined information that is displayed in the content listing for that library.	Document Library	dokumintebiblioteek	Noun	de	Singular	
Noun	Full Form	An area upon which you can draw multiple shapes. Because the shapes are contained within the drawing canvas, they can be moved and resized as a unit.	drawing canvas	tekenpapier	Noun	it	Singular	
Noun	Full Form	In line and area charts, lines that extend from a data point to the category (x) axis. Useful in area charts to clarify where one data marker ends and the next begins.	drop lines	leadlinen	Noun	de	Plural	
Noun	Full Form	A shaded outline that appears behind an object or text and creates the illusion of depth.	drop shadow	slachskaad	Noun	it	Singular	
Noun	Full Form	A shaded outline that appears behind an object or text and creates the illusion of depth.	shadow	skaad	Noun	it	Singular	
Noun	Full Form	A control on a menu, toolbar, dialog box, or data access page that displays a list of options when you click the small arrow next to the list box.	drop-down list box	ferfolchkarlist	Noun	de	Singular	
Noun	Full Form	A control on a data access page that, when clicked, expands or collapses a grouped record to display or hide its detail records.	expand control	úttearbestjoeringselemint	Noun	it	Singular	

Noun	Abbreviated Form	An XML vocabulary that is used to transform XML data to another form, such as HTML, by means of a style sheet that defines presentation rules.	XSL	XSL	Noun	Not Selected	Not Selected	
Noun	Full Form	An XML vocabulary that is used to transform XML data to another form, such as HTML, by means of a style sheet that defines presentation rules.	Extensible Stylesheet Language	Extensible Stylesheet Language	Noun	de	Singular	
Noun	Full Form	A tool used to pick a color by clicking directly on a pixel.	eyedropper	pipet	Noun	de	Singular	
Noun	Full Form	A technique for filtering data that uses a version of the current form or datasheet with empty fields in which you can type the values you want the filtered records to contain.	Filter By Form	formulierfilter	Noun	it	Singular	
Noun	Full Form	A technique for filtering records in a form, datasheet, or data access page in which you retrieve only records that contain the selected value.	Filter By Selection	seleksjefilter	Noun	it	Singular	
Noun	Full Form	A technique in which you filter records in a form, datasheet, or data access page to retrieve only those records that don't contain the selected value.	Filter Excluding Selection	negatyf seleksjefilter	Noun	it	Singular	
Noun	Full Form	A program that transforms a picture stored in one file format to another format so that it can be displayed in a specific graphics program.	graphic filter	grafysk filter	Noun	it	Singular	
Noun	Full Form	A program that transforms a picture stored in one file format to another format so that it can be displayed in a specific graphics program.	graphics filter	grafysk filter	Noun	it	Singular	
Noun	Full Form	The blank area between two or more columns of text or between two facing pages in a publication.	gutter	rêchmarzje	Noun	de	Singular	
Noun	Full Form	Paragraph formatting in which the second and subsequent lines of a paragraph are indented more than the first line. Common uses for the hanging indent are bulleted and numbered lists.	hanging indent	ferkeardom-ynspringen	Noun	it	Singular	
Noun	Full Form	A field that stores hyperlink addresses.	hyperlink field	hyperlinkfjild	Noun	it	Singular	
Noun	Full Form	A field code that marks specific text for inclusion in an index. When you mark text as an index entry, Microsoft Office Word inserts an XE (Index Entry) field formatted as hidden text.	index entry	yndeksopjefte	Noun	de	Singular	
Noun	Full Form	An object that is embedded in a line of text rather than in its own window.	inline object	inline-objekt	Noun	it	Singular	
Noun	Full Form	A dot, hyphen, or other character used to create a line that fills the space before a tab stop.	leader character	opfolteken	Noun	it	Singular	
Noun	Full Form	A collection of graphic or text buttons representing hyperlinks to pages both within your Web site and to external sites.	link bar	keppelingsbalke	Noun	de	Singular	
Noun	Full Form	A control on a form, that repeats as needed, into which users can enter text. The control can be formatted as a bulleted, numbered, or plain list.	list control	listbestjoeringselemint	Noun	it	Singular	
Adjective	Full Form	The condition of a field, record, recordset, or database that makes it read-only to all users except the user currently modifying it.	locked	ôfskoattele	Adjective	Not Selected	Not Selected	
Noun	Full Form	A query (SQL statement) that creates a new table and then creates records (rows) in it by copying records from an existing table.	make-table query	tabelbou-query	Noun	de	Singular	
Noun	Full Form	A query (SQL statement) that creates a new table and then creates records (rows) in it by copying records from an existing table.	Make Table query	Tabelbou-query	Noun	de	Singular	
Noun	Full Form	A "container" for a set of separate files (or subdocuments). You can use a master document to set up and manage a multipart document, such as a book with several chapters.	master document	haaddokumint	Noun	it	Singular	
Noun	Full Form	A placeholder that you insert in the main document. For example, insert the merge field "City" to have Word insert a city name, such as "Paris," that's stored in the City data field.	merge field	gearfoechfjild	Noun	it	Singular	
Noun	Full Form	A search method that lets you direct your search using conversational language.	natural language searching	sykjen yn eigen wurden	Noun	it	Singular	
Noun	Full Form	A search method that lets you direct your search using conversational language.	natural query syntax	natuerlike querysyntaksis	Noun	de	Singular	
Verb	Full Form	To minimize the duplication of information in a relational database through effective table design.	normalize	normalisearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To move an object one pixel at a time.	nudge	ferskowe	Verb	Not Selected	Not Selected	
Noun	Full Form	A file that contains definitions of objects and their methods and properties.	object library	objektbiblioteek	Noun	de	Singular	
Noun	Full Form	A file that stores information about a connection to a data source, such as an Access database, spreadsheet, or text file, and that facilitates data source administration.	Office data connection file	Office data connection-bestân	Noun	it	Singular	
Noun	Full Form	A file that stores information about a connection to a data source, such as an Access database, spreadsheet, or text file, and that facilitates data source administration.	data connection file	data-connectionbestân	Noun	it	Singular	
Noun	Abbreviated Form	A connection between an OLE object and its OLE server, or between a dynamic data exchange (DDE) source document and a destination document.	link	keppeling	Noun	de	Singular	
Noun	Full Form	A connection between an OLE object and its OLE server, or between a dynamic data exchange (DDE) source document and a destination document.	OLE/DDE link	OLE/DDE-keppeling	Noun	de	Singular	

Noun	Full Form	A frame that can contain check boxes, toggle buttons, and option buttons on a form, report, or data access page. You use an option group to present alternatives from which the user can select a single option.	option group	groepsfek	Noun	it	Singular	
Noun	Full Form	A hyphen that is used to control where a word or phrase breaks if it falls at the end of a line. For example, you can specify that the word "nonprinting" breaks as "non-printing" rather than "nonprint-ing."	optional hyphen	tydlik ôfbrekstreekje	Noun	it	Singular	
Noun	Full Form	A hyphen that is used to control where a word or phrase breaks if it falls at the end of a line. For example, you can specify that the word "nonprinting" breaks as "non-printing" rather than "nonprint-ing."	discretionary hyphen	opsjoneel ôfbrekstreekje	Noun	it	Singular	
Noun	Full Form	A hyphen that is used to control where a word or phrase breaks if it falls at the end of a line. For example, you can specify that the word "nonprinting" breaks as "non-printing" rather than "nonprint-ing."	soft hyphen	tydlik ôfbrekstreekje	Noun	it	Singular	
Noun	Full Form	Formatting that controls the appearance of a paragraph. Examples include indentation, alignment, line spacing, and pagination.	paragraph formatting	alineea-opmaak	Noun	de	Singular	
Noun	Full Form	The nonprinting ¶ character that Microsoft Office Word inserts when you press ENTER to end a paragraph. The paragraph mark stores the formatting you apply to the paragraph.	paragraph mark	alineateken	Noun	it	Singular	
Noun	Full Form	A combination of character and paragraph-formatting characteristics that are named and stored as a set. You can select a paragraph and use the style to apply all of the formatting characteristics to the paragraph at one time.	paragraph style	alineea-opmaakprofyl	Noun	it	Singular	
Noun	Full Form	A database that contains only a subset of the records in a full replica.	partial replica	parsjele replika	Noun	de	Singular	
Noun	Full Form	A cell that is referred to by a formula in another cell. For example, if cell D10 contains the formula =B5, cell B5 is a precedent to cell D10.	precedent	boarnesel	Noun	de	Singular	
Noun	Full Form	The "one" side of two related tables in a one-to-many relationship. A primary table should have a primary key and each record should be unique.	primary table	primêre tabel	Noun	de	Singular	
Noun	Full Form	One or more ranges of cells that you designate to print when you don't want to print the entire worksheet. If a worksheet includes a print area, only the print area is printed.	print area	printberik	Noun	it	Singular	
Noun	Full Form	A view of a document as it will appear when you print it.	print preview	printfoarbyld	Noun	it	Singular	
Noun	Full Form	The device that communicates between your software program and your printer.	printer driver	printerstjoerprogramma	Noun	it	Singular	
Noun	Full Form	Information stored in the prologue of an XML document. This information is passed through the XML parser to any application that uses the XML document.	processing instructions	ferwurkingsynstruksjes	Noun	de	Plural	
Verb	Full Form	In an outline, to change body text to a heading, or to change a heading to a higher level heading - for example, from Heading 6 to Heading 5.	promote	nivo ferheegje	Verb	Not Selected	Not Selected	
Noun	Full Form	A grouping of properties presented as a tabbed page of a property sheet.	property page	eigenskipsside	Noun	de	Singular	
Noun	Full Form	A window used to view or modify the properties of various objects such as tables, queries, fields, forms, reports, data access pages, and controls.	property sheet	eigenskipsfenster	Noun	it	Singular	
Noun	Full Form	A diagram that is used to show foundation-based relationships.	pyramid diagram	piramidediagram	Noun	it	Singular	
Noun	Full Form	A diagram that is used to show relationships of elements to a core element.	radial diagram	radiaaldiagram	Noun	it	Singular	
Noun	Abbreviated Form	The order in which changes are propagated from replica to replica. Topology determines how quickly changes in another replica appear in your replica.	topology	topology	Noun	de	Singular	
Noun	Full Form	The order in which changes are propagated from replica to replica. Topology determines how quickly changes in another replica appear in your replica.	replica set topology	topology fan replikaset	Noun	de	Singular	
Verb	Full Form	To rerun a query underlying the active form or datasheet in order to reflect changes to the records, display newly added records, and eliminate deleted records.	requery	query nochris útfiere	Verb	Not Selected	Not Selected	
Noun	Full Form	The set of records that results from running a query or applying a filter.	result set	resultaatset	Noun	de	Singular	
Noun	Full Form	The set of records that results from running a query or applying a filter.	results	resultaten	Noun	de	Plural	
Adjective	Full Form	Pertaining to keyboard settings, document views, user interface objects, and languages for which text is displayed in a right-to-left direction. Arabic and Hebrew are examples of right-to-left languages.	right-to-left	fan rjochts nei lofts	Other	Not Selected	Not Selected	
Noun	Full Form	The element in an XML document that contains all other elements. It is the top-level element of an XML document and must be the first element in the document.	root element	haadelemint	Noun	it	Singular	
Noun	Full Form	The element in an XML document that contains all other elements. It is the top-level element of an XML document and must be the first element in the document.	document element	dokumintelemint	Noun	it	Singular	
Noun	Full Form	A little pop-up window that provides brief context-sensitive help when you move the mouse pointer over the item.	ScreenTip	skermynfo	Noun	de	Singular	

Noun	Full Form	A little pop-up window that provides brief context-sensitive help when you move the mouse pointer over the item.	tooltip	arktip	Noun	de	Singular	
Noun	Full Form	An individual data value plotted in a chart and represented by a column, bar, line, pie or doughnut slice, or other type of data marker.	series point	datapunt	Noun	it	Singular	
Noun	Full Form	The slide that stores information about the design template applied, including font styles, placeholder sizes and positions, background design, and color schemes.	slide master	diamodel	Noun	it	Singular	
Noun	Full Form	A way to arrange data based on value or data type. You can sort data alphabetically, numerically, or by date. Sort orders use an ascending (1 to 9, A to Z) or descending (9 to 1, Z to A) order.	sort order	sortearfolchoarder	Noun	de	Singular	
Noun	Full Form	A toolbar that performs some of the most common tasks in a Microsoft office application, such as opening, saving, and printing files.	Standard toolbar	standertarkbalke	Noun	de	Singular	
Noun	Full Form	Editing that occurs within a structured document such as a well-formed XML document.	structural editing	strukturele bewurking	Noun	de	Singular	
Noun	Full Form	A datasheet that is nested within another datasheet and that contains data related or joined to the first datasheet.	subdatasheet	subdatablêd	Noun	it	Singular	
Noun	Full Form	A form contained within another form or a report.	subform	subformulier	Noun	it	Singular	
Noun	Full Form	A report contained within another report.	subreport	subrapport	Noun	it	Singular	
Noun	Full Form	Any site that is any number of levels below the current site in a hierarchy.	Sub-site	Subwebstee	Noun	it	Singular	
Not Selected	Full Form	Any site that is any number of levels below the current site in a hierarchy.	subsite	subwebstee	Noun	it	Singular	
Noun	Full Form	A diagram that is used to show steps toward a goal.	target diagram	doeldiagram	Noun	it	Singular	
Noun	Full Form	A control used to provide on/off options on a form or report. It can display either text or a picture, and can be standalone or part of an option group.	toggle button	wikselknop	Noun	de	Singular	
Noun	Full Form	A mark that shows where a deletion, insertion, or other editing change has been made in a document.	tracked change	byholden wizigings	Noun	de	Plural	
Noun	Full Form	One of a set of transitional display effects that are available in some Microsoft Office applications. Transitions specify how the display changes (such as fading to black) as a user moves from one item (such as slide or Web page) to another.) to.	transition	oergong	Noun	de	Singular	
Noun	Full Form	A control you place on a form or report to contain an unbound object.	unbound object frame	net-ôfhinklik objekt	Noun	it	Singular	
Noun	Full Form	A query that uses the UNION operator to combine the results of two or more select queries.	union query	gearfoechquery	Noun	de	Singular	
Noun	Full Form	An action query that changes a set of records according to criteria you specify. An update query does not return any records.	update query	bywurkquery	Noun	de	Singular	
Noun	Full Form	A diagram that is used to show areas of overlap between and among elements.	Venn diagram	Venn-diagram	Noun	it	Singular	
Noun	Full Form	Comments that users attach to Web pages and documents.	Web discussion	webdiskusje	Noun	de	Singular	
Verb	Abbreviated Form	To reconcile the differences between files stored on one computer and versions of the same files on another computer. Once the differences are determined, both sets of files are updated.	sync	syngronisearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To reconcile the differences between files stored on one computer and versions of the same files on another computer. Once the differences are determined, both sets of files are updated.	synchronize	syngronisearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Part of a UI element that resembles a notebook or file divider and provides navigation between different sections of information within that element.	tab	tabblêd	Noun	it	Singular	

Noun	Full Form	The pairing of two or more actions that are performed together as a single action; the action succeeds or fails as a whole.	transaction	transaksje	Noun	de	Singular	
Noun	Full Form	The measurement of the area in front of and behind the subject that is in focus.	depth of field	fjilddjipe	Noun	de	Singular	
Noun	Abbreviated Form	Video images and sound stored in a digital format.	DV	DF	Noun	Not Selected	Not Selected	
Noun	Full Form	Video images and sound stored in a digital format.	digital video	digitale fideo	Noun	de	Singular	
Noun	Full Form	The file that contains information about the files that have been imported into or captured in the current project, and how files or clips have been arranged.	project file	projektbestån	Noun	it	Singular	
Noun	Full Form	The process in which a consumer enters information, such as an e-mail address, to acquire a license.	registration	registraasje	Noun	de	Singular	
Noun	Full Form	A view of the workspace that displays the sequence of your clips.	storyboard	storyboard	Noun	it	Singular	
Noun	Abbreviated Form	The protocol within TCP/IP that governs the breakup of data messages into packets to be sent via IP, and the reassembly and verification of the complete messages from packets received by IP.	TCP	TCP	Noun	Not Selected	Not Selected	
Noun	Full Form	The protocol within TCP/IP that governs the breakup of data messages into packets to be sent via IP, and the reassembly and verification of the complete messages from packets received by IP.	Transmission Control Protocol	Transmission Control Protocol	Noun	it	Singular	
Noun	Full Form	The points where playback of a file or clip begins and ends. There are two trim points: start trim point and end trim point.	trim points	knippunten	Noun	de	Plural	
Noun	Full Form	Any significant occurrence in the system or an application that requires users to be notified or an entry to be added to a log.	event	barren	Noun	it	Singular	
Noun	Full Form	Audio, video, images, text, or any other information that is contained in a digital media file or stream.	content	ynhåld	Noun	de	Singular	
Noun	Abbreviated Form	The number of bits transmitted every second, used as a measure of the speed at which a device, such as a modem, can transfer data.	bps	bps	Noun	Not Selected	Not Selected	
Noun	Full Form	The number of bits transmitted every second, used as a measure of the speed at which a device, such as a modem, can transfer data.	bits per second	bits yn in sekonde	Noun	de	Plural	
Noun	Full Form	A high-speed Internet connection. Broadband connections are typically 256 kilobytes per second (KBps) or faster. Broadband includes DSL and cable modem service.	broadband connection	breedbånferbining	Noun	de	Singular	
Noun	Full Form	An object created with one program and embedded into a document created by another. Embedding the object, rather than simply inserting or pasting it, ensures that the object retains its original format. If you double-click the embedded object, you can edit it with the toolbars and menus from the program used to create it.	embedded object	ynsletten objekt	Noun	it	Singular	
Noun	Full Form	A derivative of the file allocation table (FAT) file system. FAT32 supports smaller cluster sizes and larger volumes than FAT, which results in more efficient space allocation on FAT32 volumes.	FAT32	FAT32	Noun	de	Singular	
Noun	Abbreviated Form	An industry-standard Internet tunneling protocol that provides encapsulation for sending Point-to-Point Protocol (PPP) frames across packet-oriented media. For IP networks, L2TP traffic is sent as User Datagram Protocol (UDP) messages. In Microsoft operating systems, L2TP is used in conjunction with Internet Protocol security (IPSec) as a virtual private network (VPN) technology to provide remote access or router-to-router VPN connections. L2TP is described in RFC 2661.	L2TP	L2TP	Noun	Not Selected	Not Selected	
Noun	Full Form	An industry-standard Internet tunneling protocol that provides encapsulation for sending Point-to-Point Protocol (PPP) frames across packet-oriented media. For IP networks, L2TP traffic is sent as User Datagram Protocol (UDP) messages. In Microsoft operating systems, L2TP is used in conjunction with Internet Protocol security (IPSec) as a virtual private network (VPN) technology to provide remote access or router-to-router VPN connections. L2TP is described in RFC 2661.	Layer Two Tunneling Protocol	Layer Two Tunneling Protocol	Noun	it	Singular	
Noun	UI String	A folder that provides you with a convenient place to store documents, graphics, or other files you want to access quickly. When you save a file in a program such as WordPad or Paint, the file is automatically saved in My Documents, unless you choose a different folder.	My Documents	Dokuminten	Noun	Not Selected	Not Selected	
Noun	Full Form	A delay of the amount of time that elapses before a character begins repeating when you hold down a key.	repeat delay	repetearútstel	Noun	de	Singular	
Noun	Abbreviated Form	An application protocol related to Hypertext Transfer Protocol (HTTP) 1.1 that allows clients to transparently publish and manage resources on the World Wide Web.	WebDAV	WebDAV	Noun	Not Selected	Not Selected	
Noun	Full Form	An application protocol related to Hypertext Transfer Protocol (HTTP) 1.1 that allows clients to transparently publish and manage resources on the World Wide Web.	Web Distributed Authoring and Versioning	Web Distributed Authorising and Versioning	Noun	de	Singular	
Noun	Abbreviated Form	A technical document in the Microsoft Knowledge Base accessible through Microsoft.com.	KB article	KB-dokumint	Noun	it	Singular	

Noun	Full Form	For files, information that indicates whether a file is read-only, hidden, ready for archiving (backing up), compressed, or encrypted, and whether the file contents should be indexed for fast file searching.	attribute	skaaimerik	Noun	it	Singular	
Noun	Full Form	In DNS, each part of a DNS domain name that represents a node in the domain namespace tree. For example, the three labels example, microsoft, and com make up the DNS domain name example.microsoft.com. Each label used in a DNS name cannot exceed 63 octets, 255 bytes including the terminating dot, for the fully qualified domain name (FQDN).	label	label	Noun	it	Singular	
Noun	Abbreviated Form	A Web site from Microsoft which provides updates for Windows operating system software and Windows-based hardware. The Web site works with the Automatic Updates feature in Windows to deliver updates (patches and fixes) as they become available. Users can also install or update device drivers.	Windows Update	Windows Update	Noun	Not Selected	Not Selected	
Noun	Full Form	A Web site from Microsoft which provides updates for Windows operating system software and Windows-based hardware. The Web site works with the Automatic Updates feature in Windows to deliver updates (patches and fixes) as they become available. Users can also install or update device drivers.	Windows Update website	Windows Update-webstee	Noun	it	Singular	
Noun	Abbreviated Form	Any information relating to an identified or identifiable individual. Such information may include name, country, street address, e-mail address, credit card number, Social Security number, government ID number, IP address, or any unique identifier that is associated with PII in another system.	PII	PII	Noun	Not Selected	Not Selected	
Noun	Full Form	Any information relating to an identified or identifiable individual. Such information may include name, country, street address, e-mail address, credit card number, Social Security number, government ID number, IP address, or any unique identifier that is associated with PII in another system.	personally identifiable information	persoansgegevens	Noun	de	Plural	
Noun	Full Form	Any information relating to an identified or identifiable individual. Such information may include name, country, street address, e-mail address, credit card number, Social Security number, government ID number, IP address, or any unique identifier that is associated with PII in another system.	personal data	persoanlike gegevens	Noun	de	Plural	
Noun	Full Form	Any information relating to an identified or identifiable individual. Such information may include name, country, street address, e-mail address, credit card number, Social Security number, government ID number, IP address, or any unique identifier that is associated with PII in another system.	personal information	persoanlike gegevens	Noun	de	Plural	
Noun	Full Form	Software that fulfills the deliberately harmful intent of an attacker when run. For example, viruses, worms, and Trojan horses are malicious code.	malware	skealike software	Noun	de	Singular	
Noun	Full Form	Software that fulfills the deliberately harmful intent of an attacker when run. For example, viruses, worms, and Trojan horses are malicious code.	malicious software	skealike software	Noun	de	Singular	
Noun	Full Form	To change to an older, and/or less powerful or sophisticated version of a product.	downgrade	downgrade	Verb	Not Selected	Not Selected	
Noun	Full Form	A filter that selectively includes or excludes certain values. For example, when defining a database field, it is possible to assign a mask that indicates what sort of value the field should hold. Values that do not conform to the mask cannot be entered.	mask	masker	Noun	it	Singular	
Noun	Full Form	An attempt to run a memory operation that the underlying page protection does not allow. An access violation applies to memory operations, but does not apply when the security manager checks user-mode access rights to objects.	access violation	tagongsflater	Noun	de	Singular	
Noun	Full Form	An interactive tool that makes it easier to set up commonly used accessibility features by specifying options by type of disability, rather than by numeric value changes.	Accessibility Wizard	Tagonklikheidshelper	Noun	de	Singular	
Noun	Full Form	A Windows NT domain that holds user account data.	account domain	accountdomein	Noun	it	Singular	
Noun	Full Form	A Windows NT domain that holds user account data.	master user domain	haadbrùkersdomein	Noun	it	Singular	
Noun	Full Form	A time limit that is applied to the life of an account, so that it can be used only for a predetermined period of time.	account expiration	ferrindatum fan in account	Noun	de	Singular	
Noun	Full Form	A Windows security feature that locks a user account if a number of failed logon attempts occur within a specified amount of time, based on security policy lockout settings. Locked accounts cannot log on.	account lockout	accountôfskoatteling	Noun	de	Singular	
Noun	Full Form	The company placing, and often paying for, a promotional message, or advertisement.	advertiser	advertearder	Noun	de	Singular	
Adjective	Full Form	Not dependent on timing. Each application or command runs in the specified order, but the specified item does not wait for any previously started processes to finish before an application or command runs.	asynchronous	asyngroan	Adjective	Not Selected	Not Selected	
Noun	Full Form	An object supplied by a component that supports Automation.	ActiveX object	ActiveX-objekt	Noun	it	Singular	
Noun	Full Form	An object supplied by a component that supports Automation.	Automation object	automatisearringsobjekt	Noun	it	Singular	
Noun	Full Form	The process of detecting and splitting video content into separate clips. Clips are created by Windows Movie Maker when there is a significant change from one frame to another.	clip creation	klipmeitsjen	Noun	it	Singular	
Noun	Full Form	A technique for converting a color in one color space to another color space. Typically, this conversion is from YUV colors from a video source to RGB for display.	color-space conversion	kleurromtekonverzje	Noun	de	Singular	
Noun	Full Form	A technique for converting a color in one color space to another color space. Typically, this conversion is from YUV colors from a video source to RGB for display.	color space conversion	kleurromtekonverzje	Noun	de	Singular	
Noun	Full Form	A text element consisting of a base character and a diacritic or accent mark. Although most common in the Latin script, other scripts (including Greek, Devanagari, and Tamil) also have composite characters.	composite character	gearstald teken	Noun	it	Singular	
Verb	Full Form	To assign a drive letter, port, or computer name to a shared resource so that you can use it.	connect	ferbining meitsje	Verb	Not Selected	Not Selected	
Noun	Full Form	A client dialer used to obtain Internet access.	Connection Manager	Connection Manager	Noun	de	Singular	

Noun	Abbreviated Form	A Windows CE-based application that enables remote users to connect to a network.	DUN	DUN	Noun	Not Selected	Not Selected	
Noun	Full Form	A Windows CE-based application that enables remote users to connect to a network.	Dial-Up Networking	Ynbelnetwurk	Noun	it	Singular	
Noun	Full Form	A software routine that executes in response to an event.	event handler	aksje-ôfhanneler	Noun	de	Singular	
Noun	Full Form	A toolbar that is not attached to the edge of the program window. You can change the shape of some floating toolbars.	floating toolbar	swevende arkbalke	Noun	de	Singular	
Noun	Abbreviated Form	A directory of all mail-enabled objects to which messages can be addressed.	GAL	GAL	Noun	Not Selected	Not Selected	
Noun	Full Form	A directory of all mail-enabled objects to which messages can be addressed.	global address list	algemiene adreslist	Noun	de	Singular	
Noun	Full Form	A directory of all mail-enabled objects to which messages can be addressed.	Global Address List	Algemiene Adreslist	Noun	de	Singular	
Noun	Full Form	The adjustment of the spacing between two characters to create the appearance of even spacing, fit text to a given space, and adjust line breaks.	kerning	ôfspasjearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A network-enabled host running Simple Network Management Protocol (SNMP) management software. This software requests information from SNMP agents.	management console	behearconsole	Noun	de	Singular	
Noun	Full Form	A network-enabled host running Simple Network Management Protocol (SNMP) management software. This software requests information from SNMP agents.	management system	behearsysteem	Noun	it	Singular	
Noun	Full Form	A character, such as diacritic, that has no meaning by itself, but overlaps a base character to modify it.	non-spacing character	net-spasjearre teken	Noun	it	Singular	
Noun	Full Form	A character, such as diacritic, that has no meaning by itself, but overlaps a base character to modify it.	combining character	kombinearteken	Noun	it	Singular	
Noun	Full Form	A single character that represents a sequence of characters, usually a combination of a base character and one or more diacritics.	precomposed character	gearstald teken	Noun	it	Singular	
Noun	Full Form	A character with a non-zero width.	spacing character	spasjeteken	Noun	it	Singular	
Verb	Full Form	To add a special visual or sound effect to text or an object. For example, you can have your text bullet points fly in from the left, one word at a time, or hear the sound of applause when a picture is uncovered.	animate	spesjale effekten tafoegje	Verb	Not Selected	Not Selected	
Noun	Full Form	In the United States, the postal code assigned to all addresses.	ZIP code	postkoade	Noun	de	Singular	
Noun	Full Form	A static image of a set of data, such as the records displayed as the result of a query.	snapshot	momintopname	Noun	de	Singular	
Noun	Full Form	A static image of a set of data, such as the records displayed as the result of a query.	shadow copy	skaadkopy	Noun	de	Singular	
Verb	Full Form	To go back to a previous state by reversing the effects of one or more commands.	undo	weromdraaie	Verb	Not Selected	Not Selected	
Verb	Full Form	To reverse changes.	roll back	weromdraaie	Verb	Not Selected	Not Selected	
Verb	Not Selected	To do over again.	redo	oerdwaan	Verb	Not Selected	Not Selected	
Verb	Full Form	To verify that your software product is a legal copy and is installed in compliance with the Microsoft Software License Terms.	activate	aktivearje	Verb	Not Selected	Not Selected	
Noun	Full Form	One of a collection of drivers that responds to the same IRPs. Layered driver describes the highest-level and lowest-level drivers in a chain of layered drivers that process the same IRPs, along with all intermediate drivers in the chain.	layered driver	layered driver	Noun	de	Singular	
Noun	Proper Noun	The program that installs the Windows operating system.	Windows Setup	Windows Setup	Noun	de	Singular	
Noun	Full Form	A number used to indicate the cost of a route in the Internet Protocol (IP) routing table that enables the selection of the best route among possible multiple routes to the same destination.	metric	metric	Noun	de	Singular	
Noun	Abbreviated Form	A 16-bit value which consists of a primary and a secondary language ID. Bits 0-9 make up the primary language ID and bits 10-15 comprise the sub-language ID.	LANGID	LANGID	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A 16-bit value which consists of a primary and a secondary language ID. Bits 0-9 make up the primary language ID and bits 10-15 comprise the sub-language ID.	LID	LID	Noun	Not Selected	Not Selected	
Noun	Full Form	A 16-bit value which consists of a primary and a secondary language ID. Bits 0-9 make up the primary language ID and bits 10-15 comprise the sub-language ID.	Language ID	taal-id	Noun	de	Singular	
Noun	Full Form	A 16-bit value which consists of a primary and a secondary language ID. Bits 0-9 make up the primary language ID and bits 10-15 comprise the sub-language ID.	language identifier	taal-identifikaasje	Noun	de	Singular	
Noun	Abbreviated Form	A PPP control protocol that negotiates link and PPP parameters to dynamically configure the data-link layer of a PPP connection.	LCP	LCP	Noun	Not Selected	Not Selected	

Noun	Proper Noun	A PPP control protocol that negotiates link and PPP parameters to dynamically configure the data-link layer of a PPP connection.	Link Control Protocol	Link Control Protocol	Noun	it	Singular	
Noun	Full Form	A message or announcement sent to the user or administrator of a system. The recipient may be a human or an automated notification manager.	notification	melding	Noun	de	Singular	
Noun	Full Form	A document that contains general release information and late changes. It is one of the deliverables leading to the release readiness approved milestone.	release notes	release-opmerkings	Noun	de	Plural	
Noun	Full Form	The person who sets up and maintains the systems and records related to authorized users of multi-user computer networks or operating systems.	account manager	accountbeheerder	Noun	de	Singular	
Noun	Full Form	An e-mail message that a user sends to others to invite them to a meeting.	meeting request	gearkomstefersyk	Noun	it	Singular	
Noun	Full Form	The location to which products that have been ordered should be sent.	shipping address	ferstjoerdersadres	Noun	it	Singular	
Noun	Full Form	The location to which products that have been ordered should be sent.	mailing address	postadres	Noun	it	Singular	
Verb	Full Form	To continue to press a keyboard key or mouse button.	hold down	yndrukt hâlde	Verb	Not Selected	Not Selected	
Verb	Full Form	To manipulate an interface element, such as a toolbar, in order to align it with the edge of another interface element, typically a window or pane.	dock	skoattelje	Verb	Not Selected	Not Selected	
Noun	Full Form	A ToolTip used to provide a description for desktop, window, and Start menu commands, in Web views, and in the Windows Explorer Comment column when Details view is used.	InfoTip	ynfotip	Noun	de	Singular	
Noun	Full Form	A control (composed of a text box and spin button control) that allows a user to adjust a value from a limited range of possible values.	spin box	spin box	Noun	de	Singular	
Noun	UI String	A common drop-down menu that includes general purpose commands for editing objects displayed within a window, such as Cut, Copy, and Paste.	Edit menu	menu Bewurkje	Noun	Not Selected	Not Selected	
Noun	UI String	A common drop-down menu that includes commands for file operations, such as Open, Save, and Print.	File menu	menu Bestân	Noun	Not Selected	Not Selected	
Noun	Proper Noun	A common drop-down menu that includes commands that provide access to online Help or other forms of user assistance.	Help menu	menu Help	Noun	it	Singular	
Noun	UI String	A common drop-down menu that includes commands that provide access to online Help or other forms of user assistance.	Help	Help	Noun	Not Selected	Not Selected	
Noun	UI String	A standard Windows icon that represents a user's private, usually local, storage.	My Computer	Dizze Kompjûter	Noun	Not Selected	Not Selected	
Noun	Full Form	A selection technique that involves dragging out a bounding outline (also referred to as a marquee) to define the selected objects.	region selection	gebietseleksje	Noun	de	Singular	
Noun	Full Form	A component of a scroll bar that allows the information to be scrolled by defined increments when the user clicks it. The direction of the arrow indicates the direction in which the information scrolls.	scroll arrow button	skopylknop	Noun	de	Singular	
Noun	Full Form	A component of a scroll bar that allows the information to be scrolled by defined increments when the user clicks it. The direction of the arrow indicates the direction in which the information scrolls.	scroll arrow	skopylk	Noun	de	Singular	
Noun	Full Form	A node with subordinate node(s), called children.	parent node	boppelizzend knooppunt	Noun	it	Singular	
Noun	Full Form	The window in which the main interaction with an object takes place.	primary window	haadfinster	Noun	it	Singular	
Noun	Full Form	A modeless secondary window that displays a toolbar or other choices, such as colors or patterns.	palette window	paletfinster	Noun	it	Singular	
Noun	Full Form	A standard Windows control that is similar to a standard text box, except that it also supports individual character and paragraph properties.	rich-text box	rich-textfek	Noun	it	Singular	
Noun	Full Form	A personal or work-related project, assignment, or errand to be tracked through to completion.	task	taak	Noun	de	Singular	
Noun	Full Form	Feedback that provides the user with information about the state of a process.	progress indicator	fuortgongsmjitter	Noun	de	Singular	
Noun	Abbreviated Form	A static report that contains data captured at a specific point in time.	snapshot	momintopname	Noun	de	Singular	
Noun	Full Form	A static report that contains data captured at a specific point in time.	report snapshot	momintopname	Noun	de	Singular	
Noun	Full Form	A customer service issue or problem reported by a customer and the activities that customer service representatives use to resolve it.	case	saak	Noun	de	Singular	

Noun	Full Form	A customer service issue or problem reported by a customer and the activities that customer service representatives use to resolve it.	job	taak	Noun	de	Singular	
Noun	Full Form	A customer service issue or problem reported by a customer and the activities that customer service representatives use to resolve it.	contract	kontrakt	Noun	it	Singular	
Noun	Abbreviated Form	A Microsoft Web site that provides customers with access to a database of articles written by Microsoft Support professionals.	KB	KB	Noun	Not Selected	Not Selected	
Noun	Full Form	A Microsoft Web site that provides customers with access to a database of articles written by Microsoft Support professionals.	Knowledge Base	Knowledge Base	Noun	de	Singular	
Noun	Full Form	A Microsoft Web site that provides customers with access to a database of articles written by Microsoft Support professionals.	Microsoft Knowledge Base	Microsoft Knowledge Base	Noun	de	Singular	
Noun	Full Form	The top level of a business hierarchy.	organization	organisaasje	Noun	de	Singular	
Noun	Full Form	A compilation of the specific prices that can be charged for each unit in the unit group of a product.	price list	priislist	Noun	de	Singular	
Noun	Full Form	A data repository, in which items such as text, text boxes, pictures, tables, shapes, etc. can be stored and re-used within the same document and across multiple documents.	content library	ynhâldsbiblioteek	Noun	de	Singular	
Noun	Full Form	A feature that allows users to check and remove personal and other sensitive information from a document.	Document Inspector	Dokumintkontrôle	Noun	de	Singular	
Noun	Full Form	A card-like layout on an Outlook Contact that provides the user with the look of a real world business card.	Electronic Business Card	Elektroanysk besitekaartsje	Noun	it	Singular	
Noun	UI String	A card-like layout on an Outlook Contact that provides the user with the look of a real world business card.	Business Card	Besitekaartsje	Noun	Not Selected	Not Selected	
Not Selected	UI String	The heading for the last Mail Merge step, which allows the user to select how the merged publication or letters are produced.	Complete the merge	Gearfoegjen dienmeitsje	Verb	Not Selected	Not Selected	
Noun	UI String	A menu option on the Property Panel that enables the user to specify document properties.	Property Editor	Eigenskippen bewurkje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A description of XML-based syndication technologies.	RSS	RSS	Noun	Not Selected	Not Selected	
Noun	Full Form	A description of XML-based syndication technologies.	RDF Site Summary	RDF Site Summary	Noun	de	Singular	
Noun	Full Form	A description of XML-based syndication technologies.	Really Simple Syndication	Really Simple Syndication	Noun	de	Singular	
Noun	Full Form	A description of XML-based syndication technologies.	Rich Site Summary	Rich Site Summary	Noun	de	Singular	
Noun	UI String	The title for a dialog that specifies how a signature line should be signed, including instructions for signers.	Signature Setup	Hantekeningynstellings	Noun	Not Selected	Not Selected	
Noun	Full Form	The delay that occurs while data is processed or delivered.	latency	latency	Noun	de	Singular	
Noun	Abbreviated Form	A searchable collection of articles and facts pertaining to a particular subject area.	KB	KB	Noun	Not Selected	Not Selected	
Noun	Full Form	A searchable collection of articles and facts pertaining to a particular subject area.	knowledge base	knowledge base	Noun	de	Singular	
Verb	UI String	A permission setting that permits a person or domain to add the user to contact lists, see the user's status, or send instant messages to the user.	Allow	Tastean	Verb	Not Selected	Not Selected	
Verb	UI String	An item on the user's My Status menu. This is a status the user can select to say that the user is away from the computer but will return shortly.	Be Right Back	Bin der daliks wer	Noun	Not Selected	Not Selected	
Noun	Full Form	A connection between the user's device and a server that provides access to the Internet, typically through an Internet service provider.	Internet connection	ynternetferbining	Noun	de	Singular	
Noun	Full Form	A connection between the user's device and a server that provides access to the Internet, typically through an Internet service provider.	web connection	webferbining	Noun	de	Singular	
Verb	Full Form	To ask someone to engage in an instant conversation.	invite	útnoegje	Verb	Not Selected	Not Selected	
Verb	UI String	An item on the File menu that writes data (typically a file) to a storage medium.	Save	Bewarje	Verb	Not Selected	Not Selected	
Verb	UI String	A UI element that initiates the process of seeking a particular file or specific data. A search is carried out by a program through comparison or calculation to determine whether a match to some pattern exists or whether some other criteria have been met.	Search	Sykje	Verb	Not Selected	Not Selected	
Verb	UI String	A UI element that initiates the process of seeking a particular file or specific data. A search is carried out by a program through comparison or calculation to determine whether a match to some pattern exists or whether some other criteria have been met.	Look Up	Opsykje	Verb	Not Selected	Not Selected	
Noun	Full Form	The set of rules on a computer and a portable device that allow digital media files and other information to be synchronized.	partnership	partnerferbân	Noun	it	Singular	

Adjective	Full Form	One of the presets for 3D rotation effects. When selected, specifies that the object will be rotated isometrically.	isometric	isometrysk	Adjective	Not Selected	Not Selected	
Noun	Full Form	An integral Windows component that supports building, deploying, and running the next generation of applications and XML Web services. It provides a highly productive, standards-based, multilanguage environment for integrating existing investments with next generation applications and services, as well as the agility to solve the challenges of deployment and operation of Internet-scale applications.	.NET Framework	.NET Framework	Noun	it	Singular	
Noun	Full Form	A reusable component that wraps Web-based content (such as XML, HTML, and scripting) with a standard property schema and displays that in a cohesive unit on a page.	Web Part	web�nderdiel	Noun	it	Singular	
Noun	Full Form	Anything owned or controlled by a business, tangible or intangible, that has monetary value and was acquired at a measurable cost.	asset	aktiva	Noun	de	Plural	
Noun	Full Form	The writing or drawing strokes that you make with your tablet pen.	ink	inket	Noun	de	Singular	
Noun	Full Form	The writing or drawing strokes that you make with your tablet pen.	digital ink	digitale inket	Noun	de	Singular	
Noun	UI String	The area at the top of a Windows Journal note where you can write a title. The title appears as the suggested file name when you save the note.	Title area	Titelgebiet	Noun	Not Selected	Not Selected	
Noun	Full Form	An event routing strategy where the event instance moves down the element tree (starting at the root of the visual tree and ending with the source).	tunneling	tunneling	Noun	de	Singular	
Noun	Full Form	A text box found at the top right of most folders and many programs. When you enter text in Quick Search, it automatically filters the files in the current view to show only those that match what you typed.	Quick Search	Fluch sykje	Verb	Not Selected	Not Selected	
Noun	UI String	A text box found at the top right of most folders and many programs. When you enter text in Quick Search, it automatically filters the files in the current view to show only those that match what you typed.	Search	Sykje	Verb	Not Selected	Not Selected	
Noun	Full Form	An effect applied to a graphical object that typically reduces the difference between the outline of the object and the graphical area next to it.	blur	wazichheid	Noun	de	Singular	
Noun	UI String	An effect applied to a graphical object that typically reduces the difference between the outline of the object and the graphical area next to it.	Blur	wazichheid	Noun	de	Singular	
Noun	Full Form	Someone who visits a Web site and purposefully supplies personal information, such as name, address, and phone number.	registered user	registrearre br�ker	Noun	de	Singular	
Not Selected	Full Form	A unit of work that is represented to users in the form of buttons, links, and menu items.	action	aksje	Noun	de	Singular	
Verb	Full Form	To copy files to a recordable CD.	burn	br�ne	Verb	Not Selected	Not Selected	
Noun	Full Form	In Windows Media Player, a database that contains information about digital media files on a computer, a network drive, or the Internet.	library	biblioteek	Noun	de	Singular	
Noun	Not Selected	A rectangular array of pixels applied to a visual object.	texture	tekstuer	Noun	de	Singular	
Noun	Full Form	A Unicode script used to write certain Indonesian languages.	Buginese	Boegineesk	Noun	it	Not Selected	
Noun	Full Form	A Unicode script used to write certain languages in the Philippines.	Buhid	Buhidysk	Noun	it	Not Selected	
Noun	Full Form	A dialog with a list of available building blocks and a preview pane, allowing the user to edit building block properties, delete building blocks and insert them into the current document.	Building Blocks Organizer	Boustiennebehear	Noun	it	Singular	
Noun	Abbreviated Form	A frequently updated online journal or column.	blog	blog	Noun	it	Singular	
Noun	Full Form	A frequently updated online journal or column.	web log	weblog	Noun	it	Singular	
Noun	Full Form	A frequently updated online journal or column.	weblog	weblog	Noun	it	Singular	
Noun	Proper Noun	A networking standard that uses cables to provide network access. Ethernet is the most widely installed technology for connecting computers.	Ethernet	Ethernet	Noun	it	Singular	
Noun	Full Form	A technique used to trick computer users into revealing personal or financial information. A common online phishing scam starts with an e-mail message that appears to come from a trusted source but actually directs recipients to provide information to a fraudulent website.	phishing	phishing	Noun	de	Singular	
Noun	Full Form	A software component that enables message exchange via a specific transport.	adapter	adapter	Noun	de	Singular	
Noun	Full Form	A software component that enables message exchange via a specific transport.	transport adapter	transportadapter	Noun	de	Singular	

Noun	Proper Noun	A scripting language used to create interactive or animated content for the Internet, such as games or advanced financial applications.	JavaScript	JavaScript	Noun	Not Selected	Not Selected	
Not Selected	UI String	An item on the Help menu that opens the About dialog box, which includes the copyright, licensing, and license terms for the product.	About	Oer	Other	Not Selected	Not Selected	
Not Selected	Full Form	A feature that allows the user to rescue work if the computer crashes for any reason.	Auto-recover	AutoReparaasje	Noun	de	Not Selected	
Noun	Full Form	The date by which some task or action should be completed.	due date	eindatum	Noun	de	Singular	
Verb	UI String	An option that allows the user to specify the degree of transparency of an image.	Fade	Ferdizenje	Verb	Not Selected	Not Selected	
Noun	UI String	A button or command that directs the user to the Home section of an application.	Home	Start	Noun	Not Selected	Not Selected	
Adjective	UI String	A field that contains a contact's mobile phone number.	Mobile	Mobyl	Adjective	Not Selected	Not Selected	
Noun	UI String	A holding place for a group of linked documents or Works tasks / templates related to a single user activity.	Project	Projekt	Noun	Not Selected	Not Selected	
Noun	UI String	An overview presentation of features that can be launched from within the program.	Quick Tour	Koarte rûnlieding	Noun	Not Selected	Not Selected	
Verb	UI String	A UI element that enables a user to repeat an image so that it fills the page.	Tile image	Neistinoar	Adverb	Not Selected	Not Selected	
Noun	Proper Noun	The Windows Plug and Play system component that drives the process of locating devices, setting up their nodes in the hardware tree, and running the resources allocation process. Each of the three phases of configuration management--boot time, real mode, and protected mode--have their own configuration managers.	Configuration Manager	Configuration Manager	Noun	Not Selected	Not Selected	
Noun	Proper Noun	An Intel microprocessor that uses explicitly parallel instruction set computing and 64-bit memory addressing. "Itanium-based" refers to systems or platforms that are based on the Itanium processor. "Itanium 2-based" refers to systems or platforms that are based on the Itanium 2 processor. "Itanium architecture-based" refers to systems or platforms that are based on the Itanium and Itanium 2 processors.	Itanium	Itanium	Noun	Not Selected	Not Selected	
Not Selected	Abbreviated Form	A 32-bit value which consists of the language ID in the low word (bits 0-15) and the sorting ID (bits 16-19) and a reserved value (bits 20-31) in the high word.	LCID	LCID	Noun	Not Selected	Not Selected	
Not Selected	Full Form	A 32-bit value which consists of the language ID in the low word (bits 0-15) and the sorting ID (bits 16-19) and a reserved value (bits 20-31) in the high word.	locale identifier	lânynstellings-id	Noun	de	Singular	
Noun	Proper Noun	A 32-bit value which consists of the language ID in the low word (bits 0-15) and the sorting ID (bits 16-19) and a reserved value (bits 20-31) in the high word.	Locale ID	Lokale ID	Noun	de	Singular	
Noun	Full Form	A folder or file name longer than the 8.3 file name standard (up to eight characters followed by a period and an extension of up to three characters). Most versions of Windows, including Windows XP, Windows 2000, Window NT, Windows 95, and Windows 98 support long file names up to 255 characters.	long file name	lange bestânsnamme	Noun	de	Singular	
Noun	Abbreviated Form	A file and folder structure that contain the necessary files and/or configuration settings that control the preinstallation process and define the manufacturers' custom information.	config set	konfiguraasjeset	Noun	de	Singular	
Noun	Full Form	A file and folder structure that contain the necessary files and/or configuration settings that control the preinstallation process and define the manufacturers' custom information.	configuration set	konfiguraasjeset	Noun	de	Singular	
Noun	Abbreviated Form	A method used with SCSI and IDE disk drives to translate the cylinder, head, and sector specifications of the drive into addresses that can be used by an enhanced BIOS. LBA is used with drives that are larger than 528MB.	LBA	LBA	Noun	Not Selected	Not Selected	
Noun	Full Form	A method used with SCSI and IDE disk drives to translate the cylinder, head, and sector specifications of the drive into addresses that can be used by an enhanced BIOS. LBA is used with drives that are larger than 528MB.	logical block addressing	adresoantsjutting yn logyske blokken	Noun	de	Singular	
Noun	Abbreviated Form	The layer of the asynchronous transfer mode (ATM) protocol stack that parses data into the payload portion of the ATM cell for transport across an ATM network.	AAL	AAL	Noun	Not Selected	Not Selected	
Noun	Full Form	The layer of the asynchronous transfer mode (ATM) protocol stack that parses data into the payload portion of the ATM cell for transport across an ATM network.	ATM adaptation layer	ATM-oanpassingslaach	Noun	de	Singular	
Noun	Full Form	Any feature in the computer system based on older technology for which compatibility continues to be maintained in other system components.	legacy	âldere funksje	Noun	de	Singular	
Noun	Abbreviated Form	The process of reconciling the differences between data stored in one location and a copy of the same data stored in another location.	sync	syngronisaasje	Noun	de	Singular	

Noun	Full Form	The process of reconciling the differences between data stored in one location and a copy of the same data stored in another location.	synchronization	syngronisaasje	Noun	de	Singular	
Noun	UI String	A menu containing important and frequently used programs, folders, and utilities. To open the Start menu, click the Start button on the taskbar.	Start menu	menu Start	Noun	Not Selected	Not Selected	
Noun	Full Form	A group that controls which system locale, user locales, input locales, and user interface (UI) languages can be selected.	language group	taalgroep	Noun	de	Singular	
Noun	Full Form	The number of colors or levels of gray that can be displayed at one time. The amount or memory in the computer's graphics controller card controls the display. An 8-bit controller can display 256 colors or levels of gray; a 16-bit controller, 64,000 colors; and a 24-bit controller, 16.8 million colors.	bit specification	bitspesifikaasje	Noun	de	Singular	
Noun	Product/Technology Name	A fully functional computer that runs Microsoft Windows XP Tablet PC Edition or Windows XP Tablet PC Edition 2005. With a Tablet PC, you can write directly on the screen by using a tablet pen. You can also use the pen to perform mouse functions.	Tablet PC	Tablet PC	Noun	de	Singular	
Adjective	Full Form	Pertaining to the delivery of information that combines different content formats, such as video, audio, still images, graphics, animation, and text.	multimedia	multymedia	Noun	de	Plural	
Noun	Full Form	Tiny Japanese kana characters written above or next to kanji characters. The kana characters indicate the correct pronunciation of the word written in kanji.	furigana	furigana	Noun	it	Singular	
Noun	Full Form	An area that appears at the top of a Windows Mail message. It is used to display information about security-related changes that were made to the message.	Information bar	ynformaasjebalke	Noun	de	Singular	
Noun	Full Form	The server name, user name, password, and e-mail address used to connect to an e-mail service. You create the e-mail account using information provided by your mail administrator or Internet service provider (ISP).	e-mail account	e-mailaccount	Noun	it	Singular	
Verb	Full Form	To add a newsgroup to the Windows Mail folder list.	subscribe	oanmelde	Verb	Not Selected	Not Selected	
Noun	Full Form	A set of conditions and associated actions that may be applied to certain tasks. For example, an e-mail rule might stipulate that all messages from a particular sender be placed into a specific folder.	rule	regel	Noun	de	Singular	
Noun	Full Form	A set of conditions and associated actions that may be applied to certain tasks. For example, an e-mail rule might stipulate that all messages from a particular sender be placed into a specific folder.	filter	filter	Noun	it	Singular	
Noun	Full Form	A list that can be opened to reveal all choices for a given field.	drop-down list	ferfolchkarlist	Noun	de	Singular	
Noun	Full Form	The process of recording, classifying, reporting, and interpreting financial information for a company or business.	accounting	boekhâlding	Noun	de	Singular	
Noun	Full Form	A written order on a bank to pay a sum of money from funds in an account. Checks show the name of the company or individual receiving payment, the signature and account number of the person issuing the check, the payment amount and the current date. Checks usually are numbered in sequence.	check	sjek	Noun	de	Singular	
Noun	Full Form	A written order on a bank to pay a sum of money from funds in an account. Checks show the name of the company or individual receiving payment, the signature and account number of the person issuing the check, the payment amount and the current date. Checks usually are numbered in sequence.	cheque	sjek	Noun	de	Singular	
Noun	Full Form	The difference between two values, such as the difference between estimated and actual expenses.	variance	ôfwiking	Noun	de	Singular	
Noun	Full Form	A list of users, accounts, Web sites, etc. that are permitted to perform certain actions on a network.	Allow list	Tastimmingslist	Noun	de	Singular	
Noun	Full Form	A list of users, accounts, Web sites, etc. that are permitted to perform certain actions on a network.	allow list	tastimmingslist	Noun	de	Singular	
Noun	Full Form	An interactive session between two or more users. A session can involve IM, video, or audio.	conversation	petear	Noun	it	Singular	
Noun	Full Form	A logical entity that enables a server to communicate with an iSCSI device over an Internet Protocol (IP) network. Each iSCSI initiator can have one or more network adapters through which communication is established.	iSCSI initiator	iSCSI-inisjator	Noun	de	Singular	
Noun	Full Form	The "digital persona" by which other users recognize and interact with you.	identity	identiteit	Noun	de	Singular	

Noun	Full Form	A person who is part of a group.	member	lid	Noun	it	Singular	
Noun	Full Form	A reference to a range that spans two or more worksheets in a workbook.	3-D reference	3D-ferwizing	Noun	de	Singular	
Noun	Full Form	The PivotTable report that supplies the source data to the PivotChart report. It is created automatically when you create a new PivotChart report. When you change the layout of either report, the other also changes.	associated PivotTable report	keppele draaitabelrapport	Noun	it	Singular	
Noun	Full Form	The set of coordinates that a cell occupies on a worksheet. For example, the reference of the cell that appears at the intersection of column B and row 3 is B3.	cell reference	selferwizing	Noun	de	Singular	
Noun	Full Form	An area in a PivotTable or PivotChart report where you can drop fields from the Field List dialog box to display the data in the field. The labels on each drop area indicate the types of fields you can create in the report.	drop area	pleatsingsgebiet	Noun	it	Singular	
Noun	Full Form	Usually used in statistical or scientific data, an error bar shows the potential error or degree of uncertainty relative to each data marker in a series.	error bar	flaterbalke	Noun	de	Singular	
Noun	Full Form	A bar at the top of the Excel window that you use to enter or edit values or formulas in cells or charts. Displays the constant value or formula stored in the active cell.	formula bar	formulebalke	Noun	de	Singular	
Noun	Full Form	A field that is assigned to a page orientation in a PivotTable or PivotChart report. You can either display a summary of all items in a page field, or display one item at a time, which filters out the data for all other items.	page field	bledsidefjild	Noun	it	Singular	
Noun	Full Form	A chart that provides interactive analysis of data, like a PivotTable report. You can change views of data, see different levels of detail, or reorganize the chart layout by dragging fields and by showing or hiding items in fields.	PivotChart report	draaigrafykrapport	Noun	it	Singular	
Noun	Full Form	In a PivotTable report, the summarized data calculated from the data fields of a source list or table.	PivotTable data	draaitabeldata	Noun	de	Plural	
Noun	Full Form	A Microsoft Office Web Component that allows you to create a structure similar to an Excel PivotTable report. Users can view the PivotTable list in a Web browser and change its layout in a manner similar to an Excel PivotTable report.	PivotTable list	draaitabellist	Noun	de	Singular	
Noun	Full Form	An interactive table that quickly combines and compares large amounts of data. You can rotate its rows and columns to see different summaries of the source data, and you can display the details for areas of interest.	PivotTable report	draaitabelrapport	Noun	it	Singular	
Noun	Full Form	Appears to the left of a meeting or appointment (or all the way around the item when selected), indicating time status as free, tentative, busy, out of office, or no information available. Visible only in Day and Work Week view.	availability indicator	beskikberheidsynfo	Noun	de	Singular	
Noun	Full Form	A list of domain names and e-mail addresses that are treated as junk e-mail and are blocked unless the sender is on the Safe Senders List or the recipient is on the Safe Recipients List.	Blocked Senders List	list mei blokkearre ôfstjoerders	Noun	de	Singular	
Noun	Full Form	A list that allows you to block top-level domain names. Blocking country/region top-level domains allows you to filter unwanted e-mail messages you receive from specific countries or regions.	Blocked Top-Level Domain List	list mei blokkearre topdomeinnammen	Noun	de	Singular	
Noun	Full Form	An address book that is automatically created from contacts in the Contacts folder. The contacts can be people inside and outside of your organization. When you update your contacts, the Outlook Address Book is updated as well.	Outlook Address Book	Outlook Adresboek	Noun	it	Singular	
Noun	Full Form	A customizable address book used to store personal e-mail addresses you use frequently. However, Contacts offers more advanced features for this function. Personal Address Book files have a .pab extension and can be copied to disk.	Personal Address Book	Persoanlik Adresboek	Noun	it	Singular	
Adjective	Full Form	Pertaining to an item that is only visible to the owner.	private	privee	Adjective	Not Selected	Not Selected	
Noun	Full Form	A window in Outlook where you can preview an item without opening it. To display the item in the Reading Pane, click the item.	Reading Pane	Lêsfinster	Noun	it	Singular	
Adjective	Full Form	Pertaining to items that occur repeatedly. For example, an appointment or task that occurs on a regular basis, such as a weekly status meeting or a monthly haircut, can be designated as recurring.	recurring	weromkommend	Adjective	Not Selected	Not Selected	
Noun	Full Form	A message that appears at a specified interval before an appointment, meeting, or task that announces when the activity is set to occur.	reminder	yn-'t-sinbringer	Noun	de	Singular	
Noun	Full Form	A list that includes the e-mail addresses of mailing lists for which you want to be a recipient. Messages sent to such a mailing list and received by you will not be treated as junk e-mail.	Safe Recipients List	List mei betroude ûntfangers	Noun	de	Singular	
Noun	Full Form	A list of domain names and e-mail addresses that you want to receive messages from. E-mail addresses in Contacts and in the Global Address Book are included in this list by default. People you sent messages to will be added to the list.	Safe Senders List	List mei betroude ôfstjoerders	Noun	de	Singular	
Noun	Full Form	A request sent in an e-mail message asking the recipient to complete a task. If the recipient accepts the task, it is added to the recipient's task list, and the recipient becomes the new owner of the task.	task request	taakfersyk	Noun	it	Singular	
Noun	Abbreviated Form	An encryption algorithm based on the Data Encryption Standard (DES). Triple DES (3DES) repeats DES three times. Consequently, 3DES runs slower than standard DES. However, it is more secure.	3DES	3DES	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	An encryption algorithm based on the Data Encryption Standard (DES). Triple DES (3DES) repeats DES three times. Consequently, 3DES runs slower than standard DES. However, it is more secure.	Triple DES	Triple DES	Noun	Not Selected	Not Selected	
Noun	Full Form	An encryption algorithm based on the Data Encryption Standard (DES). Triple DES (3DES) repeats DES three times. Consequently, 3DES runs slower than standard DES. However, it is more secure.	Triple Data Encryption Standard	Triple Data Encryption Standard	Noun	de	Singular	
Not Selected	Full Form	A feature that automatically adjusts the layout if you insert items that don't fit the original layout. You can undo it using the Automatic Layout Options button.	AutoLayout	Auto-opmaak	Noun	de	Singular	

Noun	Full Form	Data from a table, form, query, view, or stored procedure, displayed in a row-and-column format.	datasheet	databléd	Noun	it	Singular	
Noun	Full Form	A printed version of a presentation that can include multiple slides per page and space for audience notes.	handout	omparter	Noun	de	Singular	
Noun	Full Form	A slide view or page on which you define formatting for all slides or pages in your presentation. Each presentation has a master for each key component: slides, title slides, speaker's notes, and audience handouts.	master	model	Noun	it	Singular	
Noun	Abbreviated Form	An outlined container that displays a markup element, such as a comment or revision, in the margin of a document.	balloon	ballon	Noun	de	Singular	
Noun	Full Form	An outlined container that displays a markup element, such as a comment or revision, in the margin of a document.	markup balloon	tekstballon	Noun	de	Singular	
Noun	Full Form	A vertical pane along the left edge of the document window that displays an outline of the document's headings. You can use the Document Map to quickly move through a document and to keep track of your location in it.	Document Map	Dokumintstruktuer	Noun	de	Singular	
Noun	Full Form	A view that shows the headings of a document indented to represent their level in the document's structure. You can also use outline view to work with master documents.	outline view	opbouwerjefte	Noun	de	Singular	
Noun	Full Form	A portion of a document in which you set certain page formatting options. You create a new section when you want to change such properties as line numbering, number of columns, or headers and footers.	section	seksje	Noun	de	Singular	
Noun	Full Form	A nonprinting mark you insert to show the end of a section.	section break	seksje-ein	Noun	de	Singular	
Noun	Full Form	A document area that contains a range of text distinct from other areas of text in a document. For example, if a document includes body text, footnotes, and headers, it contains a main text story, footnotes story, and headers story.	story	artikel	Noun	it	Singular	
Noun	Full Form	A vertical area along the left edge of the document window that displays the name of the paragraph style that is applied to each paragraph.	style area	stylgebiet	Noun	it	Singular	
Noun	UI String	An option that displays the Web page in a Web browser.	Web Page Preview	Websidewerjefte	Noun	de	Singular	
Noun	Full Form	A value that represents an important metric in an organization.	measure	mjitte	Noun	de	Singular	
Proper Noun	Full Form	The collection of address books that you can use to store names, e-mail addresses, fax numbers, and distribution lists. The Address Book may contain a Global Address List, an Outlook Address Book, and a Personal Address Book.	Address Book	Adresboek	Noun	it	Singular	
Noun	Full Form	The collection of address books that you can use to store names, e-mail addresses, fax numbers, and distribution lists. The Address Book may contain a Global Address List, an Outlook Address Book, and a Personal Address Book.	Windows Contacts	Windows Kontaktpersoanen	Noun	de	Plural	
Verb	Full Form	To automatically remove items to another folder periodically or delete them, based on the amount of time that they have been in the folder.	AutoArchive	Automatysk argivearje	Verb	Not Selected	Not Selected	
Noun	Full Form	A form component, such as a template part or ActiveX control, that isn't included with InfoPath by default. Form designers can add or remove custom controls by using the Controls task pane.	custom control	custom control	Noun	de	Singular	
Noun	Abbreviated Form	A handheld portable telephone that operates through a radio network.	cell phone	mobile telefoan	Noun	de	Singular	
Noun	Full Form	A handheld portable telephone that operates through a radio network.	cellular phone	mobile telefoan	Noun	de	Singular	
Noun	Full Form	A handheld portable telephone that operates through a radio network.	mobile phone	mobile telefoan	Noun	de	Singular	
Noun	Full Form	A name-value pair, separated by an equal sign and included in a tagged element, that modifies features of an element. All XML attribute values are strings enclosed in quotation marks.	XML attribute	XML-skaaimerik	Noun	it	Singular	
Noun	Full Form	A keyword or description used to identify groups of items.	category	kategory	Noun	de	Singular	
Noun	Full Form	Someone granted permission to open another person's folders, create items, and respond to requests for that person. The person granting delegate permission determines the folders the delegate can access and the changes the delegate can make.	delegate	delegearde	Noun	de	Singular	
Noun	Full Form	A graphic that indicates follow-up action is required, or otherwise identifies an important item.	flag	flagge	Noun	de	Singular	
Noun	Abbreviated Form	The basic element that holds information in Outlook (similar to a file in other programs). Items include e-mail messages, appointments, contacts, tasks, journal entries, notes, posted items, and documents.	item	item	Noun	it	Singular	
Noun	Full Form	The basic element that holds information in Outlook (similar to a file in other programs). Items include e-mail messages, appointments, contacts, tasks, journal entries, notes, posted items, and documents.	Outlook item	Outlook-item	Noun	it	Singular	
Noun	Full Form	An item in the Journal folder that acts as a shortcut to an activity that has been recorded.	journal entry	journalnotysje	Noun	de	Singular	
Noun	Full Form	A storage location for text or graphics you want to use again, such as a standard contract clause or a long distribution list. Each selection of text or graphics is recorded as an AutoText entry and is assigned a unique name.	AutoText	AutoTekst	Noun	de	Singular	

Noun	UI String	An option on Windows Parental Control that, if selected, creates logs of all the actions performed by a user on the computer.	Activity Reporting	Aktiviteiterapportaaasje	Noun	Not Selected	Not Selected	
Noun	UI String	A feature of Windows Vista that can prevent other software from displaying advertisements (such as pop-up ads), collect information about you, or change settings on your computer, generally without appropriately obtaining your consent.	Windows Defender	Windows Defender	Noun	Not Selected	Not Selected	
Noun	Full Form	A visual impairment that results in complete loss of vision in both eyes.	blindness	blinens	Noun	de	Singular	
Noun	Full Form	Hearing impairment that results in complete loss of hearing.	deafness	dôvens	Noun	de	Singular	
Noun	Abbreviated Form	A control on most digital cameras that lets you control the under- or over-exposure of the image. Usually you would leave the camera in Auto mode and then "dial in" an exposure compensation to slightly change the exposure from whatever value the camera would normally choose.	Exposure Compensation	Beljochtingskompensaasje	Noun	de	Singular	
Noun	Full Form	A control on most digital cameras that lets you control the under- or over-exposure of the image. Usually you would leave the camera in Auto mode and then "dial in" an exposure compensation to slightly change the exposure from whatever value the camera would normally choose.	Exposure Bias Compensation	Beljochtingskompensaasje	Noun	de	Singular	
Noun	Abbreviated Form	Summary content with web links to a more complete version delivered in a standard XML format. The more common examples are weblogs and news web sites.	feed	feed	Noun	de	Singular	
Noun	Full Form	Summary content with web links to a more complete version delivered in a standard XML format. The more common examples are weblogs and news web sites.	web feed	webfeed	Noun	de	Singular	
Noun	Full Form	Summary content with web links to a more complete version delivered in a standard XML format. The more common examples are weblogs and news web sites.	RSS feed	RSS-feed	Noun	de	Singular	
Noun	Full Form	Summary content with web links to a more complete version delivered in a standard XML format. The more common examples are weblogs and news web sites.	XML feed	XML-feed	Noun	de	Singular	
Noun	Full Form	Summary content with web links to a more complete version delivered in a standard XML format. The more common examples are weblogs and news web sites.	syndicated content	gearfette ynhâld	Noun	de	Singular	
Noun	UI String	A feature of Internet Explorer in Windows Vista that finds XML feeds on a webpage. User can view the feeds and subscribe to them.	Feed Discovery	Feeddeteksje	Noun	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to Microsoft software which is published by Microsoft, properly licensed, and fully supported by Microsoft or a trusted partner.	genuine	orizjineel	Adjective	Not Selected	Not Selected	
Noun	UI String	A feature that allows deletion of the files created during hibernation.	Hibernation File Cleaner	Himmelprogramma foar wintersliepbestannen	Noun	Not Selected	Not Selected	
Noun	Full Form	Visual impairment that results in great reduction in vision capabilities and that cannot be aided by glasses or contact lenses. It could, however, be aided by special devices.	low vision	beheind gesichtsfermogen	Noun	it	Singular	
Noun	UI String	A menu item in Internet Explorer that turns on the tool for Tablet PC users that allows the user to move the content of the page up and down, like a mouse scroll wheel.	Panning Hand	sleepbeweging	Noun	Not Selected	Not Selected	
Noun	Full Form	A feature that allows the user to share items such as documents or folders with other devices on a layered communications network that operate on the same protocol level.	People Near Me	Lju neiby	Noun	de	Plural	
Noun	UI String	A file backup feature of Windows Vista that performs scheduled incremental backups of data to the target media. It also allows the user to restore an individual file or a group of files.	Windows Backup	Windows Reservekopy	Noun	Not Selected	Not Selected	
Noun	Full Form	A hardware-based security feature which protects user data and ensures that a PC has not been tampered with while the system was offline by utilizing Trusted Platform Modules (TPM 1.2) to protect the integrity of the Windows boot process and any data, applications or system files stored on the Windows partition.	BitLocker	BitLocker	Noun	de	Singular	
Noun	Full Form	A hardware-based security feature which protects user data and ensures that a PC has not been tampered with while the system was offline by utilizing Trusted Platform Modules (TPM 1.2) to protect the integrity of the Windows boot process and any data, applications or system files stored on the Windows partition.	BitLocker Drive Encryption	BitLocker-stasjonskodearring	Noun	de	Singular	
Noun	UI String	A photographic style that renders a photo in brown tones, mimicking the old-fashioned look of photos taken in the early part of the 20th century.	Sepia	Sepia	Noun	Not Selected	Not Selected	
Noun	Full Form	An item on the Control Panel.	Solutions to Problems	Oplossings foar swierrichheden	Noun	de	Plural	
Noun	UI String	An item on the Control Panel that provides user a comprehensive view over all roamed content, as well as ability to check on the synchronization progress of individual items.	Sync Center	Syngronisaasjesintrum	Noun	Not Selected	Not Selected	
Noun	Full Form	A number that gives a general indication of the performance capability of your computer's hardware.	system rating	systeemklassifikaasje	Noun	de	Singular	
Verb	Full Form	To make resources, such as folders and printers, unavailable to others.	unshare	dielen opheffe	Verb	Not Selected	Not Selected	
Verb	Full Form	To remove the stacked view of windows.	unstack	net mear steapelje	Verb	Not Selected	Not Selected	
Noun	Full Form	A shortcut you use to save, open, copy, or delete files on a Web or FTP server. Some Web folders, such as document libraries, have functionality not available with local folders. You'll find Web folders in My Network Places or Web Folders.	Web Folders	Webmappen	Noun	de	Plural	

Noun	UI String	Feature of Windows that checks for problems associated with network connections.	Diagnostics	Diagnostyske data	Noun	Not Selected	Not Selected	
Noun	UI String	Feature of Windows that checks for problems associated with network connections.	Windows Diagnostics	Windows Diagnostyske data	Noun	Not Selected	Not Selected	
Noun	Full Form	An organizational feature of Windows that displays a panel on the side of the desktop with shortcuts to mini-applications, also known as gadgets. The examples of such gadgets are local weather, a photo slideshow, a dictionary, news headlines, and a Windows Media Player control.	Windows Sidebar	Windows Sydbalke	Noun	de	Singular	
Noun	Abbreviated Form	A codename for a Windows Vista user interface.	Aero	Aero	Noun	Not Selected	Not Selected	
Other	Full Form	A codename for a Windows Vista user interface.	Authentic, Energetic, Reflective, and Open	Authentic, Energetic, Reflective en Open	Other	Not Selected	Not Selected	
Noun	UI String	A wizard that allows third-party developers to achieve the same look in their dialog boxes as Aero.	Aero Wizard	Aero-helper	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A security feature of Windows Vista that allows users with administrator accounts to perform common tasks only with limited privileges. This makes the system less vulnerable to viruses.	UAC	UAC	Noun	Not Selected	Not Selected	
Noun	Full Form	A security feature of Windows Vista that allows users with administrator accounts to perform common tasks only with limited privileges. This makes the system less vulnerable to viruses.	User Account Control	Behear fan brûkersaccounts	Noun	it	Singular	
Noun	Full Form	A lightweight and task-specific add-in program that integrates with applications to expose data at a glance.	gadget	gadget	Noun	de	Singular	
Noun	Full Form	The process of confirming that data passing into the system is correct and complies with predefined rules, definitions, or parameters. All data, whether entered manually or received electronically, must be validated before it can be accepted into the database and before processing can proceed.	validation	falidaasje	Noun	de	Singular	
Noun	Full Form	A device that creates or initiates requests or events.	initiator	inisjator	Noun	de	Singular	
Noun	Full Form	A technology that enables computers to communicate directly with each other over the Internet or a private network without the need for a server.	People Near Me	Lju neiby	Noun	de	Plural	
Noun	UI String	A feature that enables quick, face-to-face collaboration for two to ten people with computers running Windows Vista. You can share documents, your desktop, or a program, and you can co-edit handouts.	Windows Collaboration	Windows Gearwurking	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A secondary or auxiliary display that enables users to view useful data by using gadgets.	SideShow	SideShow	Noun	de	Singular	
Noun	Product/Technology Name	A secondary or auxiliary display that enables users to view useful data by using gadgets.	Windows SideShow	Windows SideShow	Noun	de	Singular	
Noun	Full Form	A filter that helps to identify fraudulent Web sites and protect against personal data theft.	Phishing Filter	Phishingfilter	Noun	it	Singular	
Noun	UI String	A wizard that guides the user through installing a printer on their network.	Network Printer Installation Wizard	helper Netwurkprinter-ynstallaasje	Noun	Not Selected	Not Selected	
Noun	Full Form	A Web site that impersonates a trustworthy Web site to obtain user's personal or financial information.	phishing website	phishingwebstee	Noun	it	Singular	
Noun	UI String	A Control Panel item that allows the user to view saved networks and reconnect to them.	Saved networks	Bewarre netwurken	Noun	Not Selected	Not Selected	
Noun	UI String	A wizard that helps the user to adjust their speakers for the best sound by running automatic calibration tests for levels, delay, and frequency response.	Speaker Calibration Wizard	helper foar ôfstimmen Lûdsprekkers	Noun	Not Selected	Not Selected	
Verb	UI String	A technology that allows for ease of creating a new or expanding an existing wireless network. This setup can be done automatically using a USB flash driver or manually through a Wireless Network Setup wizard.	Windows Connect Now	Windows Triedleaze ferbining meitsje	Verb	Not Selected	Not Selected	
Noun	UI String	An image organization and viewing feature of Windows.	Windows Photo Gallery	Windows Fotogalery	Noun	Not Selected	Not Selected	
Noun	UI String	A control panel that provides the status of your network and access to networking activities.	Network Center	Netwurksintrum	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A standard for authentication using port-based network access control designed to increase security on wired or wireless LAN.	OneX	OneX	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A standard for authentication using port-based network access control designed to increase security on wired or wireless LAN.	802.1X	802.1X	Noun	Not Selected	Not Selected	
Noun	Full Form	A standard for authentication using port-based network access control designed to increase security on wired or wireless LAN.	IEEE 802.1x security standard	IEEE 802.1x befeiligingsstandert	Noun	Not Selected	Not Selected	
Noun	Full Form	In general, a modular unit of code that acts as part of a larger system or structure. For COM, a unit of code built to deliver a well-specified set of services through well-specified interfaces. A component provides an object that a client requests at runtime.	component	komponint	Noun	de	Singular	

Adjective	Full Form	Pertaining to time on a schedule when a person may participate in a scheduled task.	tentative	foarriedich	Adjective	Not Selected	Not Selected	
Noun	Full Form	The arrangement of elements, such as title and subtitle text, lists, pictures, tables, charts, AutoShapes, and movies, on a page or slide.	layout	opmaak	Noun	de	Singular	
Verb	UI String	A button that opens Sync Center.	Open Sync Center	Syngronisaasjesintrum iepenje	Verb	Not Selected	Not Selected	
Noun	Full Form	A power source for a portable device.	battery	akku	Noun	de	Singular	
Noun	Full Form	A feature of Windows Vista that gives the user quick access to useful information on their computer, such as calendar appointments and the latest e-mail message even when the computer is in standby mode or hibernating, media playback control when the computer is off, and other application notifications.	auxiliary display	helpbyldskerm	Noun	it	Singular	
Noun	Full Form	A computer monitor that supplements the main monitor.	additional display	ekstra byldskerm	Noun	it	Singular	
Noun	Full Form	A computer monitor that supplements the main monitor.	external display	ekstern byldskerm	Noun	it	Singular	
Noun	UI String	A Control Panel icon in Windows Vista that takes user to the Power Options dialog box where the user can manage the battery life settings.	Power Options	Energjybehear	Noun	Not Selected	Not Selected	
Noun	Full Form	A software that was installed on the system without user's consent.	unwanted software	net-winske software	Noun	de	Singular	
Noun	Full Form	A feature of Parental Controls that allows users to block Web sites that they don't want to view.	Web restrictions	Websneupbeheinings	Noun	de	Plural	
Noun	UI String	A Control Panel icon in Windows Vista that includes features like Game Rating and Activity Reporting to enable parents to limit and monitor the activities performed on the computer.	Parental Controls	Âlderlik tafersjoch	Noun	Not Selected	Not Selected	
Noun	UI String	An icon in Windows Vista Control Panel that opens a dialog allowing user to change display options including screen resolution, refresh rate, color depth, and orientation.	Display Properties	Ynstellings fan byldskerm	Noun	Not Selected	Not Selected	
Noun	Full Form	A Windows Vista tool that assists users in moving their data (documents and settings) to the new environment.	Windows Easy Transfer	Windows Easy Transfer	Noun	de	Singular	
Noun	Full Form	A voluntary worldwide community of Windows AntiSpyware users that plays a key role in determining which suspicious programs are classified as spyware by reporting potential spyware to Microsoft. Any user can choose to join SpyNet. Signatures are created for programs that are identified as spyware and made available to all users.	SpyNet	SpyNet	Noun	it	Singular	
Noun	UI String	A feature that allows you to set up your computer so that when you insert a CD or DVD, it will play automatically and you won't have to select your preferences every time.	AutoPlay	Automatysk ôfspylje	Verb	Not Selected	Not Selected	
Noun	Full Form	A general class of software used to detect spyware and sometimes remove it.	antispyware	antyspyware	Noun	de	Singular	
Other	Full Form	An enhanced spell-check feature that looks at words before or after the word in question to assess proper usage. This allows the software to flag correctly-spelled words as 'wrong' if the usage appears to be incorrect.	Contextual Spelling	kontekstuele stavering	Noun	de	Singular	
Noun	Full Form	A graphical bar (think bar charts) displayed in each cell. The length of the bar is related to the cell's value.	data bar	databalke	Noun	de	Singular	
Noun	Full Form	A pane that displays document property information for Word, Excel, and PowerPoint files stored in a WSS library. The pane is displayed below the ribbon and is actually a hosted custom InfoPath form. Information is synced automatically between the document and the WSS library.	Document Information Panel	Dokumintynformaasjeskerm	Noun	it	Singular	
Noun	Full Form	A feature that enables users to quickly find information in any of the Outlook modules, based on continually updated indexes.	Instant Search	Fluchsykjen	Noun	it	Singular	
Noun	Full Form	A dialog used to view and verify the form logic and its behavior. It can show the logic either for the whole form, or for a particular node/control, and displays information organized in the following sections: Data Validation, Calculated Default Values, Rules, and Programming. Because the information is summarized in a centralized view, the user doesn't have to click through multiple dialogs.	Logic Inspector	Logikakonstrôle	Noun	de	Singular	
Verb	UI String	An option that applies a read-only state to a document inside client applications.	Mark as Final	Oanjaan as Definityf	Verb	Not Selected	Not Selected	
Noun	Full Form	A feature that allows the user to select from a gallery of pre-defined formatting styles and apply them quickly to tables, text, charts, drawing objects and IGX graphics.	Quick Styles	Flugge opmaak	Noun	de	Singular	
Noun	Full Form	A feature that enables a user to capture all of the RSS feeds they subscribe to in a folder that automatically updates at specified intervals.	RSS Subscriptions	RSS-abonneminten	Noun	de	Plural	
Noun	Full Form	A formula syntax that allows the user to refer to list and pivot data in a friendlier way.	Structured References	Strukturearre ferwizings	Noun	de	Plural	
Noun	UI String	The name of a pane at the bottom of the Calendar module where tasks are displayed. Tasks that are completed on a particular day "stick" to the day and are shown as a record of what work was performed on that day. Tasks not completed roll over to the next day and accumulate until completed.	Daily Task List	Taaklist Hjoed	Noun	Not Selected	Not Selected	
Noun	Full Form	A feature in Office Server that provides a workflow for document review.	Document Review	Dokumint redigearjen	Noun	it	Singular	
Noun	Full Form	A customizable toolbar on the ribbon UI that provides one-click access to commands.	Quick Access Toolbar	Arkbalke Flugge Tagong	Noun	de	Singular	
Not Selected	Full Form	A set of pre-defined content and formatting information that can be reused and applied to new documents to insert references, citations, headers/footers, text boxes or other content.	building block	Boustiennebehear	Noun	it	Singular	
Noun	Full Form	A type of column in structured lists whose values are computed based on data from one or more other columns.	calculated column	berekkene kolom	Noun	de	Singular	

Verb	UI String	A menu item with options that can be applied to a file before it is shared with others (e.g. 'Mark as Final' or 'Add a Digital Signature').	Finish	Öfmeitsje	Verb	Not Selected	Not Selected	
Noun	Full Form	The inability to perform two or more activities because they have been scheduled to occur during the same time period and with the same resource or resources.	conflict	konflikt	Noun	it	Singular	
Noun	Full Form	A monitoring option in real-time spyware protection that monitors various types and areas of software activity on your computer.	agent	agint	Noun	de	Singular	
Noun	Full Form	A common point of entry for spyware guarded by an agent. Examples of checkpoints include Startup Folder, dial up connections, Wi-Fi connections, Internet Safe Sites, Winsock Layered Service Providers, Windows Messenger Service, and SPAM Zombie prevention.	checkpoint	kontrôlepunt	Noun	it	Singular	
Noun	Full Form	A file containing information that the user either requires or will find informative and that might not have been included in the documentation. Readme files are placed on disk in plain-text form (without extraneous or program-specific characters) so that they can be read easily by a variety of word processing programs.	readme file	Lês-dit-bestân	Noun	it	Singular	
Noun	Full Form	A file containing information that the user either requires or will find informative and that might not have been included in the documentation. Readme files are placed on disk in plain-text form (without extraneous or program-specific characters) so that they can be read easily by a variety of word processing programs.	README	LËS-DIT	Noun	Not Selected	Not Selected	
Noun	Full Form	A set of formatting characteristics that you can apply to text, tables, and lists in your document to quickly change their appearance.	style	styl	Noun	de	Singular	
Noun	Full Form	A note or annotation that an author or reviewer adds to a document.	comment	kommintaar	Noun	it	Singular	
Noun	Full Form	An alphabetical list of key words and phrases that are discussed in a document or other source, along with page numbers or links to the related content.	index	yndeks	Noun	de	Singular	
Not Selected	Full Form	A setting in which existing characters are replaced with newly typed characters.	Overtypemodus	Oerskriuwmoadus	Noun	de	Singular	
Noun	Full Form	A formal specification, written in XML, that defines the structure of an XML document, including element names and rich data types, which elements can appear in combination, and which attributes are available for each element.	XML schema	XML-skema	Noun	it	Singular	
Adjective	Full Form	Describes a value that indicates missing or unknown data.	null	nul	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A cryptographic algorithm specified by the National Institute of Standards and Technology (NIST) to protect sensitive information.	AES	AES	Noun	Not Selected	Not Selected	
Noun	Full Form	A cryptographic algorithm specified by the National Institute of Standards and Technology (NIST) to protect sensitive information.	Advanced Encryption Standard	Advanced Encryption Standard	Noun	de	Singular	
Noun	Full Form	Multimedia content in software, on CD-ROM, or on a Web site that purports to educate the user as well as entertain.	edutainment	edutainment	Noun	it	Singular	
Noun	Full Form	The degree of precision and exactness with which one entity represents another.	fidelity	byldkwaliteit	Noun	de	Singular	
Noun	Abbreviated Form	A digital interface specification for delivering digital content and connecting consumer electronic devices.	HDMI	HDMI	Noun	Not Selected	Not Selected	
Noun	Full Form	A digital interface specification for delivering digital content and connecting consumer electronic devices.	high-density multichip interconnect	high-density multichip interconnect	Noun	Not Selected	Not Selected	
Noun	Full Form	A digital interface specification for delivering digital content and connecting consumer electronic devices.	high-definition multimedia interface	high-definition multimedia interface	Noun	de	Singular	
Noun	Full Form	An element that replaces most menus, toolbars, and task panes. The ribbon features task-based tabs that contain tools and options organized into logical groups.	ribbon	lint	Noun	it	Singular	
Noun	Full Form	A software control that incorporates ActiveX technology. An ActiveX control can be used to add specialized functionality, such as animation or a pop-up menu, to Web pages, desktop applications, and software development tools.	ActiveX control	ActiveX-bestjoeringselemint	Noun	it	Singular	
Noun	Full Form	A tool used to edit the content of web pages that the customer has created with Office Live.	Page Editor	Websidebewurker	Noun	de	Singular	
Noun	Full Form	A tool that provides detailed Web site statistics and reports related to the subscriber's Web site.	Site Reports	Websteerapporteur	Noun	de	Singular	
Noun	Abbreviated Form	A security method used by wireless networks. WPA encrypts the information that is sent between computers on a wireless network and authenticates users to help ensure that only authorized people can access the network.	WPA	WPA	Noun	Not Selected	Not Selected	
Noun	Full Form	A security method used by wireless networks. WPA encrypts the information that is sent between computers on a wireless network and authenticates users to help ensure that only authorized people can access the network.	Wi-Fi Protected Access	Wi-Fi Protected Access	Noun	it	Singular	
Noun	Abbreviated Form	A wireless implementation and the second generation of WPA security that is based on the final IEEE 802.11i amendment to the 802.11 standard.	WPA2	WPA2	Noun	Not Selected	Not Selected	
Noun	Full Form	A wireless implementation and the second generation of WPA security that is based on the final IEEE 802.11i amendment to the 802.11 standard.	Wi-Fi Protected Access 2	Wi-Fi Protected Access 2	Noun	it	Singular	
Noun	Abbreviated Form	An audio effect setting that allows users with stereo headphones to experience stereo and multi-channel content without the need to set up an extensive multi-channel speaker system.	Virtualization Mode	moadus Firtualisaasje	Noun	de	Singular	

Noun	Full Form	An audio effect setting that allows users with stereo headphones to experience stereo and multi-channel content without the need to set up an extensive multi-channel speaker system.	Headphone Virtualization mode	moadus Koptelefoanfirtualisaasje	Noun	de	Singular	
Noun	Abbreviated Form	An industry-standard one-way, 128-bit hashing scheme, developed by RSA Data Security, Inc., and used by various Point-to-Point Protocol (PPP) vendors for encrypted authentication.	MD5	MD5	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	An encryption algorithm that uses a 56-bit key and maps a 64-bit input block to a 64-bit output block. The key appears to be a 64-bit key, but one bit in each of the eight bytes is used for odd parity, resulting in 56 bits of usable key.	DES	DES	Noun	Not Selected	Not Selected	
Noun	Full Form	An encryption algorithm that uses a 56-bit key and maps a 64-bit input block to a 64-bit output block. The key appears to be a 64-bit key, but one bit in each of the eight bytes is used for odd parity, resulting in 56 bits of usable key.	Data Encryption Standard	Data Encryption Standard	Noun	de	Singular	
Noun	Abbreviated Form	A proposed standard digital rights management (DRM) markup language which enables users to specify rights and conditions associated with resources, such as digital content or Web services.	XrML	XrML	Noun	Not Selected	Not Selected	
Noun	Full Form	A proposed standard digital rights management (DRM) markup language which enables users to specify rights and conditions associated with resources, such as digital content or Web services.	extensible rights markup language	extensible rights markup language	Noun	de	Singular	
Noun	Abbreviated Form	A function that takes a key, label, and seed as input, then produces an output of arbitrary length.	PRF	PRF	Noun	Not Selected	Not Selected	
Noun	Full Form	A function that takes a key, label, and seed as input, then produces an output of arbitrary length.	pseudo-random function	pseudo-random function	Noun	de	Singular	
Noun	Abbreviated Form	A standard of video compression and file format developed by the Moving Pictures Experts Group for description and search of multimedia content data.	MPEG-7	MPEG-7	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A standard of video compression and file format developed by the Moving Pictures Experts Group for description and search of multimedia content data.	MCDI	MCDI	Noun	Not Selected	Not Selected	
Noun	Full Form	A standard of video compression and file format developed by the Moving Pictures Experts Group for description and search of multimedia content data.	Multimedia Content Description Interface	Multimedia Content Description Interface	Noun	de	Singular	
Noun	UI String	A Movie Maker tool that helps users quickly create a movie by analyzing the video, pictures, and music that a user selects, and then combining those to create a movie.	AutoMovie	Automatyske film	Noun	Not Selected	Singular	
Noun	UI String	A title animation in Windows Movie Maker.	Basic Title	Basistitel	Noun	Not Selected	Singular	
Noun	Full Form	The speed at which the CD drive will record the data.	CD burner speed	faasje fan cd-brâner	Noun	de	Singular	
Noun	UI String	A credit animation in Windows Movie Maker.	Exploding	Úntploffend	Adjective	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Exploding Outline	Úntploffende omtrek	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Flashing	Flitsen	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Fly Out	Útfleane	Verb	Not Selected	Not Selected	
Noun	Full Form	A new visual style applicable to controls for the Start menu and the taskbar that allows users to personalize the look of Windows. With the introduction of glass window borders in Windows Vista, users can now customize the color, intensity, and opacity of their window borders.	glass	glês	Noun	it	Singular	
Noun	Full Form	The appearance of the Start menu and the taskbar after the glass visual style has been applied to customize the color, intensity, and opacity of window borders.	glassiness	trochsichtichheid	Noun	de	Singular	
Noun	UI String	A credit or title animation in Windows Movie Maker.	Mirror	Spegelje	Verb	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	News Banner	Krantekop	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Newspaper	Krante	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Paint Drip	Fervedrippen	Noun	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Smudge Stick	Feie mei stift	Verb	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker that makes the title slide in from the top and then quickly disappear.	Sports Scoreboard	Skoareboerd	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Stretch	Útrekke	Verb	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Subtitle	Úndertitel	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Ticker Tape	Nijsrigel	Noun	Not Selected	Not Selected	
Noun	UI String	A title animation in Windows Movie Maker.	Typewriter	Typmasine	Noun	Not Selected	Not Selected	
Noun	UI String	A credit animation in Windows Movie Maker.	Video Left	Fideo Lofts	Noun	Not Selected	Not Selected	
Noun	UI String	A credit animation in Windows Movie Maker.	Video Top	Fideo Boppe	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A computer protocol used to authenticate users on a Microsoft Windows network.	NTLM	NTLM	Noun	Not Selected	Not Selected	
Noun	Full Form	A computer protocol used to authenticate users on a Microsoft Windows network.	Windows NT LAN Manager	Windows NT LAN Manager	Noun	de	Singular	
Noun	Abbreviated Form	A protocol that establishes the security association and shared keys necessary for two parties to communicate by using Internet Protocol security (IPSec).	IKE	IKE	Noun	Not Selected	Not Selected	
Noun	Full Form	A protocol that establishes the security association and shared keys necessary for two parties to communicate by using Internet Protocol security (IPSec).	Internet Key Exchange	Internet Key Exchange	Noun	de	Singular	
Noun	UI String	A feature of Windows that imports digital video to your computer from digital video cameras and other sources.	Import Video	Fideo ymportearje	Verb	Not Selected	Not Selected	

Noun	Full Form	In computer graphics, a display method in which a viewing window on the screen scans horizontally or vertically, like a camera, to bring offscreen extensions of the current image smoothly into view.	pan	pan	Noun	Not Selected	Not Selected	
Noun	Abbreviated Form	A small, Internet Protocol (IP)-based network. It is usually used for short-range, ad-hoc communication between devices and computers. A PAN may also be used to enable connectivity to a larger Local Area Network (LAN), Wide-Area Network (WAN), or the Internet. Windows XP supports the Bluetooth PAN service so you can create Personal Area Networks using Bluetooth.	PAN	PAN	Noun	Not Selected	Not Selected	
Noun	Full Form	A small, Internet Protocol (IP)-based network. It is usually used for short-range, ad-hoc communication between devices and computers. A PAN may also be used to enable connectivity to a larger Local Area Network (LAN), Wide-Area Network (WAN), or the Internet. Windows XP supports the Bluetooth PAN service so you can create Personal Area Networks using Bluetooth.	Personal Area Network	Personal Area Network	Noun	it	Singular	
Noun	Abbreviated Form	A common programming interface to the lower-level system area network (SAN) implementations, developed by Microsoft. WSD sits underneath the standard WinSock application programming interface (API), but bypasses the kernel networking layers to talk directly to the SAN hardware. Because WSD sits underneath the existing WinSock API, IT departments can deploy applications in a SAN environment without modifying the applications.	WSD	WSD	Noun	Not Selected	Not Selected	
Noun	Full Form	A common programming interface to the lower-level system area network (SAN) implementations, developed by Microsoft. WSD sits underneath the standard WinSock application programming interface (API), but bypasses the kernel networking layers to talk directly to the SAN hardware. Because WSD sits underneath the existing WinSock API, IT departments can deploy applications in a SAN environment without modifying the applications.	WinSock direct	WinSock direct	Noun	de	Singular	
Noun	Full Form	A record of the computer's system settings and files at a specific moment in time.	protection point	befeiligingspunt	Noun	it	Singular	
Noun	Abbreviated Form	A part of an IrDA infrared communication protocol used so that devices can learn about the services offered by another device.	IAS	IAS	Noun	Not Selected	Not Selected	
Noun	Full Form	A part of an IrDA infrared communication protocol used so that devices can learn about the services offered by another device.	Information Access Service	Information Access Service	Noun	de	Singular	
Noun	Abbreviated Form	Client software that integrates with the Quarantine Agent to provide system policy checks and to update system state. It declares health (patch state, virus signature, system configuration, etc.). An SHA can communicate with a remediation server directly or use the facilities of installed client software.	SHA	SHA	Noun	Not Selected	Not Selected	
Noun	Full Form	Client software that integrates with the Quarantine Agent to provide system policy checks and to update system state. It declares health (patch state, virus signature, system configuration, etc.). An SHA can communicate with a remediation server directly or use the facilities of installed client software.	System Health Agent	Systeemstatusagint	Noun	de	Singular	
Noun	Full Form	A set of strategies for adjusting the recognizer to an individual's user's handwriting, e.g. the shapes of their characters or the specific words they use and don't use.	personalization	persoanlike ynstellings	Noun	de	Plural	
Noun	Full Form	The recognizer specific part of the shape trainer. Typically every recognizer claiming to support shape personalization must supply a Shape Client DLL. All the Microsoft Latin recognizers will all use the same Shape Client.	Shape Client	Shape Client	Noun	de	Singular	
Noun	Full Form	A person who is involved in the creation of content. For example editors, technical reviewers and subject matter experts are contributors.	contributor	meiwurker	Noun	de	Singular	
Noun	Full Form	A person who is allowed to view and read content.	reader	lêzer	Noun	de	Singular	
Noun	Full Form	The process of merging information into a document from a data source, such as an address book or database, to create customized documents, such as form letters or mailing labels.	mail merge	ôfprint gearfoegje	Verb	Not Selected	Not Selected	
Noun	Full Form	A dialog box that allows users to add/remove/organize the list of bibliographic information for the document	Source Manager	Boarnebehear	Noun	it	Singular	
Noun	Full Form	A fraction that is written on a single line: the numerator is placed on the left, followed by the fraction bar, and the denominator on the right. Example: 3/4	linear fraction	lineêre breuk	Noun	de	Singular	
Noun	Full Form	A fraction that is written on a downward angle: the diagonal fraction bar is placed down and to the right of the numerator, and the denominator is slightly down and to the right of the fraction bar.	skewed fraction	skeane breuk	Noun	de	Singular	
Noun	Full Form	A fraction that is written vertically with the numerator on the top and the denominator below, with a horizontal fraction bar between them.	stacked fraction	steapele breuk	Noun	de	Singular	
Noun	Full Form	A feature that may be able to identify the root cause of crashes if an Office application is repeatedly crashing.	Office Diagnostics	Diagnostyske data fan Office	Noun	de	Plural	
Noun	Full Form	A PowerPoint view mode that allows the presenter to have more control over the slide show presentation. Examples of options are the ability to show slides out of sequence and or to view timings and speaker notes on your own monitor while projecting a full-screen slide or black screen for the audience.	Presenter View	Werjefte foar presintator	Noun	de	Singular	
Noun	Full Form	Any measurable, tangible, verifiable outcome, result, or item that must be produced to complete a project or part of a project.	deliverable	fereaske resultaat	Noun	it	Singular	
Noun	Full Form	A set of individual strokes in the Unicode Standard used to compose Chinese/Japanese/Korean (CJK) ideographs.	CJK Strokes	CJK-foarms	Noun	de	Plural	
Noun	Full Form	A Unicode script used to write the Tai Lue language. A simplified version of Old Tai Lue / Lanna.	New Tai Lue	Nij Tai Lue	Noun	Not Selected	Not Selected	
Noun	Full Form	A Unicode script used to write certain Berber languages.	Tifinagh	Tifinagh	Noun	Not Selected	Not Selected	

Other	Product/Technology Name	A program that enables users to send and receive business card information digitally. Data storage is shared with Outlook.	Microsoft Office InterConnect	Microsoft Office InterConnect	Noun	Not Selected	Not Selected	
Noun	Full Form	A button-like control in the ribbon that pops up a menu with more options when clicked.	flyout anchor	ferfolchmenu-anker	Noun	it	Singular	
Adjective	Full Form	Characterized by row or column-specific formatting. Often describes rows or columns of data that use alternating colors or shading to enhance readability.	banded	ferbûn	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	[TaxMan] A family of Microsoft Visual Studio add-in software that allows developers to use Visual Basic and Visual C# to develop and customize applications built on the Microsoft .NET Framework.	VSTA	VSTA	Noun	Not Selected	Not Selected	
Noun	Product/Technology Name	[TaxMan] A family of Microsoft Visual Studio add-in software that allows developers to use Visual Basic and Visual C# to develop and customize applications built on the Microsoft .NET Framework.	Microsoft® Visual Studio® Tools for Applications	Microsoft® Visual Studio® Tools for Applications	Noun	Not Selected	Not Selected	
Noun	Product/Technology Name	[TaxMan] A family of Microsoft Visual Studio add-in software that allows developers to use Visual Basic and Visual C# to develop and customize applications built on the Microsoft .NET Framework.	Visual Studio Tools for Applications	Visual Studio Tools for Applications	Noun	Not Selected	Not Selected	
Noun	Full Form	A device used to connect wireless computers and other wireless devices to a wired network.	access point	tagongspunt	Noun	it	Singular	
Noun	Full Form	A temporary network used for sharing files or an Internet connection. In an ad hoc network, computers and devices are connected directly to each other instead of to a hub or router.	ad hoc network	tydlik netwurk	Noun	it	Singular	
Noun	Full Form	A temporary network used for sharing files or an Internet connection. In an ad hoc network, computers and devices are connected directly to each other instead of to a hub or router.	computer-to-computer network	kompjûter-nei-kompjûternetwurk	Noun	it	Singular	
Noun	UI String	A feature in Windows that makes it possible to use characters that are not displayed on the keyboard.	Character Map	Spesjale tekens	Noun	Not Selected	Not Selected	
Noun	UI String	The display of Windows so that it looks and works like it did in previous versions.	Classic view	Klassike werjefte	Noun	Not Selected	Not Selected	
Noun	Full Form	Files which are used to help detect harmful or unwanted software and to prevent it from installing or running on your computer.	definitions	definysjes	Noun	de	Plural	
Noun	Abbreviated Form	A method computers use to send and receive e-mail messages. It allows you to access e-mail without downloading it to your computer.	IMAP	IMAP	Noun	Not Selected	Not Selected	
Noun	Full Form	A method computers use to send and receive e-mail messages. It allows you to access e-mail without downloading it to your computer.	Internet Message Access Protocol	Internet Message Access Protocol	Noun	it	Singular	
Adjective	Full Form	Intended to deceive.	fraudulent	ferriefeljend	Adjective	Not Selected	Not Selected	
Noun	Full Form	A word or string of characters used to control access to a wireless network.	passphrase	wachtwurdsin	Noun	de	Singular	
Noun	Abbreviated Form	A standard set of communication rules used by computers that enables you to use your computer to connect to a computer located elsewhere.	RDP	RDP	Noun	Not Selected	Not Selected	
Noun	Full Form	A standard set of communication rules used by computers that enables you to use your computer to connect to a computer located elsewhere.	Remote Desktop Protocol	Remote Desktop Protocol	Noun	it	Singular	
Noun	Abbreviated Form	A unique set of letters or numbers that identifies a wireless network. For a computer or device to connect to a wireless network, it must supply that network's SSID. An SSID can be up to 32 characters. SSIDs are sometimes called network names.	SSID	SSID	Noun	Not Selected	Not Selected	
Noun	Full Form	A unique set of letters or numbers that identifies a wireless network. For a computer or device to connect to a wireless network, it must supply that network's SSID. An SSID can be up to 32 characters. SSIDs are sometimes called network names.	service set identifier	serviceset-identifisearder	Noun	de	Singular	
Noun	Full Form	A type of user account that allows users to install software and change system settings that do not affect other users or the security of the computer. This account type is recommended for daily use.	standard account	standert account	Noun	it	Singular	
Noun	Full Form	A problem that prevents sync from completing. Sync errors are typically caused by problems with the device, network folder, or other computer you are trying to sync with.	sync error	syngronisaasjeflater	Noun	de	Singular	
Noun	Full Form	An event triggered by Windows system components that is recorded in the system log, such as the failure of a driver or other system component to load during startup.	system event	systeemaksje	Noun	de	Singular	
Noun	Full Form	A file system defined by the Optical Storage Technology Association (OSTA) that is the successor to the CD-ROM file system (CDFS). UDF is used for removable disk media like DVD, CD, and magneto-optic (MO) disks.	Universal Disk Format	Universal Disk Format	Noun	it	Singular	
Noun	Full Form	A file system defined by the Optical Storage Technology Association (OSTA) that is the successor to the CD-ROM file system (CDFS). UDF is used for removable disk media like DVD, CD, and magneto-optic (MO) disks.	UDF	UDF	Noun	Not Selected	Not Selected	
Noun	Full Form	A small device used to store information. USB flash drives plug into computer USB ports so you can copy information to or from them, making it easy to share and transport information.	USB flash drive	USB-flashstasjon	Noun	it	Singular	
Noun	Full Form	A commonly used file format for storing contact information. Contacts that use the vCard format are stored as .vcf files. The vCard format is used for contacts in the Windows Address Book in Windows XP, but not for contacts in Windows Vista.	vCard	vCard	Noun	de	Singular	
Noun	Abbreviated Form	A security protocol designed for use with wireless networks. WEP encrypts the information that is sent between computers on a wireless network. WEP is not as secure as the more recent protocol, Wi-Fi Protected Access (WPA).	WEP	WEP	Noun	Not Selected	Not Selected	
Noun	Full Form	A security protocol designed for use with wireless networks. WEP encrypts the information that is sent between computers on a wireless network. WEP is not as secure as the more recent protocol, Wi-Fi Protected Access (WPA).	Wired Equivalent Privacy	Wired Equivalent Privacy	Noun	de	Singular	
Noun	Full Form	The state in which users fill out forms when working offline.	offline mode	offlinemoadus	Noun	de	Singular	

Noun	Full Form	A line that separates the numerator and denominator of a fraction.	fraction bar	dielteken	Noun	it	Singular	
Noun	Full Form	A tool for accessing right-click menus and targeting small pieces of the interface using touch input.	Touch Pointer	oanrekkingsoanwizer	Noun	de	Singular	
Noun	Full Form	A utility in Windows Vista that presents a view of all PCs, devices, and printers on the network, and is significantly faster and more reliable than My Network Places in Windows XP.	Network Explorer	Netwurksneuper	Noun	de	Singular	
Noun	UI String	The main pages in Microsoft Office Live where subscribers can view and access their services as well as statistics regarding their accounts.	Overview	Oersjoch	Noun	Not Selected	Not Selected	
Noun	UI String	A feature of Microsoft Office Live that provides Web-based applications in a central location to help businesses manage sales, customer relationships, projects, employees, and company functions.	Business Applications	Saaklike tapassings	Noun	Not Selected	Not Selected	
Noun	UI String	A feature of Microsoft Office Live Web sites and Shared Sites that allows users to restore their Web site or Shared Sites from backups maintained on Microsoft servers. This feature also allows users to switch to Microsoft FrontPage for creating their Web pages and to select a time zone for their Shared Sites.	Administration	Administraasje	Noun	Not Selected	Not Selected	
Noun	Full Form	Instructions for setting up and preparing the device for first use.	Getting Started	Oan it wurk	Verb	Not Selected	Not Selected	
Noun	UI String	A phrase that clearly indicates to the customer to begin reading instructions at this point.	Start Here	Begjin hjir	Verb	Not Selected	Not Selected	
Noun	Full Form	A device that reacts or responds to requests or events.	responder	beäntwurder	Noun	de	Singular	
Noun	Full Form	A window within an Office application that provides commonly used commands. Its location and small size allow you to use these commands while still working on your files.	task pane	taakdielfinster	Noun	it	Singular	
Noun	UI String	A chart that shows the relationship of individual items to the whole, comparing the contribution of each value to a total across categories. It is also available with a 3-D visual effect.	Stacked Column	Steapele Kolom	Noun	Not Selected	Not Selected	
Noun	UI String	A chart that shows the relationship of individual items to the whole. It is also available with a 3-D visual effect.	Stacked Bar	Steapele Balke	Noun	Not Selected	Not Selected	
Noun	Full Form	In 2-D stacked bar and column charts, a line that connects the data markers in a data series and is used to emphasize the difference in measurement between each series.	series line	rigeline	Noun	de	Singular	
Noun	Full Form	The individual or account to whom an item is sent.	recipient	ûntfanger	Noun	de	Singular	
Noun	Full Form	A type of chart that compares the aggregate values of a number of data series.	radar chart	radardiagram	Noun	it	Singular	
Noun	Full Form	A collection of tools such as a spelling checker, grammar checker, and thesaurus.	proofing tools	taalstipe	Noun	de	Singular	
Noun	Full Form	A group of settings that affect how a file is printed on the page. Includes paper size and orientation, page margins, headers and footers.	page setup	bledsideynstelling	Noun	de	Singular	
Noun	Full Form	An electronic version of a user guide or manual that will release with the software.	online manual	online hânboek	Noun	it	Singular	
Noun	Full Form	Personal configurations of a program or operating system.	personal settings	persoanlike ynstellings	Noun	de	Plural	
Noun	Full Form	A circular or pamphlet for distribution, normally used for advertisements.	flyer	struibledsje	Noun	it	Singular	
Noun	Full Form	A personal record of experiences, occurrences or proceedings, like a Baby Book or Life Book.	journal	lochboek	Noun	it	Singular	
Noun	Full Form	A report containing news or information, can be printed or distributed electronically.	newsletter	nijsbrief	Noun	it	Singular	
Noun	Abbreviated Form	A summary of one's academic and work history, usually submitted with a job application.	CV	cv	Noun	Not Selected	Not Selected	
Noun	Full Form	A summary of one's academic and work history, usually submitted with a job application.	resume	cv	Noun	it	Singular	
Noun	Full Form	A summary of one's academic and work history, usually submitted with a job application.	curriculum vitae	curriculum vitae	Noun	it	Singular	
Noun	Full Form	The sender's address, to which a letter or parcel can be returned if undeliverable.	return address	ôfstjoerdersadres	Noun	it	Singular	
Noun	Product/Technology Name	An application for creating and manipulating text-based documents that organizes data values using cells, where the relationships between cells are defined by formulas and are viewed in rows and columns.	Spreadsheet	Rekkenblêd	Noun	Not Selected	Not Selected	
Noun	Full Form	The path to an object, document, file, page, or other destination. An address can be a URL (Web address) or a UNC path (network address), and can include a specific location within a file, such as a bookmark within a document or a cell range within a spreadsheet.	address	adres	Noun	it	Singular	
Adjective	Full Form	Pertaining to a process that is performed by a person, rather than automated.	manual	hânboek	Noun	it	Singular	
Noun	Full Form	A letter that serves to introduce accompanying documents to the recipient. Often refers to a letter sent with a resume when applying for a job.	cover letter	begeliedend brief	Noun	it	Singular	
Noun	UI String	The starting point for all Works programs, contacts, appointments, templates and projects in one easy to use location.	Task Launcher	Taak Starter	Verb	Not Selected	Not Selected	
Noun	Full Form	A type of Trojan that drops other files, which are usually themselves Trojans, onto compromised computers.	Trojan dropper	Trojaanske-hynderstruier	Noun	de	Singular	
Noun	Full Form	A type of Trojan that installs a proxy server on a machine providing what appears to be an uninterrupted Internet connection while allowing unauthorized access to an affected machine.	Trojan proxy server	Trojaanske-proxyserver	Noun	de	Singular	
Noun	Full Form	A type of Trojan that silently installs other malicious programs onto the compromised computer.	Trojan downloader	Trojaanske-hynderynlader	Noun	de	Singular	
Noun	Full Form	A type of Trojan used to notify an attacker when the software has been installed.	Trojan notifier	Trojaanske-hyndermelder	Noun	de	Singular	
Noun	Full Form	A type of Trojan that captures or transmits passwords to an attacker.	password stealer	netwurksneuper	Noun	de	Singular	

Noun	Full Form	A program designed to amuse or scare a user, for example by imitating the actions of a virus, without actually harming the computer.	joke program	ferrifelprogramma	Noun	it	Singular	
Noun	Full Form	In computer games, an additional score or points given for efficient play.	efficiency bonus	efficiencyboanus	Noun	de	Singular	
Noun	Full Form	A program that installs other potentially unwanted software, such as adware or spyware. The license agreement of the bundling program may require these other components in order to function.	software bundler	ynstallaasjeprogramma	Noun	de	Singular	
Adjective	Full Form	Pertaining to a type of Trojan used to bypass a computer's security policies.	backdoor	efterbaks	Adjective	Not Selected	Not Selected	
Noun	Full Form	Software that changes browser settings, such as the home page, without adequate consent.	browser modifier	sneuperoanpasser	Noun	de	Singular	
Noun	Full Form	A type of Trojan that uses a computer's modem to create unauthorized telephone charges.	dialer	kiezer	Noun	de	Singular	
Noun	Full Form	A type of Trojan that overwhelms an e-mail inbox with messages.	e-mail flooder	bulk-e-mailprogramma	Noun	it	Singular	
Noun	Full Form	A type of Trojan that overwhelms an e-mail inbox with messages.	Trojan mass mailer	Trojaanske e-mailbulkferstjoerder	Noun	de	Singular	
Noun	Full Form	A program used to distribute and download files, often as part of a peer-to-peer (P2P) network.	file sharing program	programma om bestannen te dielen	Noun	it	Singular	
Noun	Full Form	Software that monitors activity, such as keystrokes or screen images. These programs are often installed by the computer owner or administrator, and are only a threat if they are unexpected.	monitoring software	kontrôlesoftware	Noun	de	Singular	
Noun	Full Form	Software designed to provide access to a computer from a remote location. These programs are often installed by the computer owner or administrator, and are only a risk if unexpected.	remote control software	programma om ekstern te bestjoeren	Noun	it	Singular	
Noun	Full Form	Software that changes settings without adequate consent.	settings modifier	ynstellingsparameter	Noun	de	Singular	
Noun	Abbreviated Form	A detailed summary of one's academic and work history and experience, including information about research, publications, and/or academic or personal interests and achievements.	CV	cv	Noun	Not Selected	Not Selected	
Noun	Full Form	A detailed summary of one's academic and work history and experience, including information about research, publications, and/or academic or personal interests and achievements.	curriculum vitae	curriculum vitae	Noun	it	Singular	
Noun	Full Form	A directory or folder made available to users over the network.	share	diede map	Noun	de	Singular	
Verb	UI String	A menu item that provides options for restarting or turning off your computer, or for activating Stand By or Hibernate modes.	Shut Down	Ôfslute	Verb	Not Selected	Not Selected	
Noun	Full Form	A feature that allows you to send a snapshot of your calendar to someone outside your Exchange organization and allow them to see the data on your calendar and schedule against it.	Calendar Snapshot	Momintopname fan aginda	Noun	de	Singular	
Noun	Full Form	Any graphic you draw or insert, which can be changed and enhanced. Drawing objects include AutoShapes, curves, lines, and WordArt.	drawing object	tekenobjekt	Noun	it	Singular	
Noun	Full Form	A number in the form $a + bi$, where a and b are real numbers and $i = \sqrt{-1}$, so that bi is imaginary unless $b = 0$.	complex number	kompleks getal	Noun	it	Singular	
Verb	UI String	A button on the message toolbar that compares the names in the To, Cc, and Bcc boxes against the names in the Address Book and against those contact folders that you've specified as Outlook Address Books.	Check Names	Nammen kontrolearje	Verb	Not Selected	Not Selected	
Noun	Full Form	Words or phrases that convey hatred or contempt or is intended to intimidate or cause harm to a group of people based on race, religion, ethnic origin, sexual orientation or disability.	hate speech	haattaal	Noun	de	Singular	
Noun	Full Form	The Windows technology that collects data on system crashes/hangs and sends it to Microsoft.	Windows Error Reporting	Windows Flaterrapportaaasje	Noun	de	Singular	
Noun	Full Form	The Windows technology that manages information to help Microsoft create solutions to non-critical problems (problems that do not cause programs, services, or components to stop working).	Windows Problem Reporting	Windows Swierrichederapportaaasje	Noun	de	Singular	
Noun	Full Form	A utility in Windows for managing files and information such as photos, documents or the Control Panel.	Explorer	Sneuper	Noun	de	Singular	
Noun	Full Form	A function of some Web browsers that allows users to surf and view multiple pages by loading Web sites into sections (or tabs) of one page, rather than multiple pages.	tabbed browsing	sneupen mei tabblêden	Noun	it	Singular	
Noun	Abbreviated Form	A new business model enabled by Software Licensing Services (SLS) technology which allows a digital license to determine what features are enabled or disabled allowing Microsoft to sell either additional licenses or product upgrades through digital licenses (PUP-DL). Customers may either buy full packaged product (FPP) or upgrade quickly and conveniently electronically.	WAU	WAU	Noun	Not Selected	Not Selected	
Noun	Full Form	A new business model enabled by Software Licensing Services (SLS) technology which allows a digital license to determine what features are enabled or disabled allowing Microsoft to sell either additional licenses or product upgrades through digital licenses (PUP-DL). Customers may either buy full packaged product (FPP) or upgrade quickly and conveniently electronically.	Windows Anytime Upgrade	Windows Antytime Upgrade	Noun	de	Singular	
Noun	Full Form	A package of signed XML files which Software Licensing Services (SLS) recognizes and uses to activate the product.	digital license	digitale lisinsje	Noun	de	Singular	
Noun	UI String	A filter effect in Windows Movie Maker.	Ease In	Ôfnimme nei binnen	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Ease Out	Ôfnimme nei bûten	Verb	Not Selected	Not Selected	

Noun	UI String	A filter effect in Windows Movie Maker.	Film Grain	Filmkerl	Noun	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Pixelate	Yn piksels omsette	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Posterize	Skakearrings minderje	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Rotate 180	180 graden draaie	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Rotate 270	270 graden draaie	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Rotate 90	90 graden draaie	Verb	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Sepia Tone	Sepiatint	Noun	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Threshold	Drompel	Noun	Not Selected	Not Selected	
Noun	UI String	A filter effect in Windows Movie Maker.	Watercolor	Wetterferve	Noun	Not Selected	Not Selected	
Noun	Full Form	A parameter in the Perlin Noise function which is used to scale the amount of force from the vector field that is applied to the images.	turbulence force	turbulence force	Noun	de	Singular	
Noun	Full Form	A parameter in the Perlin Noise function which controls how fast the vector field is changing.	turbulence speed	turbulence speed	Noun	de	Singular	
Noun	Full Form	A process that reduces piracy by ensuring compliance with licensing terms. During product activation, the product key is matched with the individual computer on which the software is installed. It does this by validating the product key, and checks that it has not been used with more than the licensed number of computers.	activation	aktivearring	Noun	de	Singular	
Noun	Full Form	A feature set in Windows Vista that allows parents and individuals to customize key aspects of their online and computing experience as they feel appropriate for their child and/or themselves, namely people they interact with and information they see.	Family Safety	Âlderlik tafersjoch	Noun	it	Singular	
Noun	Full Form	A pigment ink/cartridge used in digital printing which provides resistance to water, fading and smudging, thus producing photographic prints with uniform gloss coverage.	gloss optimizer	glânsoptimalisaasje	Noun	de	Singular	
Noun	Full Form	A tool which enables users to automatically perform routine tasks on a chosen computer by monitoring whatever criteria the users choose to initiate the tasks (referred to as triggers) and then executing the tasks when the criteria is met.	Task Scheduler	Task Scheduler	Noun	de	Singular	
Noun	Abbreviated Form	A programming interface used to build and maintain unattended installation answer files and configuration sets by adding security fixes, changing drivers, and so forth.	CPI	CPI	Noun	Not Selected	Not Selected	
Noun	Full Form	A programming interface used to build and maintain unattended installation answer files and configuration sets by adding security fixes, changing drivers, and so forth.	Component Platform Interface	Component Platform Interface	Noun	de	Singular	
Noun	Full Form	The underlying technology that enables Remote Desktop, Remote Assistance, and Terminal Server.	Terminal Services	Terminal Services	Noun	de	Plural	
Noun	Full Form	The price at which a buyer has offered to purchase an item.	bid	bod	Noun	it	Singular	
Verb	Full Form	To publish or write entries for a blog.	blog	blogje	Verb	Not Selected	Not Selected	
Noun	Full Form	A person who publishes or writes entries for a blog.	blogger	blogger	Noun	de	Singular	
Noun	Full Form	A stored version of a document or web page.	cached page	bledside yn cache	Noun	de	Singular	
Noun	UI String	A label for a geographic selection.	Country/Region	Lân/Regio	Noun	Not Selected	Not Selected	
Noun	Full Form	The date after which information or a resource is no longer valid.	expiration date	ferrindatum	Noun	de	Singular	
Noun	Full Form	The mechanism by which payment is provided. Includes cash, check, credit card, wire transfer, etc.	payment method	betelwize	Noun	de	Singular	
Noun	Full Form	A collection of photos in electronic format that have been grouped into a virtual album.	photo album	foto-album	Noun	it	Singular	
Noun	Full Form	An area of the window that displays a limited view of search results or other content.	preview pane	foarbyldfinster	Noun	it	Singular	
Noun	Full Form	The act of altering a website to improve search engine listings.	search engine optimization	sykmaschine-optimalisaasje	Noun	de	Singular	
Noun	Abbreviated Form	A graphic ad that is the full height of a page and normally 120 pixels wide.	skyscraper	kolomadvertinsje	Noun	de	Singular	
Noun	Full Form	A graphic ad that is the full height of a page and normally 120 pixels wide.	skyscraper ad	kolomadvertinsje	Noun	de	Singular	
Noun	Full Form	A graphic ad that is the full height of a page and normally 120 pixels wide.	skyscraper banner	kolomadvertinsje	Noun	de	Singular	
Noun	Full Form	Another site promoted by the host site.	sponsored site	sponsorre webstee	Noun	it	Singular	
Noun	Full Form	An advertiser's association with a Web site that can involve financial or material support in return for increased visibility perceived advantage over run-of-site advertising and a targeted audience.	sponsorship	sponsorskip	Noun	it	Singular	
Noun	UI String	A label for a geographic selection.	State/Region	Steat/Regio	Noun	Not Selected	Not Selected	
Noun	Full Form	A group of files provided by Microsoft to OEM customers to modify Windows features. Package types include service packs, security updates, language packs, and hotfixes. Examples of packages include Product, Windows Foundation, and FeaturePack packages.	package	pakket	Noun	it	Singular	
Noun	Full Form	An icon that represents the current location being played within the selected media. As clips are being played it moves along the timeline of events to the nearest frame boundary. The positioning of the icon is always between two frames. The preview area will display the frame to the right of the current location.	playhead	ôfspylpunt	Noun	it	Singular	
Noun	Abbreviated Form	A World Wide Web version of Windows Client Help.	WOA	WOA	Noun	Not Selected	Not Selected	
Noun	Full Form	A World Wide Web version of Windows Client Help.	Windows Assistance Online	Windows Assistance Online	Noun	de	Singular	
Noun	Full Form	An entity at one end of a point-to-point LAN/WLAN segment that is requesting authenticated access to the network.	supplicant	oanfraach	Noun	de	Singular	

Noun	Full Form	A Windows technology that protects OS resources (files, folders registry keys) and prevents applications and administrators from making changes to a computer's resources in an arbitrary way.	System Protection	Systeembefeiliging	Noun	de	Singular	
Noun	UI String	An application in the form of an electronic calendar that appears in the "Accessory" folder on the Start menu in Windows.	Windows Calendar	Windows Aginda	Noun	Not Selected	Not Selected	
Noun	UI String	A feature that serves as a launching point for several optional Windows tasks and OEM-defined tasks.	Welcome Center	Yntroduksjeskerm	Noun	Not Selected	Not Selected	
Verb	UI String	A UI command used to switch between accounts on a device.	Switch User	Brûker Ferwikselje	Verb	Not Selected	Not Selected	
Noun	Full Form	A notification sent from one blog to another. It is a way for bloggers to let each other know when one of them has made a reference to another's blog entry.	trackback	trackback	Noun	de	Singular	
Noun	Full Form	An industry specification that defines a mechanism for adding and upgrading a hard disk drive, floppy disk drive or CD drive without opening the chassis.	Drivebay	Stasjonskast	Noun	de	Singular	
Noun	Abbreviated Form	A special version of Windows Preinstallation Environment (WinPE) that includes diagnostic, troubleshooting, and maintenance tools.	WinRE	WinRE	Noun	Not Selected	Not Selected	
Noun	Full Form	A special version of Windows Preinstallation Environment (WinPE) that includes diagnostic, troubleshooting, and maintenance tools.	Windows Recovery Environment	Windows Reparaasje-omjouwing	Noun	de	Singular	
Noun	Full Form	A product key that is provided to Microsoft customers who choose a Microsoft Volume Licensing program for their organizations and that allows multiple installations of a particular product. The key is assigned to a company or institution intended for their sole use and only for distribution to employees or third parties who are authorized to install and distribute licenses pursuant to the terms of their license agreement.	volume license key	folumelisinsjekoade	Noun	de	Singular	
Noun	Full Form	A product key that is provided to Microsoft customers who choose a Microsoft Volume Licensing program for their organizations and that allows multiple installations of a particular product. The key is assigned to a company or institution intended for their sole use and only for distribution to employees or third parties who are authorized to install and distribute licenses pursuant to the terms of their license agreement.	volume license product key	produktkoade fan 'e folumelisinsje	Noun	de	Singular	
Noun	Full Form	A product key that is provided to Microsoft customers who choose a Microsoft Volume Licensing program for their organizations and that allows multiple installations of a particular product. The key is assigned to a company or institution intended for their sole use and only for distribution to employees or third parties who are authorized to install and distribute licenses pursuant to the terms of their license agreement.	multi-activation key	produktkoade foar mear aktivearrings	Noun	de	Singular	
Noun	Full Form	The process of granting or obtaining a license form that allows multiple installations of a particular product.	volume licensing	folumelisinsje	Noun	de	Singular	
Noun	Full Form	A license form that allows multiple installations of a particular product.	volume license	folumelisinsje	Noun	de	Singular	
Noun	Full Form	The application that helps the user to activate a Windows product with Microsoft.	Windows Activation Client	Client om Windows te aktivearjen	Noun	de	Singular	
Noun	Full Form	An area in the taskbar that shows icons for network connectivity, volume control, clock, and on laptops and Tablet computers, the battery.	system control area	systeemfek	Noun	it	Singular	
Noun	Full Form	The user preferences for the formatting of dates, currencies, numbers, and so on. The user locale is a per-user setting, and does not require the user to restart or to log on or log off the computer.	user locale	lânynstellings foar de brûker	Noun	de	Plural	
Noun	Full Form	A single compressed file containing a collection of files and folders that duplicate a Windows installation on a disk volume.	Windows image	Windows-ynstallaasjekopy	Noun	de	Singular	
Noun	Full Form	A System Audio Effects (SYSFX) component used to provide a more immersive audio experience in the Windows Media Player and thus an improved listening experience by utilizing the available speakers that a user has attached to his/her PC by sending audio to all of the speakers, regardless of the number of channels the content contains. This will provide a better sounding experience for stereo and quadraphonic content being rendered on multi-channel playback systems.	speaker fill	speaker fill	Noun	de	Singular	
Noun	Abbreviated Form	A service or feature of Windows that enables licensing at the feature level; thereby broadening the distribution and licensing options for retailers, ISVs, and OEMs. New business models may include: trials, subscriptions, gifting, transfers, or pay-for-use.	SLCC	SLCC	Noun	Not Selected	Not Selected	
Noun	Full Form	A service or feature of Windows that enables licensing at the feature level; thereby broadening the distribution and licensing options for retailers, ISVs, and OEMs. New business models may include: trials, subscriptions, gifting, transfers, or pay-for-use.	Software Licensing Commerce Client	Software Licensing Commerce Client	Noun	de	Singular	
Noun	Full Form	In Internet Explorer, a set of tabs you can store in your Favorites or as Home Page to reopen all tabs in the set in one go.	tab set	set tabblêden	Noun	de	Singular	
Noun	Full Form	The difference between the debit amount and the credit amount of an account.	account balance	rekkensaldo	Noun	it	Singular	
Noun	Full Form	Work or information that provides support-possibly critical support-for a computing process but is not an intrinsic part of the operation or data.	overhead	overhead	Noun	de	Singular	
Noun	Full Form	Information about a client computer that Network Access Protection (NAP) uses to allow or deny access to a network and which is encapsulated in a statement of health (SoH), which is issued by a system health agent (SHA) on the client computer.	health	status	Noun	de	Singular	
Verb	Full Form	To identify or designate with a label; describe or classify.	label	labelje	Verb	Not Selected	Not Selected	
Noun	Full Form	A physical item, such as a stick-on tag used to identify disks and other computer equipment; an identifier.	label	label	Noun	it	Singular	

Noun	Full Form	A word, symbol, or other group of characters used to identify a file, a storage medium, an element defined in a computer program, or a specific item in a document such as a spreadsheet or a chart.	label	label	Noun	it	Singular	
Noun	Full Form	A descriptive or user-friendly label for a control or object, displayed on the screen. The display name may be different from the internal name.	display name	skermnamme	Noun	de	Singular	
Noun	Full Form	A value or condition that is not consistent with the true, specified, or expected value or condition.	error	flater	Noun	de	Singular	
Adjective	Full Form	Of, pertaining to, or characteristic of an electronic circuit or hardware grouping in which the configuration is determined by the physical interconnection of the components (as opposed to being programmable in software or alterable by a switch).	wired	bekabele	Adjective	Not Selected	Not Selected	
Noun	Full Form	A field that can contain a value that is used in a query.	query field	queryfjild	Noun	it	Singular	
Noun	Full Form	Displayed text indicating that a computer program is waiting for input from the user.	prompt	prompt	Noun	de	Singular	
Noun	Full Form	The output created in desktop publishing applications.	publication	publikaasje	Noun	de	Singular	
Verb	Full Form	To wait for incoming traffic, calls or connection requests on a port.	listen	harkje	Verb	Not Selected	Not Selected	
Noun	Full Form	An image-bearing surface such as a page of text or picture that is passed through a scanner and has become a computer file.	scan	skan	Noun	de	Singular	
Noun	Abbreviated Form	A tool that lessens the impact of printing over the network by distributing the rendering workload in a shared-printer environment.	CSR	CSR	Noun	Not Selected	Not Selected	
Noun	Full Form	A tool that lessens the impact of printing over the network by distributing the rendering workload in a shared-printer environment.	client-side rendering	client-side rendering	Noun	de	Singular	
Noun	Full Form	Help that is available to the user while not being connected to or part of a system or network.	offline Help	offline-Help	Noun	de	Singular	
Noun	Full Form	An optical device found in scanners and fax machines that moves across the subject being scanned, converts light and dark areas to electrical signals, and sends those signals to the scanning system for processing.	scan head	skennerkop	Noun	de	Singular	
Noun	Full Form	A file on the hard disk that holds parts of applications and data files that do not fit in memory.	pagefile	wikselbestân	Noun	it	Singular	
Noun	Full Form	A file on the hard disk that holds parts of applications and data files that do not fit in memory.	page file	wikselbestân	Noun	it	Singular	
Noun	Full Form	A file on the hard disk that holds parts of applications and data files that do not fit in memory.	swap file	wikselbestân	Noun	it	Singular	
Verb	Full Form	To display the subentries contained within a folder or outline section.	expand	útteare	Verb	Not Selected	Not Selected	
Noun	Full Form	A window or menu that presents an array or grid of visual choices to a user for selection.	gallery	galery	Noun	de	Singular	
Noun	Abbreviated Form	A new type of ScreenTip that is larger and can contain more detailed information, including graphics.	ScreenTip	Skermynfo	Noun	de	Singular	
Noun	Full Form	A new type of ScreenTip that is larger and can contain more detailed information, including graphics.	enhanced ScreenTip	wiidweidige skermynfo	Noun	de	Singular	
Noun	Full Form	A set of formatting UI controls presented in a rectangular container that appears in context near the pointer when text is selected.	Mini toolbar	lytse arkbalk	Noun	de	Singular	
Noun	Full Form	The key on the keyboard that is labeled with a right arrow.	right arrow	pylk nei rjochts	Noun	de	Singular	
Noun	Full Form	Colors that are directly next to each other on the color wheel. Each color has two analogous colors (one on each side of it).	analogous colors	neistlizzende kleuren	Noun	de	Plural	
Noun	Full Form	One of four fields of an SCODE that indicates the system service responsible for the error. It consists of a unique number that is assigned to represent the error or warning.	facility field	fasiliteitfjild	Noun	it	Singular	
Noun	Full Form	One of four fields of an SCODE that indicates the system service responsible for the error. It consists of a unique number that is assigned to represent the error or warning.	facility code	fasiliteitekoade	Noun	de	Singular	
Noun	Full Form	One of four fields of an SCODE. It is a unique number that is assigned to represent the error or warning.	error code	flaterkoade	Noun	de	Singular	
Noun	Full Form	A return code that begins with E_ or DB_E_ and indicates that the method failed completely and was unable to do any useful work. Usually indicates a programming error.	error code	flaterkoade	Noun	de	Singular	
Proper Noun	Abbreviated Form	A scalable, security-enhanced, standards-based solution that centralizes control and management of electronic forms by allowing customers to use a common Web browser to interact with information. It will help streamline organizations' forms-driven business processes with existing systems.	Office Forms Server	Office Forms Server	Noun	de	Singular	

Proper Noun	Product/Technology Name	A scalable, security-enhanced, standards-based solution that centralizes control and management of electronic forms by allowing customers to use a common Web browser to interact with information. It will help streamline organizations' forms-driven business processes with existing systems.	Microsoft® Office Forms Server	Microsoft® Office Forms Server	Noun	de	Singular	
Noun	Full Form	A DVD from which the video section can be played on the DVD set top box. When inserted in the PC, the user can access additional features such as games, web links etc.	enhanced DVD movie	dvd-film mei ekstra ynhâld	Noun	de	Singular	
Noun	Full Form	An audio CD that contains both audio and other multimedia content.	enhanced audio CD	audio-cd mei ekstra ynhâld	Noun	de	Singular	
Noun	Full Form	A high definition optical disc format which uses a smaller focus blue-violet 405 nm laser allowing higher precision and storage density. A competitor to Blu-ray Disc.	high-definition DVD	high-definition dvd	Noun	de	Singular	
Noun	Full Form	A high definition optical disc format which uses a smaller focus blue-violet 405 nm laser allowing higher precision and storage density. A competitor to Blu-ray Disc.	HD movie	HD-film	Noun	de	Singular	
Noun	Product/Technology Name	A high definition optical disc format which uses a smaller focus blue-violet 405 nm laser allowing higher precision and storage density. A competitor to Blu-ray Disc.	HD DVD	HD-dvd	Noun	de	Singular	
Noun	Abbreviated Form	An optical disc format used to store video on standard compact discs developed by China Recording Standards Committee in competition to the DVD format.	SVCD	SVCD	Noun	Not Selected	Not Selected	
Noun	Full Form	An optical disc format used to store video on standard compact discs developed by China Recording Standards Committee in competition to the DVD format.	Super Video CD	Super Fideo-cd	Noun	de	Singular	
Noun	Full Form	Information provided by the SpyNet community which shows the percentage of users who allowed or blocked a particular program. This information is available even before they confirm whether or not a program is spyware.	SpyNet Community Rating	Klassifikaasje fan SpyNet-Community	Noun	de	Singular	
Noun	Full Form	A value assigned to an item of media content that indicates its suitability for a particular audience.	content rating	ynhâldsrestriksje	Noun	de	Singular	
Noun	Product/Technology Name	An Internet site that makes it easy for users to discover the software and hardware that work best for their PC use, find the newest and most popular products on the market, compare product details, and read reviews from other users.	Windows Marketplace	Windows Marketplace	Noun	de	Singular	
Noun	Abbreviated Form	An internal NT file system (NTFS) structure in which the file system maintains the state for an open instance of a directory file.	DCB	DCB	Noun	Not Selected	Not Selected	
Noun	Full Form	An internal NT file system (NTFS) structure in which the file system maintains the state for an open instance of a directory file.	directory control block	directory control block	Noun	it	Singular	
Noun	Full Form	The ´ character.	acute accent	skerpteken	Noun	it	Singular	
Noun	Full Form	The & character.	ampersand	ampersand	Noun	de	Singular	
Noun	Full Form	The ' character (user-typed text).	apostrophe	apostrof	Noun	de	Singular	
Noun	Full Form	The ' character (user-typed text).	ASCII apostrophe	ASCII-apostrof	Noun	de	Singular	
Noun	Full Form	The ' character (publishing character).	apostrophe	apostrof	Noun	de	Singular	
Noun	Full Form	A statement that the text or program code contained within the item on which the notice appears is the intellectual property of Microsoft (or other entity).	copyright notice	copyrightynformaasje	Noun	de	Singular	
Noun	Full Form	A collection of compositions or memorabilia of a specific type or for a particular purpose, such as audio recordings, photographs, or documents.	album	album	Noun	it	Singular	
Verb	Full Form	To advance audio or video playback at a speed that is faster than normal.	fast forward	foarútwine	Verb	Not Selected	Not Selected	
Noun	Full Form	Any disk drive, folder, or other place in which you can store files and folders. Programs will commonly ask you to choose a location to save a file.	location	lokaasje	Noun	de	Singular	
Noun	UI String	A menu choice or remote button that offers access to the user's music library.	My Music	Muzyk	Noun	Not Selected	Not Selected	
Noun	UI String	A menu choice or remote button that offers access to the user's video library.	My Videos	Fideo's	Noun	Not Selected	Not Selected	
Noun	UI String	A tab in Windows Media Player that enables the user to view the digital media item that is currently playing.	Now Playing	No ôfspylje	Verb	Not Selected	Not Selected	
Verb	Full Form	To start or continue the execution of a digital media file.	play	ôfspylje	Verb	Not Selected	Not Selected	
Noun	Full Form	The replay of a digital media file.	playback	wer ôfspylje	Verb	Not Selected	Not Selected	
Noun	Full Form	An assessment of music or video content on a scale that corresponds to the user's opinion of the content.	rating	klassifikaasje	Noun	de	Singular	
Verb	Full Form	To reverse playback of a digital media file at a speed that is faster than normal.	rewind	tebekwine	Verb	Not Selected	Not Selected	
Verb	Full Form	To play back all of the items in a playlist once, in random order. Playback ends when all of the items in the list have been played one time.	shuffle	trochinoar mjuksje	Verb	Not Selected	Not Selected	
Noun	Full Form	The ÷ character.	division sign	dield-trochteken	Noun	it	Singular	
Noun	Full Form	The \$ character.	dollar sign	dollarteken	Noun	it	Singular	
Noun	Full Form	The = character.	equal sign	is-gelyk-oanteken	Noun	it	Singular	
Noun	Full Form	The ! character.	exclamation point	útropteken	Noun	it	Singular	
Adjective	Full Form	Pertaining to text that is aligned along the left margin.	left-aligned	lofts rjochte	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to text that is aligned along the right margin.	right-aligned	rjochts rjochte	Adjective	Not Selected	Not Selected	

Noun	Full Form	The " character.	opening quotation mark	oanhellingsteken iepenje	Noun	it	Singular	
Noun	Full Form	The " character.	opening curly quotation mark	rûn oanhellingsteken iepenje	Noun	it	Singular	
Noun	Full Form	The " character.	closing quotation mark	oanhellingsteken slute	Noun	it	Singular	
Noun	Full Form	The " character.	closing curly quotation mark	rûn oanhellingsteken slute	Noun	it	Singular	
Noun	Full Form	The " character.	straight quotation mark	rjocht oanhellingsteken	Noun	it	Singular	
Noun	Full Form	The ® character.	registered trademark symbol	registrearre-hannelsmerkteken	Noun	it	Singular	
Noun	Full Form	The distance or period of time between a specified start point and a specified end point. For example, the length of an audio or video clip is usually measured in minutes and seconds.	length	tiidsdoer	Noun	de	Singular	
Noun	Not Selected	The ™ character.	trademark symbol	deponearre-hannelsmerksymboal	Noun	it	Singular	
Noun	Full Form	The ~ character.	tilde	tilde	Noun	de	Singular	
Noun	Full Form	The § character.	section mark	paragraafteken	Noun	it	Singular	
Adjective	Full Form	Having a frequency in the electromagnetic spectrum in the range just below that of red light.	infrared	ynfraread	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Pertaining to characters that are evenly slanted to the right or in the direction of text flow.	italic	skean	Adjective	Not Selected	Not Selected	
Noun	Full Form	Header and footer information, or header information only, which encapsulates or precedes document data for transport.	envelope	slúf	Noun	de	Singular	
Noun	Full Form	A control panel that enables users to set accessibility options and settings to help them more easily interact with the computer.	Ease of Access Center	Tagonklikheidssintrum	Noun	it	Singular	
Verb	Full Form	To eliminate or temporarily suppress the sound produced by a device, such as a computer or digital media device. A device in such a state has a volume level of zero.	mute	lúd útsette	Verb	Not Selected	Not Selected	
Noun	Full Form	The × character.	multiplication sign	kearteken	Noun	it	Singular	
Noun	Full Form	The € character.	euro symbol	euroteken	Noun	it	Singular	
Adjective	UI String	Completed or passed. The measured duration of an event.	Elapsed	Ferstrutsen	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	Personal Area Networks (PAN) that communicate directly between one or more Bluetooth-enabled computers or devices.	GN	GN	Noun	Not Selected	Not Selected	
Noun	Full Form	Personal Area Networks (PAN) that communicate directly between one or more Bluetooth-enabled computers or devices.	Group Ad-hoc Network	Group Ad-hoc Network	Noun	it	Singular	
Noun	Full Form	A tool in Windows Defender that can be to used change how a program runs on the computer if the program is causing a problem.	Microsoft Windows Software Explorer	Microsoft Windows Softwaresneuper	Noun	de	Singular	
Noun	UI String	A user interface (UI) element that provides users with a quick and easy way to navigate across a large group of opened Web pages by providing the user with a visual representation of all of the opened thumbnails. Through this visualization, the user can easily spot and select a desired thumbnail.	Quick Tabs	Tabblêdkiezer	Noun	de	Plural Singular Singular	
Noun	Full Form	One of the four card locations in the upper-right corner of the screen.	home cell	thússel	Noun	de	Singular	
Noun	Full Form	The process of adjusting display resolution based on monitor resolution.	DPI scaling	DPI-skaling	Noun	de	Singular	
Noun	Full Form	A feature that helps improve the recognition of a user's touch flicks by a process in which the user's touch flicks are analyzed.	touch training	fingertip-trening	Noun	de	Singular	
Verb	Full Form	In I/O operations, to prevent execution of a thread.	freeze	stilsette	Verb	Not Selected	Not Selected	
Noun	Full Form	A tool or feature that allows users to see different fonts, typography formats, and lettershapes that display on the computer and/or on Web sites.	font previewer	lettertypefoarbyld	Noun	it	Singular	
Noun	Full Form	A series of computer instructions that is repeated a fixed number of times or until a terminating condition is reached.	loop	lus	Noun	de	Singular	
Noun	Full Form	An on-screen calculator in Windows that performs basic arithmetic tasks.	Calculator	Rekkenmasine	Noun	de	Singular	
Adjective	Full Form	Pertaining to an operation or feature that involves moving objects on the screen with a mouse or similar input device.	drag-and-drop	slepe-en-delsette	Verb	Not Selected	Not Selected	

Noun	Abbreviated Form	A Web site based on the Document Workspace template that workspace members use for discussing, editing, and working together on a document.	Document Workspace	Document Workspace	Noun	Not Selected	Not Selected	
Noun	Full Form	A Web site based on the Document Workspace template that workspace members use for discussing, editing, and working together on a document.	Document Workspace site	Document Workspace stee	Noun	it	Singular	
Not Selected	Abbreviated Form	A message that is sent over a communications network such as a local area network or the Internet.	message	berjocht	Noun	it	Singular	
Not Selected	Full Form	A message that is sent over a communications network such as a local area network or the Internet.	e-mail message	e-mailberjocht	Noun	it	Singular	
Noun	Full Form	A measure of processing power, given in megahertz (MHz).	clock speed	klokfaasje	Noun	de	Singular	
Noun	UI String	A tool in Windows Vista that backs up the entire computer (OS, settings, and files).	CompletePC Backup	Folsleine PC-reservekopy	Noun	de	Singular	
Noun	UI String	A tool in Windows Vista that restores the entire computer (OS, settings, and files).	CompletePC Restore	Folsleine PC weromsette	Verb	Not Selected	Not Selected	
Noun	Product/Technology Name	A feature in Windows Vista that helps users download and manage software they purchased online. It allows the user to download multiple software titles and then help manage the post download activities such as installation of the software, access to license information for activation of software, creating a backup CD of the download and access to services on the web for this feature.	Digital Locker	Digitale klûs	Noun	de	Singular	
Noun	Full Form	A UI element that users can click on to go back and view previously visited Web pages.	Address bar	Adresbalke	Noun	de	Singular	
Adjective	Full Form	Pertaining to a process or content that is not associated with an identifiable user or originator.	anonymous	anonym	Adjective	Not Selected	Not Selected	
Noun	Abbreviated Form	A unique identifier of an object or person	ID	ID	Noun	Not Selected	Not Selected	
Noun	Full Form	A unique identifier of an object or person	identification	identifikaasje	Noun	de	Singular	
Noun	Full Form	A technology allowing users to inject faults into an executable without requiring rebuilding the binary or modifying the source code; thus, providing a means of simulating errors and testing recovery.	fault injection	flaterynjeksje	Noun	de	Singular	
Noun	Full Form	An extended desktop that spans across more than one monitor.	desktop area	buroblêdgebiet	Noun	it	Singular	
Noun	Proper Noun	A change to an account to correct or update the balance.	adjustment	wiziging	Noun	de	Singular	
Noun	Full Form	A request for payment for products and/or services sold.	bill	rekken	Noun	de	Singular	
Noun	Full Form	A representation of the layout of objects in an area of memory.	memory map	ûnthâldtawizing	Noun	de	Singular	
Noun	Abbreviated Form	A payment term specifying that payment is to be received when goods or services are delivered.	COD	ûnder remboers	Adverb	Not Selected	Not Selected	
Noun	Full Form	A payment term specifying that payment is to be received when goods or services are delivered.	Collect On Delivery	ûnder remboers	Adverb	Not Selected	Not Selected	
Noun	Full Form	A written agreement between two or more parties.	contract	kontrakt	Noun	it	Singular	
Verb	Full Form	To close a program or application.	exit	ôfslute	Verb	Not Selected	Not Selected	
Verb	Full Form	To stop communications or a network connection.	end	ophâlde	Verb	Not Selected	Not Selected	
Noun	Full Form	Text, graphics, and any associated annotations captured by using Snipping Tool.	snip	knipsel	Noun	it	Singular	
Noun	Abbreviated Form	A lightweight protocol designed to make the automated discovery, management, and configuration of iSCSI and Fiber Channel Protocol (FCP) devices on a TCP/IP network easier by providing a common mechanism for initiators and targets to discover one another and for handling zoning and authentication of both targets and initiators.	iSNS	iSNS	Noun	Not Selected	Not Selected	
Noun	Full Form	A lightweight protocol designed to make the automated discovery, management, and configuration of iSCSI and Fiber Channel Protocol (FCP) devices on a TCP/IP network easier by providing a common mechanism for initiators and targets to discover one another and for handling zoning and authentication of both targets and initiators.	Internet Storage Name Service	Internet Storage Name Service	Noun	de	Singular	
Noun	Abbreviated Form	A certificate, as defined by the European Directive on Electronic Signature [EU-ESDIR], whose primary purpose is to identify a person with a high level of assurance, where the certificate meets some qualification requirements defined by an applicable legal framework.	QC	QC	Noun	Not Selected	Not Selected	
Noun	Full Form	In printing, the process of eliminating white lines between colours by printing small areas of overlapping colour where colours touch.	trapping	trapping	Noun	de	Singular	
Verb	Full Form	To store data in such a way that it can be retrieved later by the same security support component, and only by that security support component.	seal	fersegelje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	An item provided and signed by the DCE security server that is both a proof of identity and a list of group memberships.	PAC	PAC	Noun	Not Selected	Not Selected	

Noun	Full Form	An item provided and signed by the DCE security server that is both a proof of identity and a list of group memberships.	privilege attribute certificate	privilege attribute certificate	Noun	it	Singular	
Noun	Abbreviated Form	One of two types of hardware that are connected by an RS-232-C serial connection, the other being a Data Terminal Equipment (DTE) device.	DCE	DCE	Noun	Not Selected	Not Selected	
Noun	Full Form	One of two types of hardware that are connected by an RS-232-C serial connection, the other being a Data Terminal Equipment (DTE) device.	Data Communications Equipment	Data Communications Equipment	Noun	de	Singular	
Noun	Full Form	A hardware device that reads data from and writes data to hard disks.	hard disk drive	hurdeskiifstasjon	Noun	it	Singular	
Noun	Full Form	A feature that allows you to open any XAML file on your hard disk (or a hyperlink on a web page) and run it within a browser without compilation.	Loose XAML	Loose XAML	Noun	de	Singular	
Verb	Full Form	To add new text, objects or cells without overwriting existing data.	insert	ynfoegje	Verb	Not Selected	Not Selected	
Noun	Full Form	A logical connection created between two hosts to exchange data.	session	sesje	Noun	de	Singular	
Verb	Full Form	To put into operation or to use.	apply	tapasse	Verb	Not Selected	Not Selected	
Noun	Full Form	The process of producing copies of documents, publications, or images in high volume.	commercial printing	kommersjele ôfprint	Noun	de	Singular	
Noun	Full Form	The process of managing business and/or social contacts in order to follow up, track conversations, etc.	contact management	kontaktpersoanebehear	Noun	it	Singular	
Verb	Full Form	To find.	locate	fine	Verb	Not Selected	Not Selected	
Noun	Full Form	A method of arranging data based on the order of specified information. For example, records sorted by class would list all records within a class before moving to records in the next class.	sorting	sortearje	Verb	Not Selected	Not Selected	
Verb	Full Form	To make easier; to eliminate unnecessary steps.	streamline	streamlynje	Verb	Not Selected	Not Selected	
Noun	Full Form	A visual effect that colors, tweaks, or otherwise graphically alters fonts.	text effect	teksteffekt	Noun	it	Singular	
Adverb	Full Form	Done by positioning the pointer over an item and pressing the left mouse button once.	with one click	mei ien klik	Adverb	Not Selected	Not Selected	
Verb	Full Form	To use for your benefit.	take advantage	profitearje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Functions without external control.	automatic	automatysk	Adjective	Not Selected	Not Selected	
Noun	Full Form	The time for which a dry or alkaline cell is able to produce an electric current.	battery life	libbensdoer fan 'e akku	Noun	de	Singular	
Verb	Full Form	To join or link.	connect	ferbine	Verb	Not Selected	Not Selected	
Verb	Full Form	To provide or give.	deliver	leverje	Verb	Not Selected	Not Selected	
Adjective	Full Form	Capable of producing successful results.	effective	effektyf	Adjective	Not Selected	Not Selected	
Adjective	Full Form	Possessing improved, advanced, or more sophisticated features.	enhanced	útwreide	Adjective	Not Selected	Not Selected	
Noun	Full Form	Amusement, pleasure, or diversion.	entertainment	ferdivedaasje	Noun	de	Singular	
Noun	Full Form	A set of scenarios that lead to a desired outcome by a customer segment.	experience	ûnderfining	Noun	de	Singular	
Noun	Full Form	A malfunction of a physical component such as a disk head failure or memory error.	hardware failure	hardwareflater	Noun	de	Singular	
Noun	Full Form	A place where one lives; a residence.	home	thús	Noun	it	Singular	
Noun	Full Form	Information that cannot be found or recovered.	lost data	weirekke data	Noun	de	Plural	
Noun	Full Form	Settings that enable parents to restrict what their children see.	parental controls	âlderlik tafersjoch	Noun	it	Singular	
Noun	Full Form	Strength exerted; might.	power	krêft	Noun	de	Singular	
Verb	Full Form	To defend or guard.	protect	beskermje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	An electronic system of transmitting transient images of fixed or moving objects together with sound through space by an apparatus that converts light and sound into electrical waves and reconverts them into visible light rays and audible sound.	TV	tv	Noun	de	Singular	
Noun	Full Form	An electronic system of transmitting transient images of fixed or moving objects together with sound through space by an apparatus that converts light and sound into electrical waves and reconverts them into visible light rays and audible sound.	television	televyzje	Noun	de	Singular	
Adjective	Full Form	In operation; operating, working.	up and running	yn it wurk	Adjective	Not Selected	Not Selected	
Adverb	Full Form	Without difficulty.	easily	maklik	Adjective	Not Selected	Not Selected	
Noun	Full Form	A user's private information such as temporary files, history, passwords, web form entries, and cookies that captures Internet surfing and other online activities.	browsing history	sneupskiednis	Noun	de	Singular	
Noun	UI String	A filter effect in Windows Movie Maker.	Grayscale	Griistinten	Noun	de	Plural	

Noun	Full Form	The field on a form in which the cursor or pointer is positioned.	active field	aktyf fjild	Noun	it	Singular	
Noun	Full Form	The InfoPath design environment in which you can create or modify a form template.	design mode	ûntwerpmodus	Noun	de	Singular	
Noun	Full Form	An XML file with an .xsf extension that contains information about all other files and components used within a form, including user interface customizations, XML Schemas, views, business logic, events, and deployment settings.	form definition file	formulierdefinysjebestân	Noun	it	Singular	
Noun	Full Form	A file or set of files that defines the data structure, appearance, and behavior of a form.	form template	formuliersjabloan	Noun	it	Singular	
Noun	Full Form	A framework that includes rows and columns for organizing and arranging content on a form, including controls, control labels, sections of a form, logos, and other types of graphics.	layout table	opmaaktabel	Noun	de	Singular	
Noun	Full Form	A group in the data source that can occur more than once. Controls such as repeating sections and repeating tables are bound to repeating groups.	repeating group	repeteargroep	Noun	de	Singular	
Noun	Full Form	A control on a form that contains other controls in a table format and that repeats as needed. Users can insert multiple rows when filling out the form.	repeating table	repeteartabel	Noun	de	Singular	
Noun	Full Form	A control that contains other controls.	section	seksje	Noun	de	Singular	
Noun	Abbreviated Form	A language used to address parts of an XML document. XPath also provides basic facilities for manipulation of strings, numbers, and Boolean values.	XPath	Xpath	Noun	it	Singular	
Noun	Full Form	A language used to address parts of an XML document. XPath also provides basic facilities for manipulation of strings, numbers, and Boolean values.	XML Path Language	XML Path Language	Noun	de	Singular	
Noun	Full Form	Any address type that the MS Mail postoffice does not have a gateway or access component installed for routing.	foreign address	frjemd adres	Noun	it	Singular	
Noun	Full Form	A part of the Purble Place game where the player has to flip a tile over to reveal a picture, and then try to find its match somewhere else.	Purple Pairs	Purple Pairs	Noun	de	Plural	
Noun	Full Form	A nonfunctional requirement that places a limit or dictates a limited range of possibilities.	constraint	beheining	Noun	de	Singular	
Noun	Full Form	A feature in Windows that allows users to access and manage printers, multi-function printers, digital cameras and scanners.	Printing and Imaging Devices	Printers en byldapparaten	Noun	de	Plural	
Noun	Full Form	The time period during which a product or service will work before the user must activate their license or register with a license server with installed licenses. After this time, the product or service will stop functioning until the license is activated or service registered.	grace period	hifkingsperioade	Noun	de	Singular	
Noun	Full Form	The time period during which a product or service will work before the user must activate their license or register with a license server with installed licenses. After this time, the product or service will stop functioning until the license is activated or service registered.	grace time	hifkingsperioade	Noun	de	Singular	
Noun	Full Form	A person who sends spam.	spammer	spammer	Noun	de	Singular	
Not Selected	Full Form	A set of records defined by a table, a query, or an SQL expression.	domain	domein	Noun	it	Singular	
Noun	Full Form	A graphical control you can use to display text that a user can't change directly.	label	label	Noun	it	Singular	
Noun	Full Form	The process of taking a single-table database and breaking it into a set of smaller, related tables, with each table focused on a single topic or grouping of information.	normalization	normalisaasje	Noun	de	Singular	
Noun	UI String	The default tab on the ribbon interface that provides the basic features that users need most frequently for each application.	Home	Start	Noun	Not Selected	Not Selected	
Noun	Full Form	A copy of a database that is a member of a replica set and can be synchronized with other replicas in the set.	replica	replika	Noun	de	Singular	
Noun	Full Form	A database object that prints information formatted and organized according to your specifications.	report	rapport	Noun	it	Singular	
Noun	Full Form	A part of a form, report, or data access page such as a header, footer, or detail section.	section	seksje	Noun	de	Singular	
Noun	Full Form	An object, such as a picture, whose value isn't derived from data stored in a table.	unbound object	ûnôfhinklik objekt	Noun	it	Singular	
Noun	Abbreviated Form	A marker that can be applied to content in OneNote to identify certain types of information. This allows the user to find, view and sort tagged items with ease.	tag	label	Noun	it	Singular	
Noun	Full Form	A marker that can be applied to content in OneNote to identify certain types of information. This allows the user to find, view and sort tagged items with ease.	note tag	notysjelabel	Noun	it	Singular	
Noun	Full Form	The degree to which a product or service executes its specified function under prescribed conditions relative to an established standard.	performance	prestaasje	Noun	de	Singular	
Noun	Full Form	A window that displays data from a table, form, query, view, or stored procedure in a row-and-column format.	Datasheet view	Data-oersjoch	Noun	it	Singular	
Noun	Full Form	A query (SQL statement) that removes rows matching the criteria you specify from one or more tables.	delete query	fuortsmytquery	Noun	de	Singular	

Noun	Full Form	The only member of the replica set in which you can make changes to the database structure that can be propagated to other replicas.	Design Master	Designmaster	Noun	de	Singular	
Noun	Full Form	A table outside the open database or project.	external table	eksterne tabel	Noun	de	Singular	
Noun	Full Form	A feature that uses a minimum amount of data to display the general layout of a report.	Layout Preview	Opmaakfoarbyld	Noun	it	Singular	
Noun	Full Form	A table, query, form, report, macro, or module that remains in the replica or Design Master where it was created. Neither the object nor changes to the object are copied to other members in the replica set.	local object	pleatslik objekt	Noun	it	Singular	
Noun	Full Form	A field in a table that draws data from another table.	Lookup field	Sykfjild	Noun	it	Singular	
Noun	Full Form	Data and the information needed to access that data from programs and databases that support the Open Database Connectivity (ODBC) protocol.	ODBC data source	ODBC-databoarne	Noun	de	Singular	
Noun	Full Form	A view that shows a graphical analysis of data in a datasheet or form. You can see different levels of detail or specify the layout by dragging fields and items or by showing and hiding items in the drop-down lists for the fields.	PivotChart view	Draaigrafykwerjefte	Noun	de	Singular	
Noun	Full Form	A view that summarizes and analyzes data in a datasheet or form. You can use different levels of detail or organize data by dragging the fields and items, or by showing and hiding items in the drop-down lists for the fields.	PivotTable view	Draaitabelwerjefte	Noun	de	Singular	
Noun	Full Form	A window that displays the SQL statement for the current query or that is used to create an SQL specific query (union, pass-through, or data definition). When you create a query in Design view, Access constructs the SQL equivalent in SQL view.	SQL view	SQL-werjefte	Noun	de	Singular	
Noun	Product/Technology Name	A program you use to view, print, and electronically mail a snapshot, such as a report snapshot.	Snapshot Viewer	Momintopname-viewer	Noun	de	Singular	
Noun	Full Form	A query that asks a question about the data stored in your tables and returns a result set in the form of a datasheet, without changing the data.	select query	seleksjequery	Noun	de	Singular	
Noun	Full Form	An association established between common fields (columns) in two tables. A relationship can be one-to-one, many-to-many, or one-to-many.	relationship	ferhâlding	Noun	de	Singular	
Noun	Full Form	The ActiveX Database Objects (ADO) object used to contain a result set. It also exhibits cursor behavior depending on the recordset properties set by an application. ADO recordsets are mapped to OLE DB rowsets.	recordset	recordset	Noun	de	Singular	
Verb	Full Form	To remove unused space from data tables.	shrink	ferlytsje	Verb	Not Selected	Not Selected	
Noun	Abbreviated Form	A combination of identifiers, which together define Internet Protocol security (IPSec) that protects communication between sender and receiver.	SA	SA	Noun	Not Selected	Not Selected	
Noun	Full Form	A combination of identifiers, which together define Internet Protocol security (IPSec) that protects communication between sender and receiver.	security association	befeiligingskeppeling	Noun	de	Singular	
Noun	Full Form	On a disk or other direct-access storage device, a continuous block of storage space reserved by the operating system for a particular file or program.	extent	gebiet	Noun	it	Singular	
Noun	Full Form	A tool in Windows Vista that backs up the system image.	Windows System Image Backup	Windows System Image Backup	Noun	de	Singular	
Noun	UI String	A tutorial outlining basic Windows features, workflow and information.	Windows Basics	Basiskennis fan Windows	Noun	Not Selected	Not Selected	
Noun	Full Form	A copy of a file that has been saved to a server.	server copy	serverkopy	Noun	de	Singular	

Dutch (NLD-NLD)					
Term	Part of Speech	Gender	Number	src Context	src Term Usage Note
AD DS	Proper Noun	Not Selected	Plural		Note space in acronym. In general, due to trademark issues, the use of acronyms should be avoided wherever possible. It is not acceptable to use a "hybrid acronym". Either the full name or acronym must be used.
Active Directory Domain Services	Proper Noun	Not Selected	Plural		
adapter	Noun	Not Selected	Not Selected		[MSTP 4.6] Avoid as a general term to describe hardware that supports connecting a computer to a peripheral device such as a monitor, speakers, or a camera. In general, use card to describe hardware that connects a computer to a device, even if the hardware is built into the motherboard. Exception: Use network adapter to describe hardware that supports connecting a computer to a network.
autorisatie	Noun	Not Selected	Mass		
buffer	Noun	Not Selected	Not Selected		
certificaat	Noun	Not Selected	Singular		
digitaal certificaat	Noun	Not Selected	Not Selected		
client	Noun	Not Selected	Not Selected		
clientcomputer	Noun	Not Selected	Singular		
cookie	Noun	Not Selected	Not Selected		
referenties	Noun	Not Selected	Plural		
gegevensoverdracht	Noun	Not Selected	Not Selected		
decodering	Noun	Not Selected	Not Selected		
handtekening	Noun	Not Selected	Singular		Security Content Review Board did not list "signature" as a synonym for "digital signature," but it is frequently used with the same meaning.
digitale handtekening	Noun	Feminine	Singular	[InfoPath] When designing a form, you can enable digital signatures so that users filling out your form can digitally sign it. This signature confirms that the form originated from the signer and has not been altered. In addition, the signature can contain a comment from the signer. After being signed, the values in the form cannot be modified without invalidating the signature.	
downloaden	Verb	Not Selected	Not Selected	For digital media files, downloaded content is kept on the receiving device for playback on demand. In contrast, streamed content is played as it is delivered.	
stuurprogramma	Noun	Not Selected	Not Selected	Make sure that all installed drivers are digitally signed. [OPK] A driver is kernel-mode code that is used either to control or to emulate a hardware device.	
apparaatstuurprogramma	Noun	Not Selected	Singular		

weglatingssteken	Noun	Not Selected	Not Selected	[MSTP 4.6] In general, avoid using an ellipsis (...) except in syntax lines or to indicate omitted code in technical material. If you are using a font that does not support the ellipsis character, use three periods with no space between them.	[MSTP 4.6] In the user interface, an ellipsis is typically used to show truncation, as in a program name, or to indicate on menus and in dialog boxes that a dialog will appear to obtain more information from the user. Do not use an ellipsis in this context in documentation.
em-streepje	Noun	Not Selected	Not Selected	[MSTP 4.6] Do not use an em dash in place of a bullet or other typographic symbol to set off items in a list. Do not use an em dash to indicate an empty cell in a table. When an independent clause follows an em dash, do not capitalize the first word unless it is a proper noun.	
e-mailadres	Noun	Not Selected	Singular		Exchange 2003 Server
adres	Noun	Neuter	Singular	There is a problem with the e-mail address. Make sure the address has the format someone@microsoft.com and that multiple e-mail addresses are separated by commas or semicolons. Then try again.	
codering	Noun	Not Selected	Mass		
veelgestelde vragen	Noun	Not Selected	Not Selected		
veelgestelde vragen	Noun	Not Selected	Not Selected		
FTP	Noun	Not Selected	Not Selected		
File Transfer Protocol	Noun	Not Selected	Not Selected		
filter	Noun	Not Selected	Singular	[CRM 3.0 Mobile] For instance, a filter used in e-mail or in retrieving newsgroup messages can allow users to automatically discard messages from designated users. [CRM 3.0 Mobile] Each view can have an associated filter (collection of field values that are used to perform a query on a specific record type), which reduces the number of records that are downloaded to a user's mobile device for the view. [Axapta] You can set a filter to find only the transactions made on a specific date. [Axapta] a filter can define the criteria that specifies the records to be returned from a query. [Axapta] You can set a filter to find only the transactions made on a specific date.	
diskette	Noun	Not Selected	Not Selected		[MSTP 4.6] Unless necessary, use just disk, not hard disk, floppy disk, or 3.5-inch disk.
diskette	Noun	Not Selected	Not Selected		[MSTP 4.6] Unless necessary, use just disk, not hard disk, floppy disk, or 3.5-inch disk.
GB	Noun	Not Selected	Not Selected		
gigabyte	Noun	Not Selected	Not Selected		
GUID	Noun	Not Selected	Singular		
UUID	Noun	Not Selected	Singular		
Globally Unique Identifier	Noun	Not Selected	Singular		
Universally Unique Identifier	Noun	Not Selected	Singular		
unieke id	Noun	Not Selected	Singular		
Globally Unique Identifier	Noun	Not Selected	Singular		
Replicatie-id	Noun	Not Selected	Singular	In an Access database, GUIDs are referred to as Replication IDs.	
Global Universal Identification	Noun	Not Selected	Singular		
GUI	Noun	Not Selected	Not Selected		
Graphical User Interface	Noun	Not Selected	Not Selected		
visuele interface	Noun	Not Selected	Singular		

host	Noun	Not Selected	Not Selected	[CRM 3.0 Mobile] Host '{0}' is not registered with the system.	
introductiepagina	Noun	Not Selected	Singular		
introductiepagina	Noun	Not Selected	Singular		Spelling provided by MSN
HTML	Noun	Not Selected	Not Selected		
Hypertext Markup Language	Noun	Not Selected	Singular		
http	Noun	Not Selected	Not Selected		Do not translate or localize -- leave in English.
HTTP	Noun	Not Selected	Not Selected		Do not translate or localize -- leave in English.
Hypertext Transfer Protocol	Noun	Not Selected	Singular		
werkbalk	Noun	Not Selected	Not Selected		
minimaliseren	Verb	Not Selected	Not Selected		
internetprovider	Noun	Not Selected	Singular		
serviceprovider	Noun	Not Selected	Not Selected		
IAP	Not Selected	Not Selected	Not Selected		This abbreviation may be more common in certain markets
internetprovider	Noun	Not Selected	Singular		
toegangsprovider	Noun	Masculine	Not Selected		
internettoegangsprovider	Noun	Not Selected	Singular		
intranet	Noun	Not Selected	Not Selected		
IP-adres	Noun	Not Selected	Singular		
UCE (ongewenste e-mail)	Noun	Not Selected	Not Selected		
ongewenste e-mail	Noun	Not Selected	Not Selected		

spam	Noun	Not Selected	Mass		
ongewenste e-mail	Noun	Not Selected	Not Selected	[Office12 Packaging] Control your e-mail with new category coloring, Instant Search, and a junk mail filter (Outlook).	
ongevraagde commerciële e-mail	Noun	Not Selected	Not Selected		
LAN	Noun	Not Selected	Not Selected	LANs commonly include PCs and shared resources such as laser printers and large hard disks. The devices on a LAN are known as nodes, and the nodes are connected by cables through which messages are transmitted.	
Local Area Network	Noun	Not Selected	Not Selected		
bedrijfsnetwerk	Noun	Not Selected	Not Selected	[Vista Packaging] Connect to a company network, or access your PC remotely from home.	
logboek	Noun	Not Selected	Not Selected		
adressenlijst	Noun	Not Selected	Not Selected		
MB	Noun	Not Selected	Not Selected		
megabyte	Noun	Not Selected	Not Selected		
modem	Noun	Neuter	Singular	Modems are most commonly used to connect to the Internet.	
modulator/demodulator	Noun	Not Selected	Not Selected		
nieuwsgroep	Noun	Not Selected	Singular		
discussiegroep	Noun	Not Selected	Singular		
internetforum	Noun	Neuter	Singular		
machtigingen	Noun	Not Selected	Plural	[MSTP 4.6] Setting the Traverse Folder permission on a folder does not automatically set the Execute File permission on all files within that folder. [MSTP 4.6] Whenever possible, assign permissions to groups rather than users.	[MSTP 4.6] Permissions are granted or assigned, not allowed. [MSTP 4.6] If you refer to a named permission, use title-style capitalization and roman type. Do not use privileges or permission records as a synonym for permissions.
toegangsmachtigingen	Noun	Not Selected	Plural		
pixel	Noun	Not Selected	Not Selected	[MSTP 4.6] One pixel is a measurement representing the smallest amount of information displayed graphically on the screen as a single dot.	
afbeeldingselement	Noun	Not Selected	Singular		
pop-upvenster	Noun	Not Selected	Not Selected		Do not confuse this with "pop-up". See entry #7643.
proxyserver	Noun	Not Selected	Singular		
script	Noun	Not Selected	Singular	A script can be embedded in a Web page.	
servicepack	Noun	Not Selected	Not Selected		
servicepack	Noun	Not Selected	Not Selected		
inhoudsopgave	Noun	Not Selected	Not Selected		

inhoudsopgave	Noun	Not Selected	Not Selected		[MSTP 4.6] Do not use Table of Contents as the heading for the list of contents at the beginning of a document or file; use just Contents instead. It is, however, correct to refer generically to the table of contents.
Inhoud	Noun	Not Selected	Not Selected		This is the name of the actual heading, as it should appear.[MSTP 4.6] Do not use Table of Contents as the heading for the list of contents at the beginning of a document or file; use just Contents instead. It is, however, correct to refer generically to the table of contents.
upgrade	Noun	Not Selected	Not Selected		
software-upgrade	Noun	Not Selected	Not Selected		
upgrade uitvoeren	Verb	Not Selected	Not Selected		
uploaden	Verb	Not Selected	Not Selected		
gebruikersnaam	Noun	Not Selected	Not Selected		
virus	Noun	Not Selected	Singular		
webpagina	Noun	Not Selected	Not Selected		
webpagina	Noun	Not Selected	Not Selected		Spelling for Longhorn as of 2004-09-22.
pagina	Noun	Not Selected	Singular		
worm	Noun	Not Selected	Singular		
Windows Live™ ID	Proper Noun	Not Selected	Singular	[DotNet Services Notifications alias] Don't have a Windows Live™ ID? Sign up now!	[WL Loc Team] Windows Live ID cannot be localised in any context due to product architecture constraints.[DotNet Services Notifications alias] All user-interface text must follow these guidelines:• At first mention, the full service name and trademark (™) symbol after the phrase "Windows Live" appears as follows: Windows Live™ ID. • After first mention, the trademark symbol may be omitted. • The name of the service is never abbreviated • The words "Windows" and "Live", as well as the term "ID", must always use uppercase letters. • Always include a single space between the words "Windows" and "Live", and "Live" and "ID".
hulpprogramma	Noun	Not Selected	Not Selected		
toegang	Noun	Not Selected	Not Selected		This term is in support of the Trustworthy Computing Initiative.
invoegtoepassing	Noun	Not Selected	Not Selected	[MSN] The Phishing Filter Add-in offers access to the beta version of a new dynamic online service, updated several times an hour to warn you and help protect your personal information.	
invoegonderdeel	Noun	Not Selected	Not Selected		Note that this is different from add-in. The computer Dictionary lists add-in and add-on as synonyms. They are not.
uitbreidingskaart	Noun	Not Selected	Singular	Add-on devices fall into two categories: devices built onto the system board, and devices on expansion cards, added to the system through a system board connector, such as PCI.	
archieff	Noun	Not Selected	Not Selected	When you zip, or compress, files using WinZip, you are creating what's called an archive. Archives are files that contain other files. Typically the files in an archive are compressed. Archives usually have filenames ending with zip, .lzh, .arj, or .arc, depending on how they were created. Archives make it easy to group files, and make it quicker to transport and copy these files.	
inspringing	Noun	Not Selected	Singular		
synoniemenlijst	Noun	Not Selected	Not Selected	[Works] Use parental controls to include only family-friendly content in a dictionary or thesaurus search.	

VPN	Noun	Not Selected	Singular	[Security User Model] A VPN is generally less expensive to build and operate than a dedicated real network, because the virtual network shares the cost of system resources with other users of the underlying real network. For example, if a corporation has LANs at several different sites, each connected to the Internet by a firewall, the corporation could create a VPN by (a) using encrypted tunnels to connect from firewall to firewall across the Internet and (b) not allowing any other traffic through the firewalls.	
virtueel particulier netwerk	Noun	Not Selected	Singular	[CRM 3.0 Mobile] The salesperson needs access to a computer with virtual private network (VPN) access.	
absolute celverwijzing	Noun	Not Selected	Singular		
absolute URL	Noun	Not Selected	Singular		
gebruiksregels	Noun	Not Selected	Not Selected		
toegang verkrijgen tot	Verb	Not Selected	Not Selected		
toegangscade	Noun	Not Selected	Not Selected		
wachtwoord	Noun	Not Selected	Not Selected		
toegangsbeheerlijst	Noun	Not Selected	Singular		
toegangsbeheerlijst	Noun	Not Selected	Singular		
toegankelijkheid	Noun	Not Selected	Not Selected		
accessoire	Not Selected	Not Selected	Not Selected		
randapparaat	Noun	Not Selected	Not Selected		From MSTP 4.0: Avoid as a noun, especially in content for home users and information workers. Use peripheral device or a more specific term instead.
actie	Noun	Not Selected	Not Selected		
actiequery	Noun	Not Selected	Not Selected	[Office Online] An action query is a stored procedure that inserts, modifies, or deletes data, by using the SQL INSERT, UPDATE, and DELETE statements. Action queries include append, delete, make-table, and update queries; they are identified by an exclamation point (!) next to their name in the Database window.	
instructie	Noun	Not Selected	Not Selected		
instructie	Noun	Not Selected	Not Selected		
actief	Adjective	Not Selected	Not Selected		
actieve inhoud	Noun	Not Selected	Not Selected		
actief document	Noun	Not Selected	Not Selected		
actief object	Noun	Not Selected	Not Selected		
ASP	Not Selected	Not Selected	Not Selected		

Active Server-pagina's	Noun	Not Selected	Not Selected		
actief venster	Noun	Not Selected	Not Selected		
ActiveX	Noun	Not Selected	Not Selected		Trademarked
ADO	Noun	Not Selected	Not Selected		
ActiveX-gegevensobjecten	Noun	Not Selected	Plural		[MSTP 4.6] Usually referred to by the acronym. Capitalize 'Data Objects' when referring to the technology, but not when referring to specific data objects.
optellingsoperator	Noun	Not Selected	Singular		
plusteken	Noun	Not Selected	Not Selected		
adres	Noun	Not Selected	Not Selected		
adres	Noun	Not Selected	Not Selected		
adresboek	Noun	Not Selected	Singular		
setup in beheerdersmodus	Not Selected	Not Selected	Not Selected		
setup in beheerdersmodus	Not Selected	Not Selected	Not Selected		
beheerder	Noun	Not Selected	Singular		[MSTP 4.6] Use 'administrator' or 'system administrator' unless you must specify a particular kind of administrator, such as a network administrator or a database administrator. Do not capitalize administrator except in the phrase Administrator program. Capitalize Administrators only to refer to the Administrators group that is a part of Microsoft Windows security.
computerbeheerder	Noun	Not Selected	Singular		
agent	Noun	Not Selected	Not Selected		
waarschuwingsvenster	Noun	Not Selected	Not Selected		
algoritme	Noun	Not Selected	Not Selected	Internet Protocol security uses cryptographically-based algorithms to encrypt data.	
alias	Noun	Not Selected	Not Selected		
uitlijnen	Verb	Not Selected	Not Selected		
uitlijning	Noun	Not Selected	Not Selected		
toewijzen	Verb	Not Selected	Not Selected	[Great Plains] When you allocate an item quantity, you reserve it for sale or assembly at the specified site. Allocating an item reduces the quantity available for the item. In Microsoft Dynamics GP Manufacturing, allocating reserves materials is needed for a manufacturing order.	
toewijzingseenheid	Noun	Not Selected	Singular		
cluster	Noun	Not Selected	Not Selected		
Alt-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase (for key names) unless otherwise noted.
punthaken	Noun	Not Selected	Not Selected		
animatie	Noun	Not Selected	Not Selected		

AA	Not Selected	Not Selected	Not Selected		
antialiasing	Noun	Not Selected	Not Selected		
antialiasing	Noun	Not Selected	Not Selected		This is the spelling (hyphenated) submitted by PowerPoint.
toevoegquery	Noun	Not Selected	Not Selected	[Office Online] You cannot undo the action of executing an append query. As a precaution, back up your data before executing the query.	
applet	Noun	Not Selected	Not Selected		
archiveren	Verb	Not Selected	Not Selected		
netnummer	Noun	Not Selected	Not Selected		
argument	Noun	Not Selected	Not Selected		
matrix	Noun	Not Selected	Not Selected		
bericht	Noun	Not Selected	Not Selected		
bericht	Noun	Not Selected	Not Selected		
artiest	Noun	Masculine	Singular		
ASCII	Noun	Not Selected	Not Selected		
American Standard Code for Information Interchange	Proper Noun	Not Selected	Not Selected		
hoogte-breedteverhouding	Noun	Not Selected	Not Selected		
sterretje	Noun	Not Selected	Not Selected	Pressing and holding the asterisk key switches between text and numeric input modes.	[MSTP 4.6] Not 'star', except when referring to the key on a telephone keypad.
apenstaartje	Noun	Not Selected	Not Selected		[MSTP 4.6] In addresses it is pronounced 'at'.
ATM	Noun	Not Selected	Not Selected		
asynchrone overdrachtsmodus	Noun	Not Selected	Singular		
bijvoegen	Verb	Not Selected	Not Selected		
bijlage	Noun	Not Selected	Not Selected		
geluids-	Other	Not Selected	Not Selected		
audio-cd	Noun	Not Selected	Not Selected		

verificatie	Noun	Not Selected	Mass		
wachtwoordverificatie	Noun	Not Selected	Singular		
verificatiemethode	Noun	Not Selected	Singular	[Vista] Invalid Phase1 auth method.	
verificatiemethode	Noun	Not Selected	Not Selected		
AutoFilter	Noun	Not Selected	Singular	[Office Online Help] AutoFilter selects and shows you only the data you want to see in Microsoft Excel.	
automatisering	Noun	Not Selected	Not Selected		
Automation	Noun	Not Selected	Not Selected		
AutoSom	Noun	Not Selected	Not Selected		
beschikbaar geheugen	Noun	Not Selected	Not Selected		
as	Noun	Not Selected	Not Selected		
een back-up maken	Verb	Not Selected	Not Selected		
achtergrond	Noun	Not Selected	Not Selected		
achtergrond	Noun	Not Selected	Not Selected		
achtergrond	Noun	Not Selected	Not Selected		
achtergrondkleur	Noun	Not Selected	Singular		
backslash	Noun	Not Selected	Not Selected		
					[MSTP 4.6] To refer to a slash in documents, it may be useful to differentiate between a "forward slash" for URLs and a "backward slash" for servers and folders.
BACKSPACE-toets	Noun	Not Selected	Not Selected		
back-up	Noun	Not Selected	Not Selected		
back-up	Noun	Not Selected	Not Selected		
back-upbestand	Noun	Not Selected	Singular	[BCM] Create a backup file to protect your company data, to send to your accountant, to import into a new company file, or to move Business Contact Manager for Outlook to a different computer.	
compatibiliteit met eerdere versies	Noun	Not Selected	Not Selected		
bandbreedte	Noun	Not Selected	Not Selected		
vaandel	Noun	Not Selected	Not Selected		
staafdiagram	Noun	Not Selected	Not Selected		
streepjescode	Noun	Not Selected	Singular	[Axapta] The cashier added the item to the purchase by swiping the item's bar code over the electronic reader.	
basisteken	Noun	Not Selected	Not Selected		
basislijn	Noun	Not Selected	Not Selected		
baud	Noun	Not Selected	Not Selected		

baud-rate	Noun	Not Selected	Not Selected		
BCC	Noun	Not Selected	Not Selected		
BCC	Noun	Not Selected	Not Selected		
bètaversie	Noun	Not Selected	Not Selected		
bètaversie	Noun	Not Selected	Not Selected		
bidi	Adjective	Not Selected	Not Selected		
tweerichtings-	Other	Not Selected	Not Selected		
binair	Adjective	Not Selected	Not Selected		
binair bestand	Noun	Not Selected	Not Selected		
verbinden	Verb	Not Selected	Not Selected	[Office Online] To bind the control to an existing control, click the field or group that you want to bind the control to.	
BIOS	Noun	Not Selected	Not Selected		
BIOS	Noun	Not Selected	Not Selected		
bit	Noun	Not Selected	Not Selected		
bit	Noun	Not Selected	Not Selected		
bitmap	Noun	Not Selected	Not Selected	Sets the transparent color for the selected bitmap. Click the color you want to make transparent. This tool works only on bitmap images.	
bitrate	Noun	Masculine	Singular		
bladwijzer	Noun	Not Selected	Not Selected		
opstarten	Verb	Not Selected	Not Selected		
opstarten	Noun	Not Selected	Not Selected		
opstarten	Noun	Not Selected	Not Selected		
opstartstation	Noun	Not Selected	Not Selected		
opstartpartitie	Noun	Not Selected	Not Selected		
rand	Noun	Not Selected	Not Selected		
kader voor afhankelijk object	Noun	Not Selected	Not Selected	[Office Online] Embed your images in a database table and display them by using the bound object frame. This method consumes the most space, but if your database needs to travel, it ensures that your images are always available.	
onderbrekingspunt	Noun	Not Selected	Singular	[Axapta] If the program does not run properly, set a breakpoint to help determine the problem.	

helderheid	Noun	Not Selected	Not Selected	Conserve energy or maximize performance by adjusting display brightness and other power settings.	
breedband	Other	Not Selected	Not Selected		
bladeren	Verb	Not Selected	Not Selected	You can browse for and play music in the following ways:You can browse for and play an album, a playlist, all songs in a genre, or all songs by an artist. You can play one song from an album. You can browse for and play a song from the Songs screen. You can play all songs on your Portable Media Center.	
opsommingsteken	Noun	Not Selected	Singular		[MSTP 4.6] 'Bullet' is correct in referring to the graphical symbol for a bullet.
lijst met opsommingstekens	Noun	Not Selected	Not Selected		
bus	Noun	Not Selected	Not Selected	A bus essentially allows different parts of the system to share data. For example, a bus connects the disk-drive controller, memory, and input/output ports to the microprocessor.	
bezet	Adjective	Not Selected	Not Selected	Blocks of time that are marked busy appear with a solid availability indicator and are shown as unavailable when other people view your Calendar.	
knop	Noun	Not Selected	Not Selected	[MSTP 4.6] To enlarge a window to fill the entire screen, click the Maximize button.	[MSTP 4.6] In general, refer to a button only by its label. If you need to incorporate 'button' in the name for clarity — for example, if the button label is an image rather than text — button is lowercase.
knopvlak	Noun	Not Selected	Singular		
standaard	Adverb	Not Selected	Not Selected		This is an adverbial prepositional phrase (PP-Adv)
byte	Noun	Not Selected	Not Selected		
CA	Noun	Not Selected	Not Selected		
certificeringsinstantie	Noun	Not Selected	Singular		
kabelmodem	Noun	Not Selected	Not Selected		
cache	Noun	Not Selected	Not Selected		
opslaan in cache	Verb	Not Selected	Not Selected		
opslaan in cache	Noun	Not Selected	Not Selected		
berekend veld	Noun	Not Selected	Not Selected	[Office Online] You use an expression to perform a calculation, retrieve the value of a control, supply criteria to a query, define rules, create calculated controls and calculated fields, and define a group level for a report.	
rekenmachine	Noun	Not Selected	Not Selected		
agendaprogramma	Noun	Not Selected	Singular		
agenda	Noun	Not Selected	Singular		
aanroepen	Verb	Not Selected	Not Selected		
wisselgesprek	Noun	Not Selected	Not Selected		
campagne	Noun	Not Selected	Singular	[CRM] The Marketing Automation module of Microsoft Business Solutions CRM enables marketing departments to create, analyze, and segment targeted customer lists as well as plan and execute campaigns for the customers your company wants to target. [Axapta] The company ran a campaign to promote its new product line.	
marketingcampagne	Noun	Not Selected	Not Selected		
annuleren	Verb	Not Selected	Not Selected		
CAPI	Not Selected	Not Selected	Not Selected		

CryptoAPI	Noun	Not Selected	Singular		
Cryptography Application Programming Interface	Proper Noun	Not Selected	Singular		
hoofdlettergebruik	Noun	Not Selected	Not Selected		
Caps Lock	Not Selected	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
Caps Lock-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
bijchrift	Noun	Not Selected	Not Selected		
opnameapparaat	Noun	Not Selected	Not Selected		
CC	Noun	Not Selected	Not Selected		
invoegpositie	Noun	Not Selected	Singular	[Home and Retail] The insertion point usually appears as a flashing vertical bar in an application's window or in a dialog box.	
systeeminvoegteken	Noun	Not Selected	Not Selected		
catalogus	Noun	Not Selected	Not Selected	[OPK] In Windows, a catalog is a binary file that lists and reflects the state of all of the settings and packages in a Windows image. When a catalog is created, it queries the Windows image for a listing of all of the settings in that image. Because the contents of a Windows image can change over time, it is important that you recreate the catalog file whenever you update a Windows image.	
cd	Not Selected	Not Selected	Not Selected		
compact disc	Noun	Not Selected	Not Selected		
cd-brander	Noun	Not Selected	Not Selected		The NMPD (Digital Media) team prohibits use of this term, though they recognize that this term is widely used. The term is used in Windows Vista.
cd-recorder	Noun	Not Selected	Not Selected		
cd/dvd-brander	Noun	Masculine	Singular		NMPD (Digital Media) preferred term.
cd-speler	Not Selected	Not Selected	Not Selected		
cd-speler	Not Selected	Not Selected	Not Selected		
CD-ROM	Noun	Not Selected	Singular		
cel	Noun	Not Selected	Not Selected	[MSPress] Each row and column in a spreadsheet is unique, so each cell can be uniquely identified-for example, cell B17, at the intersection of column B and row 17. Each cell is displayed as a rectangular space that can hold text, a value, or a formula.	
centteken	Noun	Not Selected	Not Selected		

centreren	Verb	Not Selected	Not Selected		
CPU	Noun	Not Selected	Not Selected		
centrale verwerkingseenheid	Noun	Not Selected	Singular		
COA	Noun	Not Selected	Singular		
Certificate of Authenticity (Certificaat van Echtheid)	Noun	Not Selected	Not Selected		
kanaal	Noun	Not Selected	Singular	[Axapta] In Microsoft Dynamics AX, a channel is a named entity that specifies where and how to send and receive messages. A channel specifies an adapter with its associated configuration information and transport address. An alert channel is a conduit to deliver alerts. Alert channels include external notification channels and internal notification channels.	
teken	Noun	Not Selected	Not Selected		
tekenset	Noun	Not Selected	Not Selected		
tekenafstand	Noun	Not Selected	Mass		
tekenopmaakprofiel	Noun	Not Selected	Singular	[Word] A character style affects selected text within a paragraph, such as the font and size of text, and bold and italic formats.	
chatten	Verb	Not Selected	Not Selected		
					[MSTP 4.6] Use 'select' to refer to adding a check to a check box or to clicking an item in a list box or a combo box. Do not use select as a general term for clicking options in a dialog box.
selectievakje	Noun	Not Selected	Not Selected	[MSTP 4.6] You select and clear a check box (not turn on and turn off, mark and unmark, check and uncheck, or select and deselect).	[MSTP 4.6] Use the identifier 'check box', not just 'box', to refer to this option. Box alone is ambiguous, especially for worldwide readers.
vinkje	Noun	Not Selected	Not Selected		
kiezen	Verb	Not Selected	Not Selected		[MSTP 4.6] Use 'choose' when the user must make a decision, as opposed to selecting (not picking) an item from a list to carry out a decision already made.
klassemodule	Noun	Not Selected	Not Selected	[Office Online] Form and report modules are class modules that are associated with a particular form or report.	

uitschakelen	Verb	Not Selected	Not Selected	[Windows XP] You clear a check box by clicking it, or by selecting it and then pressing the SPACEBAR. [SBA] To clear the Change Log, click Clear on the Company tab of Company Preferences, and then enter a date in the End date field.	[MSTP 4.6] You select and clear a check box (not turn on and turn off, mark and unmark, check and uncheck, or select and deselect).
ClearType	Noun	Not Selected	Not Selected		
klikken	Verb	Not Selected	Not Selected		
illustraties	Noun	Not Selected	Mass		
klembord	Noun	Not Selected	Not Selected	Unexpected error when copying data to the clipboard:	
systeemklok	Noun	Not Selected	Not Selected		
sluiten	Verb	Not Selected	Not Selected		[MSTP 4.6] Use 'close' for windows, documents, and dialog boxes. For programs, use exit. For network connections, use end. Use close to refer to the action a program takes when it has encountered a problem and cannot continue. Do not confuse with stop responding, which indicates that the program cannot close itself.
vierkante haak rechts	Noun	Not Selected	Singular		
					[MSTP 4.6] Use the term opening parenthesis or closing parenthesis for an individual parenthesis, not open parenthesis, close parenthesis, beginning parenthesis, ending parenthesis, left parenthesis, or right parenthesis. It is all right to use parenthesis alone if it either does not matter or is unambiguously clear which parenthesis is under discussion.
codetabel	Noun	Not Selected	Not Selected		
codec	Noun	Masculine	Singular		
samenvouwen	Noun	Not Selected	Not Selected	[MSTP 4.6] A plus sign next to a folder indicates that it can be expanded to show more folders; a minus sign indicates that it can be collapsed.	
kleurdiepte	Noun	Not Selected	Not Selected	[Office Live] This page shows the types of screen resolutions and color depth most frequently used to access your site.	
bitdiepte	Noun	Not Selected	Mass		
kleurengamma	Noun	Not Selected	Singular		[Vista UI String] Color Gamut
kleurenmonitor	Noun	Not Selected	Not Selected		[MSTP 4.6] Use screen to refer to the graphic portion of a monitor. Use display as a general term for any visual output device, such as a flat-panel display on a portable computer.
kleurenprinter	Noun	Not Selected	Not Selected		
kleurprofiel	Noun	Not Selected	Not Selected		
kleurenschema	Noun	Not Selected	Not Selected		

kleurruimte	Noun	Not Selected	Not Selected		
kleurruimte	Noun	Not Selected	Not Selected	Color space models map color components onto a Cartesian coordinate system in three or more dimensions.	
kolom	Noun	Not Selected	Not Selected		
kolomeinde	Noun	Not Selected	Singular		
kolomdiagram	Noun	Not Selected	Singular		
kolomkop	Noun	Not Selected	Not Selected		
keuzelijst met invoervak	Noun	Not Selected	Not Selected	[Office Online] You can limit the items that are listed in a combo box based on what is selected or displayed in another control, such as a text box or even another combo box.	
komma	Noun	Not Selected	Not Selected		
opdracht	Noun	Not Selected	Not Selected		
opdrachtknop	Noun	Not Selected	Not Selected	[MS Press] By clicking a command button, the user causes the computer to perform some action, such as opening a file that has just been selected using the other controls in the dialog box.	
drukknop	Noun	Masculine	Singular		
opdrachtregel	Noun	Not Selected	Not Selected		
opdrachtpromptvenster	Noun	Not Selected	Not Selected		
vergelijken	Verb	Not Selected	Not Selected		
compatibiliteit	Noun	Not Selected	Not Selected	[MSPress] True compatibility means that any operational differences are invisible to people and programs alike.	
compatibiliteitsmodus	Noun	Not Selected	Singular		
compatibel	Adjective	Not Selected	Not Selected		
compileren	Verb	Not Selected	Not Selected	[MSTP 4.6] After you save the file, compile your program.	[MSTP 4.6] 'compile' is acceptable as a verb or as an adjective, as in "compile time." Do not use as a noun.
					[MSTP 4.6] Avoid 'build' in content written for home users and information workers. Use 'create' for such items as documents, charts, worksheets. It is all right to use 'build' as a verb in content written for software developers to mean to compile and link code.
comprimeren	Verb	Not Selected	Not Selected		
compressie	Noun	Not Selected	Not Selected	[OPK] Compression reduces the amount of time required to transfer data. You may want to disable data compression if your data communication program is configured to compress data (resulting in software compression) or if you transfer a lot of compressed files (with extensions like ZIP, ARC, SIT, LHA, or SEA). Compression types supported by some modems actually slows transfer of data that has already been compressed.	
computertaal	Noun	Not Selected	Not Selected		
toestand	Noun	Not Selected	Not Selected		

voorwaardelijk	Adjective	Not Selected	Not Selected		
configuratie	Noun	Not Selected	Not Selected		
configuratie	Noun	Not Selected	Not Selected		
configureren	Verb	Not Selected	Not Selected		
bevestigen	Verb	Not Selected	Not Selected		
verbinding	Noun	Not Selected	Not Selected		
connectiviteit	Noun	Not Selected	Not Selected		
constante	Noun	Not Selected	Not Selected		
contactpersoon	Noun	Masculine	Singular		
snelmenu	Noun	Not Selected	Singular		[MSTP 4.6] Do not use context menu or right-click menu to refer to the menu that appears when a user clicks the right mouse button in certain areas (or "contexts"), such as in a toolbar region. If you must refer to this menu by name, use shortcut menu instead. If the application programming interface uses context menu (or ContextMenu or similar constructions), follow the interface, but make clear that it refers to the shortcut menu.
snelmenu	Noun	Not Selected	Singular		[MSTP 4.6] In general, it should not be necessary outside a programming context to use a term for the shortcut menu. If you must, use shortcut menu, not context menu or pop-up menu.
snelmenu	Noun	Not Selected	Singular	You have minimized the Language bar. To restore it, just click the Language bar icon (near the clock) and select "Restore the Language bar" from the pop-up menu.	[MSTP 4.6] It is all right, if necessary to follow the application programming interface, to use pop-up menu in content for software developers to describe the menu that appears when the user right-clicks an item. If you must use a term to describe this type of menu in content for home users or information workers, use shortcut menu.
contextafhankelijke Help	Noun	Not Selected	Not Selected	Installs the SQL Server documentation set. You must install Books Online to use context-sensitive Help in the user interface.	
contrast	Noun	Not Selected	Not Selected		
besturingselement	Noun	Not Selected	Singular		
besturing	Noun	Not Selected	Not Selected		
Ctrl	Noun	Not Selected	Not Selected		MSTP 4.6 recommended spelling when referring to this key on IBM-type keyboards.
Ctrl-toets	Noun	Not Selected	Not Selected		
Ctrl-toets	Noun	Not Selected	Not Selected		
Configuratiescherm	Noun	Not Selected	Not Selected		

conversieprogramma	Noun	Not Selected	Not Selected		
coördinaat	Noun	Not Selected	Not Selected		
coprocessor	Noun	Not Selected	Not Selected		
kopiëren	Verb	Not Selected	Not Selected		
auteursrecht	Noun	Not Selected	Not Selected		
copyrightsymbool	Noun	Not Selected	Not Selected	[MSTP 4.6] Only the copyright symbol ©, not the word Copyright, is required in copyright notices.	
					[MSTP 4.6] Do not use 'corrupt' to describe this condition. Correct: The file may be corrupted. Incorrect: The file may be corrupt.
bijsnijden	Verb	Not Selected	Not Selected		
hekje	Noun	Not Selected	Singular		The short form "hatch" is used on compounds such as "horizontal hatch" and "downward hatch" to refer to the direction of the shading.
hekje	Noun	Not Selected	Singular		Also spelled in one word: crosshatch.
kruistabelquery	Noun	Not Selected	Not Selected	[Office Online] If you run a crosstab query often, or if you use it as the basis for a form, report, or data access page, you can speed up the query by using the preceding procedure to specify fixed column headings.	
cube	Noun	Not Selected	Singular	[Commerce Server] Data sources might consist of one or more cubes that provide data for a business scorecard. [Axapta] The cube, when transferred and processed, will query your database and return report data.	A cube in Commerce Server 2000 is created during the unpacking process, and is populated and processed for data retrieval when the Reports preparation DTS task is run. Storing data in cubes increases the speed of data retrieval.
valutasymbool	Noun	Not Selected	Singular	[Generic] The dollar sign is the US currency symbol. [LIP] Examples of currency symbols are: \$, €, or £.	
cursor	Noun	Not Selected	Not Selected		
aangepaste installatie	Noun	Not Selected	Not Selected		
aangepaste installatie	Noun	Not Selected	Not Selected		
aangepaste werkbalk	Noun	Not Selected	Not Selected	[Office Online] Custom toolbars that you create are specific to the Access data file. If you want to use a custom toolbar in a different Access data file, you must re-create or import the custom toolbar.	
aanpassen	Verb	Not Selected	Not Selected		
knippen	Verb	Not Selected	Not Selected		
kruisje	Not Selected	Not Selected	Not Selected		
gegevens	Noun	Not Selected	Not Selected		[MSTP 4.6] Use as either singular or plural in meaning but always with a singular verb. That is, always use "the data is" (or another appropriate verb) whether you mean a collection of facts (plural) or information (singular). If you want to emphasize that something is plural, rewrite to use a term such as facts or numbers. Do not use 'datum' or 'data are'. They are etymologically correct, but many readers will fail to recognize datum and will see both datum and data are as pretentious.
gegevensinvoer	Noun	Not Selected	Not Selected		
gegevensveld	Noun	Not Selected	Not Selected		
integriteit	Noun	Not Selected	Not Selected		

gegevensintegriteit	Noun	Not Selected	Not Selected	Cryptography is used to enable and ensure confidentiality, data integrity, authentication (entity and data origin), and nonrepudiation.	
gegevensverwerking	Noun	Not Selected	Not Selected		
gegevensbron	Noun	Not Selected	Not Selected		
gegevenstype	Noun	Not Selected	Not Selected	[Office Online] Data types include Text (string), Rich Text, Whole Number, Decimal, True/False (Boolean), Hyperlink, Date, Time, Date and Time, and Picture.	
database	Noun	Not Selected	Not Selected	[Office Online] If your data exists in a different format, such as an Excel spreadsheet, you still need to create a database using Access. After you create a database, you can import or link the spreadsheet to a table in the newly-created database.	
fouten opsporen	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use debug in any context as a synonym for troubleshoot.
decoderen	Verb	Not Selected	Not Selected		
standaardinstelling	Noun	Not Selected	Not Selected		[MSTP 4.6] Many home users and information workers do not understand that default refers to something that happens if the user does not take an action or does not supply a required value. Consider whether you need to explain the meaning of 'default' in your content or even whether your content can dispense with default altogether. Avoid 'default' as a verb. It is jargon. 'Default' is acceptable as a noun or as an adjective.
standaardknop	Noun	Not Selected	Not Selected		
defragmentatie	Noun	Not Selected	Mass	[BCM] Defragmentation is the process of rewriting parts of a file so that all information is together. The purpose is to increase the speed of access to and retrieval of information stored on a disk.	
Delete-toets	Noun	Not Selected	Not Selected		[MSTP] Use all uppercase unless otherwise noted.
verwijderen	Verb	Not Selected	Not Selected		[MSTP 4.6] v. Use 'delete' to refer to actions that the Delete command takes, such as moving files to the Recycle Bin and moving items in Microsoft Outlook to the Deleted Items folder. You can use 'delete' to describe these actions even if the user arrives at them by some other way, such as by dragging a file to the Recycle Bin. Use 'delete' to refer to actions that result from pressing the Delete or Backspace key on the computer, such as deleting selected text. Do not use 'delete' as a synonym for remove. Do not use 'cut' or 'erase' as a synonym for delete.
scheidingsteken	Noun	Not Selected	Not Selected		
gebruiken	Verb	Not Selected	Not Selected	[Office12 Packaging] Design workflows and applications on the SharePoint platform without writing and deploying code. Code is built into a complete system and then is deployed to a runtime environment (a Web page).	
bureaublad	Noun	Not Selected	Not Selected		
doel-	Other	Not Selected	Not Selected		
loskoppelen	Verb	Not Selected	Not Selected		From the core team: Based on the OEM user feedback, the Msx OEM writers/editors have decided to delete the terms "attach," "detach," and "unattach" from the LH OPK glossary. We will simply use the terms "add" and "remove" or "delete" as appropriate.
apparaat	Noun	Not Selected	Singular	[OPK] For Windows licensing, devices can be electronic equipment such as computers, workstations, terminals, and handheld computers that can access or use the services of Windows operating systems, including file sharing, print sharing, remote access, and authentication. [Vista Packaging] Enjoy your favorite entertainment on your PC and share it throughout the home on devices including Xbox 360.	
diakritisch teken	Noun	Not Selected	Not Selected		
diakritisch teken	Noun	Not Selected	Not Selected		
kiezen	Verb	Not Selected	Not Selected		
kiestoon	Noun	Not Selected	Not Selected		

dialogvenster	Noun	Not Selected	Singular		
inbel-	Other	Not Selected	Not Selected		[MSTP 4.6] Use as an adjective only, not as a verb or noun. Always hyphenate.
digitaal	Adjective	Not Selected	Not Selected		
DVD	Noun	Not Selected	Not Selected		
Digital Versatile Disk (DVD)	Noun	Not Selected	Not Selected		
				[PowerPoint] A common technique is to dim the text of a bullet point after it's been discussed in order to de-emphasize it.	
dimensie	Noun	Not Selected	Singular	[Axapta] You must add at least one level to each dimension to process the cube definition.	
niet beschikbaar	Adjective	Not Selected	Not Selected		
niet beschikbaar	Adjective	Not Selected	Not Selected		
niet beschikbaar	Adjective	Not Selected	Not Selected		
niet beschikbaar	Adjective	Not Selected	Not Selected		
DMA (Direct Memory Access ofwel directe geheugentoegang)	Noun	Not Selected	Not Selected		
directe geheugentoegang	Noun	Not Selected	Not Selected		
map	Noun	Not Selected	Not Selected		
uitschakelen	Verb	Not Selected	Not Selected		
schijf	Noun	Not Selected	Not Selected		[MSTP 4.6] Use only to refer to a CD or DVD. It is now standard practice to use the spelling 'disc' for optical discs and 'disk' in all other computer contexts, such as floppy disk, hard disk, and RAM disk.
schijf	Noun	Not Selected	Not Selected		[MSTP 4.6] Do not use disk to refer to a compact disc or DVD.
weergeven	Noun	Not Selected	Not Selected		
beeldscherm	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'screen' to refer to the graphic portion of a monitor. Use 'display' as a general term for any visual output device, such as a flat-panel display on a portable computer.
distributielijst	Noun	Not Selected	Not Selected		
DLL	Noun	Not Selected	Not Selected		
Dynamic-Link Library	Noun	Not Selected	Singular		
vastgezette werkbalk	Noun	Not Selected	Not Selected	[Office Online] To resize a docked toolbar that is on the same row as another toolbar, drag the move handle.	

basisstation	Noun	Not Selected	Not Selected		
document	Noun	Not Selected	Not Selected		
DTD	Noun	Not Selected	Singular		
Document Type Definition (DTD)	Noun	Not Selected	Not Selected		
documentvenster	Noun	Not Selected	Singular	Switch to the previous document window	
domein	Noun	Not Selected	Not Selected		
domein	Noun	Not Selected	Singular	A domain is administered as a unit with common rules and procedures, and each domain has a unique name.	
DC	Noun	Not Selected	Singular		
domeincontroller	Not Selected	Not Selected	Not Selected		
dpi	Noun	Not Selected	Not Selected		
dots per inch (punten per inch)	Noun	Not Selected	Not Selected		
dubbelklikken	Verb	Not Selected	Not Selected		[MSTP 4.6] Always hyphenate. Use instead of 'select' and 'choose' when referring to a mouse action. Do not use 'double-click on'.
GWV	Noun	Not Selected	Singular		
gedistribueerde wachtwoordverificatie	Noun	Feminine	Singular		
concept	Noun	Not Selected	Singular	[Axapta] The author's first draft was not as accurate as his final version.	
slepen	Verb	Not Selected	Not Selected		[MSTP 4.6] Use instead of drag and drop. The action of dragging includes dropping the element in place.
station	Noun	Not Selected	Not Selected		
stationsletter	Noun	Not Selected	Not Selected		
vervolgkeuzelijst met invoervak	Noun	Not Selected	Not Selected		
vervolgkeuzelijst	Noun	Not Selected	Not Selected		
bewerken	Verb	Not Selected	Not Selected		
bewerking	Noun	Not Selected	Not Selected	[Office12 Packaging] Quickly identify edits and feedback and create a fixed version of your document in PDF or XPS format.	
editor	Noun	Not Selected	Not Selected	[Old LIP] FrontPage has both a web page editor and an HTML editor. You can also associate files with external editors.	
API	Noun	Not Selected	Singular		
Application Program Interface	Noun	Not Selected	Not Selected		

Application Programming Interface	Noun	Not Selected	Not Selected		
COM-poort	Noun	Not Selected	Not Selected		
communicatiepoort	Noun	Not Selected	Not Selected		
seriële poort	Noun	Not Selected	Not Selected		
element	Noun	Not Selected	Not Selected		
een e-mail verzenden	Noun	Not Selected	Not Selected		[MSTP 4.6] Always hyphenate. Do not use as a verb; use 'send' instead. Use 'e-mail message' or 'message' to refer to an individual piece of e-mail. Do not use e-mail as a synonym for message. Use e-mail to refer generically to an electronic mail program or to refer collectively to e-mail messages. Once you have established the context of electronic mail, it is all right to use mail instead of e-mail.
					[MSTP 4.6] Do not use as a verb; use 'send' instead. Use 'e-mail message' or 'message' to refer to an individual piece of e-mail. Do not use e-mail as a synonym for message.
elektronische post	Noun	Not Selected	Not Selected		
e-mailserver	Noun	Not Selected	Not Selected		
inluiten	Verb	Not Selected	Not Selected		[MSTP 4.6] Not 'imbed', which is a variant spelling.
en-streepje	Noun	Not Selected	Not Selected	[MSTP 4.6] Do not use an en dash to indicate an empty cell in a table. Do not use spaces on either side of an en dash.	
					[MSTP 4.6] According to MSTP, the en dash character should be used to represent a minus sign. In Unicode there is a separate character (2212) for this purpose.
codering	Noun	Not Selected	Not Selected		
coderen	Verb	Not Selected	Not Selected		
eindgebruiker	Noun	Not Selected	Not Selected	[OPK] The end user is the person who ultimately receives the computer manufactured by the OEM.	
licentiebepalingen	Noun	Neuter	Plural		Acceptable on subsequent reference.
"Microsoft Software, Licentiebepalingen"	Noun	Not Selected	Plural		
ENTER-toets	Noun	Not Selected	Not Selected	In word processing programs, the ENTER key is used at the end of a paragraph.	[MSTP 4.6] Use all uppercase unless otherwise noted.
grote organisatie	Noun	Not Selected	Singular		
onderneming	Noun	Not Selected	Singular		
grote organisatie	Noun	Not Selected	Singular		
invoer	Noun	Not Selected	Not Selected		
foutenlogboek	Noun	Not Selected	Not Selected		
ESC-toets	Not Selected	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted. Always use ESC, not ESCAPE or Escape, especially on the Macintosh.
gebeurtenis	Noun	Not Selected	Singular		
exclusief	Not Selected	Not Selected	Not Selected	[Office Online] You cannot save design changes to a shared Access database while other users have the database open. The only way to ensure that changes are saved is by opening the Access database in exclusive mode.	
exporteren	Verb	Not Selected	Not Selected		
expressie	Noun	Not Selected	Not Selected	[Commerce Server] An expression might be "user.totalvisit > 100". If this expression evaluates to "True," then a specific piece of content is displayed to a customer.	
fout	Noun	Not Selected	Not Selected		

FAT	Noun	Not Selected	Not Selected		
bestandstoewijzingstabel	Noun	Not Selected	Not Selected		
favoriet	Noun	Not Selected	Not Selected		
veld	Noun	Not Selected	Not Selected	[Office Online] The fields and groups define the type and structure of the data that users can enter into your form.	
bestand	Noun	Not Selected	Singular		
extensie	Noun	Not Selected	Not Selected		
bestandsextensie	Noun	Not Selected	Not Selected		
bestandsindeling	Noun	Not Selected	Not Selected		Often used synonymously with "file type".
bestandsindeling	Noun	Feminine	Singular		
bestandssysteem	Noun	Neuter	Singular		
bestandstype	Noun	Not Selected	Not Selected		Often used synonymously with "file format".
refererende sleutel	Noun	Not Selected	Not Selected	[Office Online] Before you create a relationship, you must first define a primary key or unique constraint for your table. You then relate the primary key column to a matching column. Once you create the relationship, the matching column becomes a foreign key of the table.	
				[Outlook] Flag for follow up.	
gemarkeerd	Adjective	Not Selected	Not Selected	[Office12 Packaging] The new To-Do Bar brings together tasks, appointments, and e-mail flagged for follow-up.	
					[MSTP 4.6] Use drive, disk drive, or, if necessary, floppy disk drive to describe the 3.5-inch disk drives in a computer. Do not use floppy drive or floppy disk system.
					[MSTP 4.6] Use drive, disk drive, or, if necessary, floppy disk drive to describe the 3.5-inch disk drives in a computer. Do not use floppy drive or floppy disk system.
disktestation	Noun	Not Selected	Not Selected		[MSTP 4.6] Use drive, disk drive, or, if necessary, floppy disk drive to describe the 3.5-inch disk drives in a computer. Do not use floppy drive or floppy disk system.
map	Noun	Not Selected	Not Selected	By using Storage Resource Manager, you can perform the following tasks:• Create quotas to limit the space allowed for a volume or folder and generate notifications when the quota limits are approached or exceeded.	
lettertype	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'font', not 'typeface', for the name of a typeface design — for example, Times New Roman or Bookman.
tekengrootte	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'font size', not 'type size', for the point size, such as 12 point or 14 point.
tekenstijl	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'font style', not 'type style', to refer to the formatting, such as bold, italic, or small caps.
voettekst	Noun	Not Selected	Not Selected		[MSTP 4.6] In content related to word-processing and publishing programs, use instead of 'bottom running head' or 'running foot' when discussing page layout; however, 'running foot' is acceptable as a synonym in keyword lists and indexes.
voettekst	Noun	Not Selected	Not Selected		[MSTP 4.6] In content related to word-processing and publishing programs, use instead of 'bottom running head' or 'running foot' when discussing page layout; however, 'running foot' is acceptable as a synonym in keyword lists and indexes.
paginavoettekst	Noun	Not Selected	Not Selected	[Office] Use to display page summaries, dates, or page numbers at the bottom of every page in a form or report. In a form, the page footer appears only when you print the form.	
formulier	Noun	Not Selected	Singular		

opmaak	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'format' to refer to the overall layout or pattern of a document. Use 'formatting' to refer to particulars of character formatting, paragraph formatting, and so on.
formatteren	Verb	Not Selected	Not Selected		
formule	Noun	Not Selected	Not Selected		
frame	Noun	Not Selected	Not Selected		
frame	Noun	Not Selected	Not Selected		
volledig scherm	Adjective	Not Selected	Not Selected		
spel	Noun	Not Selected	Not Selected		
gateway	Noun	Not Selected	Not Selected		
genre	Noun	Neuter	Singular		
penbeweging	Noun	Not Selected	Singular		
globaal	Adjective	Not Selected	Not Selected		
symbool	Noun	Not Selected	Not Selected		
Zoeken	Verb	Not Selected	Not Selected		
videokaart	Noun	Not Selected	Singular		[MSTP 4.6] Use instead of 'video adapter' or 'display adapter' to describe the hardware that converts image data into electronic signals processed by a computer monitor. Do not use 'graphics adapter', 'graphics card', or 'graphics board'.
accent grave	Noun	Not Selected	Not Selected		[MSTP 4.6] not 'accent grave'
grijswaarde	Noun	Not Selected	Not Selected		One word according to MSTP v4.6.
					[MSTP 4.6] If used in conjunction with the less than sign to enclose a character string such an HTML or XML tag, then 'right angle bracket' is all right.
groeperen	Noun	Not Selected	Singular	[OPK] A group is a collection of users, computers, contacts, or other groups. Groups can be used as security or as e-mail distribution collections. Distribution groups are used only for e-mail. Security groups are used both to grant access to resources and as e-mail distribution lists.[Access] A group is two or more controls that can be treated as one unit while designing a form or report. You can select the group instead of selecting each individual control as you're arranging controls or assigning properties.	[Budapest - Office Communicator Web Access] A group is a named collection of contacts in the Contacts list.
groepsbeleid	Noun	Not Selected	Not Selected	[Vista] Use Group Policy to keep unauthorized users from making inappropriate changes to browser security settings.	
vaste schijf	Noun	Not Selected	Singular		[MSTP 4.6] Refer to the disk itself as the hard disk. Be clear whether you are talking about the disk itself or the drive, which should be referred to as the hard disk drive, not the hard drive, internal drive, fixed disk drive, or hard disk system. Do not hyphenate hard disk.
greep	Noun	Not Selected	Not Selected		
ingang	Noun	Not Selected	Not Selected		

koptekst	Noun	Not Selected	Singular		[MSTP 4.6] In word-processing and publishing documentation, use 'header' instead of 'running head' when discussing page layout. However, 'running head' is acceptable if needed for clarification or as a keyword or index entry.
					[MSTP 4.6] In word-processing and publishing documentation, use 'header' instead of 'running head' when discussing page layout. However, 'running head' is acceptable if needed for clarification or as a keyword or index entry.
paginakoptekst	Noun	Not Selected	Not Selected		
help	Noun	Not Selected	Not Selected		
slaapstand	Noun	Not Selected	Not Selected		We're intentionally abstracting the difference between Standby and Hibernate, and just calling these "sleep" in the top level UI, in an attempt to simplify power management for most users. Underneath, Windows will just "do the right thing". Advanced users that know the difference can still find and choose the specific standby and hibernate states.
verborgen	Adjective	Not Selected	Not Selected		
verborgen tekst	Noun	Not Selected	Not Selected	Microsoft Office Word indicates hidden text by underlining it with a dotted line.	
hiërarchisch menu	Noun	Neuter	Singular		
trapsgewijs menu	Noun	Neuter	Singular		
onderliggend menu	Noun	Neuter	Singular		
onderliggend menu	Noun	Neuter	Singular	Enter an integer value, starting from 0, for the index of the desired subcommand in a submenu, if the command has a submenu. The index is relative to the position in the menu's macro definition and not necessarily to the menu's display. Press F1 for help on this argument.	
markeren	Verb	Not Selected	Not Selected		[MSTP 4.6] In general, avoid using 'highlight', unless you are specifically referring to the highlighter feature in some products that users can apply to emphasize selections.
treffer	Noun	Not Selected	Not Selected		
aanwijzen	Verb	Not Selected	Not Selected		[GTMT] Use instead of Rest on, because Rest on could cause users to touch the screen and do a press and hold action by accident.
HTML-code	Noun	Not Selected	Not Selected	FrontPage automatically creates HTML tags to represent each element on a page.	
afbreekstreepje	Noun	Not Selected	Not Selected		
I/O	Noun	Not Selected	Not Selected		
input/output	Noun	Not Selected	Not Selected		
IRP	Noun	Not Selected	Not Selected		
I/O-aanvraagpakket	Noun	Not Selected	Not Selected		
pictogram	Noun	Not Selected	Not Selected		
identificatie	Noun	Not Selected	Not Selected	[Office Online] You use an identifier in an expression to refer to an object or its properties.	
IIS	Noun	Not Selected	Not Selected		
Internet Information Services	Noun	Not Selected	Plural		This is the correct spelled-out form for this acronym and concept.
afbeelding	Noun	Not Selected	Singular		

digitale afbeelding	Noun	Not Selected	Not Selected	[Vista Packaging] Organize and use digital images and video throughout your business.	
kopie	Noun	Not Selected	Not Selected		
replicatie	Noun	Not Selected	Singular		
beeldapparaat	Noun	Not Selected	Singular		
IME	Noun	Not Selected	Not Selected		
Input Method Editor	Noun	Not Selected	Not Selected		
importeren	Verb	Not Selected	Not Selected	[Office Online] Before you import or link data from a delimited text file or fixed-width text file, make sure that the file has the same type of data in each field and the same fields in every row.	
inactief venster	Noun	Not Selected	Not Selected		
incompatibel	Adjective	Not Selected	Not Selected	[LIP] This license package can not be installed due to incompatible system architecture.	
inspringen	Verb	Not Selected	Not Selected		
index	Noun	Not Selected	Not Selected	[Office Online] You can use an index to speed access to data in a database table. You create an index by selecting one or more columns in a table that you want to be able to search on. You can use the index once you save the table.	
infrarood	Noun	Not Selected	Not Selected		
initialiseren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use to mean start a program or turn on a computer.
initialiseren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use to mean start a program or turn on a computer.
invoerapparaat	Noun	Not Selected	Not Selected		
invoerfocus	Noun	Neuter	Singular		
Insert-toets	Noun	Masculine	Not Selected		[MSTP 4.6] In general, spell key names as they appear in the [MSTP Guide], whether the name appears in text or in a procedure. Use all uppercase unless otherwise noted.
installeren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use 'install' as a noun. Use 'installation' instead.
installeren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use 'install' as a noun. Use 'installation' instead.
installatie	Noun	Not Selected	Not Selected		
instructie	Noun	Not Selected	Not Selected		
geheel getal	Noun	Not Selected	Not Selected		
ISDN	Noun	Not Selected	Not Selected		
Integrated Services Digital Network	Noun	Not Selected	Not Selected		
interactief	Adjective	Not Selected	Not Selected		
interface	Noun	Not Selected	Not Selected		

interface	Noun	Not Selected	Not Selected		
				[MSDN: Windows Automotive] The OEM is solely responsible for designating the EDDC hardware interface.	
interne modem	Noun	Not Selected	Not Selected		
internet	Noun	Not Selected	Not Selected		
internetadres	Noun	Not Selected	Not Selected		
IP	Noun	Not Selected	Not Selected		
internetprotocol	Noun	Not Selected	Not Selected		
IRQ (interruptaanvraag)	Not Selected	Not Selected	Not Selected	Each device sends its interrupt requests over a specific hardware line, numbered from 0 to 15. Each device must be assigned a unique IRQ number.	
interrupt	Noun	Not Selected	Not Selected	When the processor receives an interrupt, it suspends its current operations, saves the status of its work, and transfers control to a special routine known as an interrupt handler, which contains the instructions for dealing with the particular situation that caused the interrupt.	
interruptaanvraag	Noun	Not Selected	Not Selected	Each device sends its interrupt requests over a specific hardware line, numbered from 0 to 15. Each device must be assigned a unique IRQ number.	
ongeldig	Adjective	Not Selected	Not Selected		[MSTP 4.6] if your document may be available worldwide, 'not valid' is preferred over 'invalid'. Automatic Web translation software may translate 'invalid' incorrectly.Both 'invalid' and 'not valid' are vague words that should be replaced with something more specific wherever possible.
					[MSTP 4.6] if your document may be available worldwide, 'not valid' is preferred over 'invalid'. Automatic Web translation software may translate 'invalid' incorrectly.
omkeren	Verb	Not Selected	Not Selected		
iteratie	Noun	Not Selected	Not Selected		
Java	Noun	Not Selected	Not Selected		
taak	Noun	Not Selected	Singular	[MS Press] Jobs in the queue are often ordered according to some basis of priority.	
join	Noun	Not Selected	Not Selected	Joins tell the program how data is related.	[MSTP 4.6] Do not use to mean "embed." Join, in database terminology, refers to a relationship or association between fields in different tables and should be reserved for that meaning in documentation for database and related products.
joystick	Noun	Not Selected	Not Selected		
uitvulling	Noun	Not Selected	Not Selected		[MSTP 4.6] Use justify only to refer to text that is aligned on both the left and right margins. Use align instead of justify to refer to text that is aligned on only one margin.
uitvullen	Verb	Not Selected	Not Selected		[MSTP] Use justify only to refer to text that is aligned on both the left and right margins. Use align instead of justify to refer to text that is aligned on only one margin.
kilobit	Noun	Not Selected	Not Selected		[MSTP 4.6] Always spell out. Do not use the abbreviation Kbit.
kernel	Noun	Not Selected	Not Selected		
sleutel	Noun	Not Selected	Not Selected		

toets	Noun	Not Selected	Not Selected		
toetsencombinatie	Noun	Not Selected	Singular		[MSTP4.6] Do not use key sequence in content for home users and information workers. Use keyboard shortcut instead. Key sequence is best avoided entirely, but it is permissible in content for software developers when you must distinguish between a key combination and a key sequence. In such cases, use key sequence to denote keys that must be pressed sequentially, and provide a definition.
toegangstoets	Noun	Not Selected	Singular		[MSTP4.6] Do not use in end user documentation. Use keyboard shortcut instead. Access key is best avoided entirely, but it is permissible in developer documentation or in material about customizing the user interface when you must distinguish between an access key and a shortcut key. In such cases, use access key to denote a key sequence used to access a menu item, and provide a definition.
standaardtoetsenbord	Noun	Not Selected	Singular		
standaardtoetsenbord	Noun	Not Selected	Singular		[Tablet PC] Use when necessary to differentiate between hardware keyboard and the on-screen keyboard in Tablet PC Input Panel.
toetsenbordindeling	Noun	Not Selected	Not Selected		
toetsenbordsneltoets	Noun	Not Selected	Not Selected	[BCM] Use the keyboard shortcut F5 to refresh your screen display.	Main and preferred term.[MSTP4.6] Use to describe any combination of keystrokes that can be used to perform a task that would otherwise require a mouse or other pointing device. In developer documentation or in material about customizing the user interface, it is permissible to use access key or shortcut key when it is necessary to distinguish between the two.
toetsenblok	Noun	Not Selected	Not Selected		[MSTP 4.6] Always use numeric keypad for the first reference. Do not use keypad alone unless the context has been established and there's no possibility of confusion with the keyboard. If in doubt, continue to use numeric keypad.In general, avoid making distinctions between the keyboard and the numeric keypad. When the user can press two keys that look the same, be specific in directing the user to the proper key — for example, "press the MINUS SIGN on the numeric keypad, not the HYPHEN key on the keyboard."
numeriek toetsenblok	Noun	Not Selected	Not Selected		[MSTP 4.6] Always use numeric keypad for the first reference. Do not use keypad alone unless the context has been established and there's no possibility of confusion with the keyboard. If in doubt, continue to use numeric keypad.In general, avoid making distinctions between the keyboard and the numeric keypad. When the user can press two keys that look the same, be specific in directing the user to the proper key — for example, "press the MINUS SIGN on the numeric keypad, not the HYPHEN key on the keyboard."
				[Office Online?] Keywords include the names of statements, data types, methods, operators, objects, and predefined functions. Don't use keywords for variable or object names.	
trefwoord	Noun	Neuter	Singular	You can use keywords to index files you created in Microsoft Excel, Word, PowerPoint, and Outlook.; [Works] The user enters a search keyword; the calendar then searches for appointments containing this keyword.	
liggend	Noun	Not Selected	Singular		
taalpakket	Noun	Not Selected	Not Selected		
kB	Noun	Not Selected	Not Selected		[MSTP 4.6] Abbreviate as KB, not K, K byte, or Kbyte. At first mention, spell out and use the abbreviation in parentheses if your audience may not be familiar with the abbreviation.
kilobyte	Noun	Not Selected	Not Selected		[MSTP 4.6] Abbreviate as KB, not K, K byte, or Kbyte. At first mention, spell out and use the abbreviation in parentheses if your audience may not be familiar with the abbreviation.

laag	Noun	Not Selected	Not Selected		
indeling	Noun	Not Selected	Not Selected		
LDAP	Noun	Not Selected	Not Selected		
Lightweight Directory Access Protocol	Noun	Not Selected	Singular		
opvulteken	Noun	Not Selected	Not Selected		
links uitlijnen	Verb	Not Selected	Not Selected		[MSTP] Use to refer to text that is aligned at the left margin. Use align instead of justify to refer to text that is aligned on only one margin.
pijl-links	Noun	Not Selected	Not Selected		
linkeraccolade	Noun	Not Selected	Not Selected		
					[MSTP 4.6] Use the term opening parenthesis or closing parenthesis for an individual parenthesis, not open parenthesis, close parenthesis, beginning parenthesis, ending parenthesis, left parenthesis, or right parenthesis. It is all right to use parenthesis alone if it either does not matter or is unambiguously clear which parenthesis is under discussion.
vierkante haak links	Noun	Not Selected	Singular		
van links naar rechts	Other	Not Selected	Not Selected		
verouderd	Adjective	Not Selected	Not Selected		
kleiner dan-teken	Noun	Not Selected	Not Selected		
					[MSTP 4.6] If used in conjunction with the greater than sign to enclose a character string such an HTML or XML tag, then 'left angle bracket' is all right.
niveau	Noun	Not Selected	Not Selected		
gebruiksrecht	Noun	Not Selected	Not Selected		
regel	Noun	Not Selected	Not Selected		
regeleinde	Noun	Not Selected	Singular		
regelafstand	Noun	Not Selected	Not Selected	Microsoft Office Word adjusts the line spacing to accommodate the largest font or the tallest graphic in that line.	
gekoppeld object	Noun	Not Selected	Not Selected		
keuzelijst	Noun	Not Selected	Not Selected		List box is a generic term for any type of dialog box option containing a list of items the user can select. In text and procedures, refer to a list box by its label and the word list, not list box.
lijstscheidingsteken	Noun	Not Selected	Singular		
lokale groep	Noun	Not Selected	Not Selected		
landinstellingen	Noun	Not Selected	Not Selected		

logboekbestand	Noun	Not Selected	Not Selected		
afmelden	Verb	Not Selected	Not Selected		[MSTP 4.6] Use sign in and sign out to refer to creating and ending a user session for an Internet account. Use log on and log off to describe creating and ending a user session for a computer or intranet user account.
aanmelden	Verb	Not Selected	Not Selected		[MSTP 4.6] Use sign in and sign out to refer to creating and ending a user session for an Internet account. Use log on and log off to describe creating and ending a user session for a computer or intranet user account.
logboekregistratie	Noun	Not Selected	Not Selected		
logo	Noun	Not Selected	Not Selected		
herhalen	Verb	Not Selected	Not Selected		
kleine letters	Noun	Not Selected	Not Selected		[MSTP 4.6] One word. Do not use 'lowercased'. Avoid using as a verb.
macro	Noun	Not Selected	Singular	[Office Online] You can run a macro directly, in a macro group, from another macro or an event procedure, or in response to an event on a form or report.	
vergrootglas	Noun	Not Selected	Singular		The term is "Magnifier". A bug (PS 1574193 in Windows OS Bugs) is opened to replace instances of "Screen Magnify" and "Microsoft Screen Magnify" with "Magnifier."
e-mailgeadresseerde	Noun	Not Selected	Singular		
postvak	Noun	Not Selected	Not Selected	Your administrator sets up a mailbox for each user. If you designate a personal folder file as your e-mail delivery location, messages are routed to it from your mailbox. [Outlook]	
adresetiket	Noun	Not Selected	Singular		Address data for mailing labels is often pulled from a data source through a mail merge.
hoofddocument	Noun	Not Selected	Not Selected	[Office Online] To format merged data, you must format the merge fields in the main document. Don't format the data in the data source, because its formatting isn't retained when you merge the data into the document.	
laptop	Noun	Not Selected	Singular		
laptopcomputer	Noun	Not Selected	Not Selected		
laptopcomputer	Noun	Not Selected	Singular		
LCD	Noun	Not Selected	Not Selected		
Liquid Crystal Display	Noun	Not Selected	Not Selected		
MAPI	Noun	Not Selected	Not Selected		

Message Application Programming Interface	Noun	Not Selected	Singular		
marge	Noun	Not Selected	Not Selected	[Office Online] In general, you insert text and graphics in the printable area inside the margins. However, you can position some items in the margins — for example, headers, footers, and page numbers.	
paginamarge	Noun	Not Selected	Singular	[Office Online] Use the default page margins or specify your own.	
				View markup when you want to process tracked changes and comments. Print a document with markup to keep a record of changes made to a document.	
lichtkrant	Noun	Not Selected	Not Selected	[Office Online] To place a marquee on a page, create a scrolling text control.	
hoofdsleutel	Noun	Not Selected	Singular		
maximaliseren	Verb	Not Selected	Not Selected		
media	Noun	Not Selected	Not Selected		
mediaclip	Noun	Not Selected	Singular		
clip	Noun	Not Selected	Singular		
mediabestand	Noun	Not Selected	Singular		
menu	Noun	Neuter	Singular		
menubalk	Noun	Not Selected	Not Selected		
menuknop	Noun	Not Selected	Not Selected		
berichtkop	Noun	Not Selected	Singular		
metagegevens	Noun	Not Selected	Plural	[Business Scorecard Manager] The server on which the Business Scorecard Manager Server database is installed hosts the scorecard metadata, including all scorecard elements and permissions. [Duet] Duet metadata refers to application-specific metadata provided to or by the Duet Metadata Service that describes services and applications. In Duet, metadata describes entities: how to obtain instance information, relationships to other entities, actions that can be executed for an entity, and how to determine whether actions and navigation can be executed for the instance of the entity.	
migreren	Verb	Not Selected	Not Selected		
minimuminstallatie	Noun	Not Selected	Not Selected		
modaal dialoogvenster	Noun	Not Selected	Singular		[Vista UI string] modal dialog
modus	Noun	Not Selected	Not Selected		
wijzigingstoets	Noun	Not Selected	Not Selected		
monitor	Noun	Not Selected	Not Selected		[MSTP 4.6] Use screen to refer to the graphic portion of a monitor. Use display as a general term for any visual output device, such as a flat-panel display on a portable computer.
muis	Noun	Not Selected	Not Selected	By moving the mouse on a surface (such as a desk top), the user typically controls an on-screen cursor.	
knop	Noun	Not Selected	Singular		
muisknop	Noun	Not Selected	Not Selected		
muisklik	Noun	Not Selected	Not Selected		
muissneltoets	Noun	Not Selected	Singular		
MS-DOS	Noun	Not Selected	Not Selected		

MS-DOS-besturingssysteem	Noun	Not Selected	Not Selected		
Microsoft Disk Operating System	Noun	Not Selected	Not Selected		
meervoudige selectie	Noun	Not Selected	Not Selected		
n.v.t.	Other	Not Selected	Not Selected		
n.v.t.	Other	Not Selected	Not Selected		
niet van toepassing	Noun	Not Selected	Not Selected		
navigeren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use to refer to the act of going from place to place on the World Wide Web or on an intranet Web. Use browse instead.
navigatiebalk	Noun	Not Selected	Not Selected		
navigatiedeelvenster	Noun	Not Selected	Singular	In a Help window, the navigation pane would contain links to the Table of Contents, the Answer Wizard, and the Index. In an Outlook window, the navigation pane would include panes such as Mail, Calendar, Contacts, Tasks, and the shortcuts or folders within each pane.	
negatieve inspringing	Noun	Not Selected	Not Selected		
netwerk	Noun	Not Selected	Singular		
netwerkadapter	Noun	Not Selected	Not Selected		
netwerkbeheerder	Noun	Not Selected	Not Selected		
netwerkstation	Noun	Not Selected	Not Selected		
bijnaam	Noun	Not Selected	Not Selected		
knooppunt	Noun	Not Selected	Not Selected		
knooppunt	Noun	Not Selected	Not Selected		
vast afbreekstreepje	Noun	Not Selected	Not Selected		
niet-afdrukbaar teken	Noun	Not Selected	Not Selected	[MSTP 4.6] When you click Show/Hide, Word displays all nonprinting characters, including paragraph marks and space marks.	
normale weergave	Noun	Not Selected	Singular	[Word] Normal view is convenient for most editing and formatting tasks.	
stysteemvak	Noun	Not Selected	Singular		
stysteemvak	Noun	Not Selected	Singular		
NTFS	Noun	Not Selected	Not Selected		
NTFS-bestandssysteem	Noun	Not Selected	Not Selected		
klasse	Noun	Not Selected	Singular		

objectklasse	Noun	Not Selected	Not Selected		
OLE	Noun	Not Selected	Not Selected		
Object Linking and Embedding	Noun	Not Selected	Not Selected		
OCR	Noun	Not Selected	Not Selected		
Optical Character Recognition	Noun	Not Selected	Not Selected		
ODBC-stuurprogramma	Noun	Not Selected	Not Selected		
offline	Adjective	Not Selected	Not Selected		
offline	Adjective	Not Selected	Not Selected	[Budapest - Office Communicator Web Access] A user who is offline (i.e. not connected to the instant messaging system) may still be able to receive calls or e-mail. [BCM] Could not connect to Shared Database; you will be connected to the local offline database. [CRM] The offline network status indicates a client is not connected to a server and data is not being updated between the client and the server.	
OLAP	Noun	Not Selected	Singular	[Maestro?] You can deny certain users access to specific dimensions within a cube by using Analysis Service roles with OLAP cubes. [Axapta] Examples of uses of online analytical processing (OLAP) are for business reporting of sales and marketing or budgeting and forecasting.	
Online Analytical Processing	Noun	Not Selected	Not Selected		
OLE-object	Noun	Not Selected	Not Selected	[Office Online] An OLE object from an OLE server (for example, a Windows Paint picture or a Microsoft Excel spreadsheet) can be linked or embedded in a field, form, or report.	
online	Adjective	Not Selected	Not Selected		
online	Adjective	Not Selected	Not Selected		
besturingssysteem	Noun	Not Selected	Not Selected		
bewerking	Noun	Not Selected	Not Selected		
operator	Noun	Not Selected	Not Selected		
optimaliseren	Verb	Not Selected	Not Selected		
keuzerondje	Noun	Not Selected	Not Selected	[Office Online] Make sure that the controls in your option group are option buttons. You can use check boxes in an option group on a form, but not in an option group on a data access page.	
keuzerondje	Noun	Not Selected	Not Selected		
opties	Noun	Not Selected	Not Selected		
rangtelwoord	Noun	Not Selected	Not Selected	[MSTP 4.6] Spell out ordinal numbers in text, even when more than nine; that is, do not use 1st, 2nd, 12th, and so on.	
organigram	Noun	Not Selected	Singular		
organigram	Noun	Not Selected	Singular		
postvak UIT	Noun	Not Selected	Not Selected		
overzicht	Verb	Not Selected	Not Selected		
pagina-einde	Noun	Not Selected	Singular	Excel inserts automatic page breaks based on the paper size, margin settings, scaling options, and the positions of any manual page breaks that you insert.	
PageDown-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
PageUp-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.

				[Office Online] If you want to repeatedly run the same query, but with different values at different times, you can use a parameter query.	
pariteit	Noun	Not Selected	Not Selected		
parseren	Noun	Not Selected	Not Selected		
partitie	Noun	Not Selected	Singular		
schijfpartitie	Noun	Not Selected	Singular	[Vista] It is included on the installation media or provided in a separate disk partition used for recovery. The disk partition does not support file encryption.	
plakken	Verb	Not Selected	Not Selected	[Vista] If you want to paste an item to a new page, create the new page before you paste the item.	
pad	Noun	Not Selected	Not Selected		
patroon	Noun	Not Selected	Not Selected		
onderbreken	Verb	Not Selected	Not Selected		
PCT	Noun	Not Selected	Not Selected		
Private Communication Technology	Noun	Not Selected	Not Selected		
peer	Noun	Not Selected	Singular		
pincode	Noun	Not Selected	Singular		
pincode	Noun	Not Selected	Singular		
PAE (physical address extension)	Noun	Not Selected	Not Selected		
extensie van fysiek adres	Noun	Not Selected	Not Selected		
cirkeldiagram	Noun	Not Selected	Not Selected		
tijdelijke aanduiding	Noun	Not Selected	Not Selected	[CRM 3.0 Mobile] Any lead records referenced are shown as placeholders, because lead records are not available with Microsoft CRM Mobile. The reference is shown as dimmed in forms, and in angle brackets (< >) in lists.	
tekst zonder opmaak	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'plaintext' only to refer to nonencrypted or decrypted text in material about encryption. Use 'plain text' to refer to ASCII files.
niet-gecodeerde tekst	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'plaintext' only to refer to nonencrypted or decrypted text in material about encryption. Use 'plain text' to refer to ASCII files.
niet-gecodeerde tekst	Noun	Not Selected	Not Selected		
speler	Noun	Masculine	Singular		[andreaa] Term no longer used in Windows Media Player (7/2005). [duanedo] Term now used in Windows Media Player Mobile (3/2006).
afspeellijst	Noun	Masculine	Singular		
invoegtoepassing	Noun	Not Selected	Not Selected		
plusminus	Noun	Not Selected	Not Selected		
punt	Noun	Not Selected	Not Selected		

aanwijsapparaat	Noun	Not Selected	Not Selected		Be careful to note that sometimes the U.S. writers use the term mouse/mice to represent the concept in this entry.
PPP	Noun	Not Selected	Not Selected	[CRM 3.0 Mobile] PPP Network Settings: If the mobile user will be using a modem for a dial-up connection to your network, this item sets up account, location, and network information.	[CRM 3.0 Mobile] CRM uses this term in the narrower sense of dial-up connections: A communications protocol that allows a computer to connect to other computers over a standard dial-up telephone line using a high-speed modem.
Point-to-Point Protocol	Noun	Not Selected	Not Selected		
PPPoE	Noun	Not Selected	Not Selected		
Point-to-Point Protocol over Ethernet	Noun	Not Selected	Not Selected		
poort	Noun	Not Selected	Not Selected		
draagbare computer	Noun	Not Selected	Not Selected		
staande richting	Noun	Feminine	Singular		
staand	Noun	Not Selected	Singular		
posten	Verb	Not Selected	Not Selected		
postcode	Noun	Not Selected	Not Selected		
					[MSTP 4.6] Refer to this character as 'number sign' in most cases, but 'pound key' when referring to the telephone.
primaire sleutel	Noun	Not Selected	Not Selected	[Office Online] A primary key is used to relate a table to foreign keys in other tables.	
primaire muisknop	Noun	Not Selected	Singular		
PRINT-SCRN-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
printer	Noun	Not Selected	Not Selected		
printer	Noun	Not Selected	Not Selected		
privacy	Noun	Not Selected	Not Selected		
procedure	Noun	Not Selected	Not Selected	[Office Online] By extending your database to include Microsoft Visual Basic procedures, you can customize the way the tables, forms, reports, and queries in your database work together.	
productcode	Noun	Not Selected	Not Selected	[OPK] The product key may be found on the back of the installation CD or DVD cover, on the back of the Windows manual, or on the back of the computer.	
programma	Noun	Not Selected	Not Selected		
toepassing	Noun	Not Selected	Not Selected		
eigenschap	Noun	Not Selected	Not Selected		

beveiligen	Verb	Not Selected	Not Selected		
protocol	Noun	Not Selected	Not Selected	[OPK] In OPK, protocol refers to a set of rules and conventions for sending information over a network. These rules govern the content, format, timing, sequencing, and error control of messages exchanged among network devices.	
publiceren	Verb	Not Selected	Not Selected	[CRM 3.0 Mobile] The Microsoft CRM Mobile administrator can publish new or modified forms and views to Microsoft CRM Mobile users by using CRM Mobile Customization. Changes are not visible to mobile users until they are published.[InfoPath] You can publish a form template by performing tasks such as sending it in an e-mail message or saving it to a SharePoint site or other shared location.	
query	Noun	Not Selected	Not Selected	[Visual Studio Team System] A query is a named set of criteria that Visual Studio Team Foundation uses to display work items	
vraagteken	Noun	Not Selected	Not Selected		
wachtrij	Noun	Not Selected	Singular		
RAM	Noun	Not Selected	Not Selected		
random access memory	Noun	Not Selected	Not Selected		
ROM	Noun	Not Selected	Not Selected		
ROM	Noun	Not Selected	Not Selected		
opnieuw opstarten	Verb	Not Selected	Not Selected		
opnieuw opstarten	Verb	Not Selected	Not Selected		
record	Noun	Not Selected	Not Selected		
					A record is more commonly called a row in an SQL database.
prullenbak	Noun	Not Selected	Not Selected		
RGB	Noun	Not Selected	Not Selected		
rood-groen-blauw	Not Selected	Not Selected	Not Selected		
vernieuwen	Verb	Not Selected	Not Selected	[Office Online] In an Access database (.mdb), refreshing records only updates the data that already exists in your datasheet or form. It doesn't reorder records, display new records, or remove deleted records and records that no longer meet specified criteria. To perform those tasks, requery the records.	
register	Noun	Not Selected	Not Selected		
betrouwbaarheid	Noun	Not Selected	Not Selected		
externe toegang	Noun	Not Selected	Not Selected		

replicatie	Noun	Not Selected	Not Selected		
bron	Noun	Not Selected	Not Selected		
terugzetten	Verb	Not Selected	Not Selected		
terugdraaiactie	Noun	Not Selected	Singular	[Vista] Do you want to continue with the rollback?	
hoofdmap	Noun	Not Selected	Not Selected		
hoofdmap	Noun	Not Selected	Singular		
router	Noun	Not Selected	Not Selected	Routers find the quickest paths for sending information, which makes network connections faster. Routers can be wired or wireless.	
rij	Noun	Not Selected	Not Selected		
opslaan	Verb	Not Selected	Not Selected		
schaal aanpassen	Verb	Not Selected	Not Selected	[Works] The image can be scaled, or sized, to fit appropriately.	
scannen	Verb	Not Selected	Not Selected		
scanner	Noun	Not Selected	Not Selected		
schema	Noun	Not Selected	Not Selected		
beeldscherm	Noun	Not Selected	Not Selected		
SCROLL-LOCK-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
schuiven	Verb	Not Selected	Not Selected	This setting determines the distance you will cover when scrolling the wheel quickly. For example, if you select a Fast setting and then roll the wheel quickly, you will be able to scroll through long documents more quickly with less effort.	
schuifbalk	Noun	Not Selected	Not Selected		
schuifblok	Noun	Not Selected	Singular		
zoekactie	Noun	Not Selected	Not Selected		
zoekprogramma	Noun	Not Selected	Not Selected		[MSTP 4.6] Acceptable in content for software developers or information technology professionals to refer to a program that searches for keywords in documents or in a database. The term is now used most often in connection with services and programs that search the Internet. Avoid in content for home users and information workers. Refer instead to the action itself ("Search for interesting Web sites") or use search service or search page.
beveiliging	Noun	Not Selected	Not Selected	[Vista Packaging] Enhanced security with Windows Defender and User Account Control.	
SID	Noun	Not Selected	Not Selected		
beveiligings-id	Noun	Not Selected	Not Selected		

beveiligings-id	Noun	Not Selected	Not Selected		
selecteren	Verb	Not Selected	Not Selected		[MSTP 4.6] Do not use 'highlight' as a synonym for select. Selecting is a standard procedure, and highlight can often be confused with product features such as text highlighters that only provide visual emphasis. Do not use 'pick' as a synonym for select.
verzenden	Verb	Not Selected	Not Selected		
serienummer	Noun	Not Selected	Singular		
service	Noun	Not Selected	Not Selected		
instelling	Noun	Not Selected	Not Selected		
delen	Verb	Not Selected	Not Selected	[Vista Packaging] Enjoy your favorite entertainment on your PC and share it throughout the home on devices including Xbox 360.; [Works] You can share an appointment with other calendars.	
gedeelde map	Noun	Not Selected	Not Selected		
shell	Noun	Not Selected	Not Selected	No editor for files of this type is registered with the shell.	
SHIFT-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
snelkoppeling	Noun	Not Selected	Not Selected		Do not use as a synonym for hyperlink.
sneltoets	Noun	Not Selected	Singular		[MSTP] Do not use content for home users or information workers. Use keyboard shortcut instead. Shortcut key is best avoided entirely, but it is permissible in developer documentation or in material about customizing the user interface when you must distinguish between an access key and a shortcut key. In such cases, use shortcut key to denote a key combination used to perform a command, and be sure to provide a definition. If you must use shortcut key, use the singular form when only one key is required: "the shortcut key F1." Otherwise, use the plural: "the shortcut keys CTRL+N." [Avalon] Note that Office uses this term with a slightly different concept.
toetsencombinatie	Noun	Not Selected	Singular		[MSTP4.6] Do not use key combination as a term in content for home users and information workers. Use keyboard shortcut instead. Key combination is best avoided entirely, but it is acceptable in content for software developers when you must distinguish between a key combination, in which two or more keys are pressed simultaneously (such as CTRL+P), and a key sequence. In such cases, provide a definition for key combination.
afsluiten	Verb	Not Selected	Not Selected	[MSTP 4.6] This action shuts down Windows so that you can safely turn off the computer power. Many computers turn the power off automatically.	[MSTP 4.6] Do not use shut down to refer to turning off the power to a computer. Do not use shut down as a synonym for close or exit.
afsluiten	Noun	Not Selected	Not Selected	[MSTP 4.6] The accidental shutdown may have corrupted some files.	
aanmelden	Verb	Not Selected	Not Selected		Do not confuse with "log on". [MSTP 4.6] Use sign in and sign out to refer to creating and ending a user session for an Internet account. Use log on and log off to describe creating and ending a user session for a computer or intranet user account.
afmelden	Verb	Not Selected	Not Selected		Do not confuse with "log off". [MSTP 4.6] Use sign in and sign out to refer to creating and ending a user session for an Internet account. Use log on and log off to describe creating and ending a user session for a computer or intranet user account.
eenmaal klikken	Other	Not Selected	Not Selected		
formaatgreep	Noun	Not Selected	Singular		
slaapstand	Noun	Not Selected	Not Selected		Both Standby and Hibernate are considered sleep states. We're intentionally abstracting the difference between Standby and Hibernate, and just calling these "sleep" in the top level UI, in an attempt to simplify power management for most users. Underneath, Windows will just "do the right thing". Advanced users that know the difference can still find and choose the specific standby and hibernate states.
				[MS Press] A computer in sleep mode usually awakens when it receives an input signal from a user or a network, such as a keyboard entry or an incoming call through a modem. Many battery-powered devices, including portable computers, support sleep mode.	
schuifregelaar	Noun	Not Selected	Not Selected	A slider control, also called a trackbar control, lets a user select from a range of values by moving a slider. The volume controls in the Windows operating system are slider controls.	

klein kapitaal	Noun	Not Selected	Not Selected		
smartcard	Noun	Not Selected	Singular		
sorteren	Verb	Not Selected	Not Selected		
geluidskaart	Noun	Not Selected	Not Selected		
bron	Noun	Not Selected	Not Selected		
gegevensbron	Noun	Not Selected	Singular	[InfoPath 2003 Glossary] The main data source contains Extensible Markup Language (XML) data that is saved with the form. A secondary data source contains XML data retrieved through a data connection, from an external location, such as a database. Controls on a form are bound to the fields and groups in a data source.	
spatiebalk	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted. Precede with 'the' except in procedures, key combinations, or key sequences.
spraakherkenning	Noun	Not Selected	Not Selected		
spraakherkenning	Noun	Not Selected	Not Selected		Voice recognition is sometimes used as a synonym of voice identification.
splitsbalk	Noun	Not Selected	Singular		
splitsvak	Noun	Not Selected	Singular		
					[MSTP 4.6] Do not use as a synonym for worksheet. A spreadsheet is a computer accounting program, such as Microsoft Excel; a worksheet is the document produced by a spreadsheet program.
spreadsheetprogramma	Noun	Not Selected	Singular	[MSTP 4.6] A worksheet is the document produced by a spreadsheet program.	
SQL	Noun	Not Selected	Not Selected		[MSTP 4.6] When referring to Structured Query Language, SQL is pronounced "es-cue-el" and takes the article an—for example, "an SQL database."As part of the name Microsoft SQL Server, SQL is pronounced "sequel."
Structured Query Language	Noun	Not Selected	Not Selected		
standaarddeviatie	Noun	Not Selected	Not Selected		
stand-by	Adjective	Not Selected	Not Selected		We're intentionally abstracting the difference between Standby and Hibernate, and just calling these "sleep" in the top level UI, in an attempt to simplify power management for most users. Underneath, Windows will just "do the right thing". Advanced users that know the difference can still find and choose the specific standby and hibernate states.
opstarten	Noun	Not Selected	Not Selected		[MSTP 4.6] Avoid 'startup' as a noun in content written for home users or information workers. Write around it if possible. It is all right to use 'startup' as a noun in content written for developers or information technology professionals.
status	Noun	Not Selected	Not Selected		
statisch	Adjective	Not Selected	Not Selected		
statusbalk	Noun	Not Selected	Singular		
stoppen	Verb	Not Selected	Not Selected		

opgeslagen procedure	Noun	Not Selected	Not Selected	[Office Online] Stored procedures can contain program flow, logic, and queries against the database. They can accept parameters, output parameters, return single or multiple result sets, and return values. You can use stored procedures for any purpose for which you would use SQL statements, with these advantages: -You can execute a series of SQL statements in a single stored procedure. -You can reference other stored procedures from within your stored procedure, which can simplify a series of complex statements. -The stored procedure is compiled on the server when it is created, so it executes faster than individual SQL statements.	
gegevensstroom	Noun	Not Selected	Not Selected		
doorhalen	Verb	Not Selected	Not Selected		[MSTP 4.6] Not 'strikeout' or 'lineout'.
tekenreeks	Noun	Not Selected	Not Selected		
opmaakmodel	Noun	Not Selected	Singular	[Axapta] The style sheet specifies the fonts and colors to use on the Web page.	
ondersteuning	Noun	Not Selected	Not Selected	[Vista Packaging] Get better support for laptop computers, including easier, safer access to wireless networks.	
Synchronisatiebeheer	Noun	Not Selected	Not Selected		
synchronisatiebeheer	Noun	Not Selected	Not Selected		[GTMT] In Microsoft® Windows® 2000 and later versions of the operating system, a centralized location for the user to synchronize all offline data that is personally owned. A centralized, standard technology for synchronizing files for offline use on either a mobile computer or a computer connected to a local area network that has latency issues.
Synchronisatiebeheer	Noun	Not Selected	Not Selected	[Vista] Full synchronization ensures that offline files are complete and current. Enabling this setting automatically enables logon synchronization in Synchronization Manager.	Note: capitalization in Vista.
synoniem	Noun	Not Selected	Not Selected		
syntaxis	Noun	Not Selected	Not Selected		
syntaxisfout	Noun	Not Selected	Singular		
systeem	Noun	Not Selected	Not Selected	[Office12 Packaging] Works with the Microsoft Office system of products.	
sysadmin	Noun	Not Selected	Singular		
systeembeheerder	Noun	Not Selected	Singular		
beheerder	Noun	Not Selected	Singular		Commerce Server uses the term "administrator" for this concept.
taal voor niet-Unicode-programma's	Noun	Not Selected	Singular		string
systeemmenu	Noun	Not Selected	Not Selected		
tabteken	Noun	Not Selected	Not Selected		

TAB-toets	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all uppercase unless otherwise noted.
tabel	Noun	Not Selected	Not Selected	[MS Press] The table is the underlying structure of a relation.[Office Online] A table is a collection of data about a specific topic, such as products or suppliers. Using a separate table for each topic means that you store that data only once. This results in a more efficient database and fewer data-entry errors.	
tikken	Verb	Not Selected	Not Selected	You can find Help for Office XP Pack for Tablet PC in the Help menu in Microsoft Word, Microsoft PowerPoint, and Microsoft Excel. To open Tablet Pack Help, you can also click or tap Start, point to All programs, point to Microsoft Office XP Pack for Table	
takenlijst	Noun	Not Selected	Not Selected		
taakbalk	Noun	Not Selected	Singular	[Vista] On the Windows taskbar, tap Tablet PC Input Panel.	
taakbalkknop	Noun	Not Selected	Not Selected		
TCP/IP	Noun	Not Selected	Not Selected		
Transmission Control Protocol/Internet Protocol	Noun	Not Selected	Not Selected		
sjabloon	Noun	Not Selected	Singular	You can create templates for workbooks and worksheets. The default template for workbooks is called Book.xlt. The default template for worksheets is called Sheet.xlt.	
TB	Noun	Not Selected	Not Selected		MSTP 4.6 says do not abbreviate this term
terabyte	Noun	Not Selected	Not Selected		
tekstframe	Noun	Not Selected	Not Selected		
TDD	Noun	Not Selected	Singular		
teksttelefoon	Noun	Not Selected	Singular		
Microsoft-teksttelefoon	Noun	Not Selected	Singular		
tekstterugloop	Noun	Not Selected	Mass		
TTS	Adjective	Not Selected	Not Selected	[Vista] TTS Voices.	
tekst-naar-spraak	Other	Not Selected	Not Selected	[Vista] You can control the voice properties, speed, and other options for text-to-speech translation.	
thema	Noun	Not Selected	Not Selected	[Office12 Packaging] PowerPoint: Create dynamic business presentations faster with new themes, layouts, and styles.	
thread	Noun	Not Selected	Not Selected		

discussielijn	Noun	Not Selected	Not Selected		
					[MSTP 4.6] Three-dimensional is preferred, but 3-D is acceptable. Spell out at first mention. Use 3-D in tables and indexes and where space is a problem, as well as to reflect the product interface.
driedimensionaal	Adjective	Not Selected	Not Selected		[MSTP 4.6] Three-dimensional is preferred, but 3-D is acceptable. Spell out at first mention. Use 3-D in tables and indexes and where space is a problem, as well as to reflect the product interface.
miniatuur	Noun	Feminine	Singular		
tijdstempel	Noun	Not Selected	Singular		
tint	Noun	Not Selected	Not Selected		
tip	Noun	Not Selected	Not Selected		
titelbalk	Noun	Not Selected	Not Selected		
wisseltoets	Noun	Masculine	Singular		
werkbalkknop	Noun	Not Selected	Not Selected		
topologie	Noun	Not Selected	Not Selected		
replicatietopologie	Noun	Not Selected	Not Selected		
nummer	Noun	Neuter	Singular		
bijhouden	Verb	Not Selected	Not Selected		
overbrengen	Verb	Not Selected	Not Selected		Term no longer used in Powerline 1.0 (August 2005)
verzending	Noun	Not Selected	Not Selected		
structuur	Noun	Feminine	Singular		
					[MSTP 4.6] Two-dimensional is preferred, but 2-D is acceptable. Spell out at first mention. Use 2-D in tables and indexes and where space is a problem, as well as to reflect the product interface.
tweedimensionaal	Adjective	Not Selected	Not Selected		[MSTP 4.6] Two-dimensional is preferred, but 2-D is acceptable. Spell out at first mention. Use 2-D in tables and indexes and where space is a problem, as well as to reflect the product interface.
onderstrepingssteken	Noun	Not Selected	Singular		[MSTP 4.6] Use 'underline' to refer to text formatting with underlined characters or to formatting. Use underscore to refer to the underscore character (_).
Unicode	Noun	Not Selected	Not Selected		
installatie ongedaan maken	Verb	Not Selected	Not Selected		
verwijderen	Verb	Not Selected	Not Selected		
site	Noun	Not Selected	Not Selected		
website	Noun	Not Selected	Not Selected		MSTP 4.5 says this is the proper form (two words, capital W). August 2005
bijwerken	Verb	Not Selected	Not Selected		[MSTP 4.6] Use instead of refresh to describe the action of an image being restored or the screen or data in a table being updated.
in hoofdletters	Other	Not Selected	Not Selected		[MSTP 4.6] One word. Do not use 'uppercased'. Avoid using as a verb.
gebruikersprofiel	Noun	Not Selected	Singular		
gebruiker	Noun	Not Selected	Singular	[CRM 3.0 Mobile] A user can create any record he or she has permission to create even if it is not in the data set for any of the user's subscriptions.	

rechten	Noun	Not Selected	Plural		
gebruikersrechten	Noun	Not Selected	Not Selected		[MSTP 4.6] Use 'user rights' only to refer to Microsoft Windows security policies that apply to individual user accounts or administrative groups. The system administrator manages user rights through the User Rights Assignment snap-in. User rights are assigned, not granted or allowed. Do not use privilege as a synonym for user right.
gebruikersvriendelijk	Adjective	Not Selected	Not Selected		
validatiereg	Noun	Not Selected	Not Selected	[Office Online] You can verify that data is entered correctly into a control on a form or into a field in a table by setting a property for the control, or by setting record or field validation rules in the underlying table.	
waarde	Noun	Not Selected	Not Selected		
versie	Noun	Not Selected	Not Selected	[Visual Studio Team System] The version number in source control reflects one or more changes from a previous form. The greater the version number, the more recent the version. Review the differences between the two file versions and choose the change you want to retain in the merge by selecting it. [Vista Packaging] The preferred version of Windows Vista.	
verticaal uitlijnen	Noun	Not Selected	Not Selected		
verticale streep	Noun	Not Selected	Singular		
weergeven	Verb	Not Selected	Not Selected	[Works] To view Address Book contacts, click the Contacts tab.	
weergave	Noun	Not Selected	Not Selected	[CRM 3.0 Mobile] Records that contain the data for each view that you subscribed to are copied to your device during synchronization. [CRM 3.0 Mobile] The fields in a view can come from any field in the record type, and can also come from fields in related record types.	
weergave	Noun	Not Selected	Singular	[BCM] In Business Contact Manager for Outlook, you can also create custom views. [Outlook] Views give you different ways to look at the same information in a folder by putting it in different arrangements and formats. There are standard views for each folder. You can also create custom views. [InfoPath] Users can switch between views to choose the amount of data shown in the form.	
slash	Noun	Not Selected	Not Selected		[MSTP 4.6] To refer to a slash in documents, it may be useful to differentiate between a "forward slash" for URLs and a "backward slash" for servers and folders.
slash	Noun	Not Selected	Not Selected		[MSTP 4.6] To refer to a slash in documents, it may be useful to differentiate between a "forward slash" for URLs and a "backward slash" for servers and folders.
				[MSTP 4.6] You can also use a slash mark between the numerator and denominator of fractions in equations that occur in text.	[MSTP 4.6] Do not use constructions containing a slash mark to indicate a choice, such as either/or and he/she (and/or is acceptable, if necessary). Do not use a slash mark as a substitute for or. If the user interface uses a slash in this way, follow the interface in describing the label, but use or in describing the corresponding action.
virtueel	Adjective	Not Selected	Not Selected	[MSTP 4.6] A virtual disk performs like a physical disk but is actually a part of the computer's memory. Some other virtual devices or services are virtual machine, virtual memory, and virtual desktop.	[MSTP 4.6] Use the term only to refer to a specific element. Avoid in content for home users and information workers.
virtueel adres	Noun	Not Selected	Not Selected		
virusbeveiliging	Noun	Not Selected	Mass		
				[Office Online] A replica's visibility type determines several issues for the replica. For instance, a replica's visibility determines what type of replicas you can create from it, whether it can act as the Design Master in the replica set, and how it handles conflicts during synchronization. Visibility also determines which replicas that replica can synchronize with. You can't change a replica's visibility once you create the replica.	
volume	Noun	Not Selected	Not Selected		
volume	Noun	Not Selected	Not Selected	A very useful report to run is the Duplicate Files report. This report not only lists all duplicate files in a volume or folder but also presents statistical data related to the space these duplicate files occupy on disk.	

W3	Noun	Not Selected	Not Selected		
WWW	Noun	Not Selected	Not Selected		
Web	Noun	Not Selected	Not Selected		Spelling for Longhorn as of 2004-09-22. We are using web, webpage, website, etc., in Vista.Dec 2005: MS Editorial Style Board is aware that this spelling does not conform to current MSTP guidelines.
World Wide Web	Noun	Not Selected	Not Selected		

Web	Noun	Not Selected	Not Selected		The Longhorn OPK glossary project is sticking with MSTP, capitalizing Web.
achtergrond	Noun	Not Selected	Not Selected		
warm opstarten	Verb	Not Selected	Singular		
warm opstarten	Verb	Not Selected	Singular		
zacht opnieuw opstarten	Noun	Not Selected	Singular		
zacht opstarten	Noun	Not Selected	Singular		
watermerk	Noun	Not Selected	Not Selected		
browser	Noun	Not Selected	Not Selected		
webbrowser	Noun	Not Selected	Not Selected		Note that Web is capitalized.
jokerteken	Noun	Not Selected	Not Selected	You can search for words or phrases, and use wildcard characters in search queries. The following table provides examples of the query expressions you can use and the expected results.	[MSTP 4.6] Wildcard is one word. Always use the word 'character' with wildcard when referring to a keyboard character that can be used to represent one or many characters, such as the * or ?
jokerteken	Noun	Not Selected	Not Selected	If you want to use wildcards, click the right arrow beside the input area. You can insert any of the following wildcards: Any Character, Any Digit, or Any Character, 0 or More Matches.	According to MSTP 4.6, 'wildcard' should always be followed by the word 'character'. It appears usage in MOM does not conform to these guidelines.
jokerteken	Noun	Not Selected	Not Selected		
venster	Noun	Not Selected	Not Selected		
Windows Verkenner	Noun	Not Selected	Not Selected		
Windows Installer	Proper Noun	Not Selected	Singular		
draadloos	Adjective	Not Selected	Not Selected		
draadloos LAN-netwerk	Noun	Neuter	Singular		
wizard	Noun	Not Selected	Not Selected	The wizard will help you add computer use time now.	
tekstverwerking	Noun	Not Selected	Not Selected		
tekstverwerker	Noun	Not Selected	Not Selected		
tekstterugloop	Noun	Not Selected	Not Selected		
tekstterugloop	Noun	Not Selected	Not Selected		[MSTP 4.6] One word (wordwrap). It's acceptable to use wordwrapping, as in "turn off wordwrapping."

tekstterugloop	Noun	Not Selected	Not Selected		
werkmap	Noun	Not Selected	Singular		
werkgroep	Noun	Not Selected	Singular	[Windows] When you set up a network, Windows automatically creates a workgroup and gives it a name.	
peer-to-peer-netwerk	Noun	Not Selected	Singular		
werkblad	Noun	Not Selected	Singular		
schrijven	Verb	Not Selected	Not Selected		
schrijftoegang	Noun	Not Selected	Not Selected		
tegen schrijven beveiligen	Other	Not Selected	Not Selected		[MSTP 4.6] Always hyphenated. Use 'write-protect', not 'lock', to refer to the action of protecting disks from being overwritten.
					[MSTP 4.6] Always hyphenated. When used as a verb, use write-protect. When used as an adjective, use write-protected.
inzoomen	Verb	Not Selected	Not Selected		
inzoomen	Verb	Not Selected	Not Selected		
uitzoomen	Not Selected	Not Selected	Not Selected		
AVI	Noun	Not Selected	Not Selected		
Audio Video Interleaved	Noun	Not Selected	Not Selected		
breedband	Noun	Not Selected	Not Selected		
breedbandnetwerk	Noun	Not Selected	Singular		
hoofdstuk	Noun	Not Selected	Not Selected		
cd-r	Noun	Not Selected	Not Selected		
cd-recordable	Noun	Not Selected	Not Selected		
CD-RW	Noun	Not Selected	Not Selected		
cd-rewritable	Noun	Not Selected	Not Selected		
8-bits kleuren	Noun	Not Selected	Not Selected		PhotoDraw is a discontinued product
absolute koppeling	Noun	Not Selected	Not Selected		
absolute plaatsing	Noun	Not Selected	Not Selected		

absolute plaatsing	Noun	Not Selected	Not Selected		
toegankelijkheidsfuncties	Noun	Not Selected	Not Selected		
actieargument	Not Selected	Not Selected	Not Selected		
actierij	Noun	Not Selected	Not Selected		
activeren	Verb	Not Selected	Not Selected	To activate a sheet, click the tab for the sheet in the workbook.	
vervangende tekst	Noun	Not Selected	Not Selected		
bovenliggend element	Noun	Not Selected	Singular		
bovenliggend element	Noun	Not Selected	Singular		
toegewezen taak	Noun	Not Selected	Not Selected		
verificatiedatabase	Noun	Not Selected	Not Selected		
AutoArchivering	Noun	Not Selected	Not Selected		
basisopmaakprofiel	Noun	Not Selected	Not Selected		
schuine rand	Noun	Not Selected	Not Selected		
hoofdttekst	Noun	Not Selected	Singular	[Word] In outline view, Microsoft Office Word displays a symbol to the left of body text.	
wijzigingsoverzicht	Noun	Not Selected	Not Selected		
grafiekgebied	Noun	Not Selected	Singular		
onderliggend element	Noun	Not Selected	Not Selected		
kleurenvak	Noun	Not Selected	Not Selected		PhotoDraw is a discontinued product
kleurverloop	Noun	Not Selected	Not Selected		PhotoDraw is a discontinued product
kleurscheidingen	Noun	Not Selected	Not Selected	[Office Online] Print a color separation to break out the component colors in your publication for final printing on a commercial printer.	
kolomkiezer	Noun	Not Selected	Not Selected	[Office Online] Use the column selector to move, hide, or rename a column.	
opmerkingsmarkering	Noun	Not Selected	Singular	Microsoft Office Word inserts a comment mark in the document. Comment marks appear when you click Markup on the View menu.	
complementaire kleuren	Noun	Not Selected	Not Selected	[Office Online] Complementary colors contrast each other to create a dynamic effect.	PhotoDraw is a discontinued product
complex schrifttype	Noun	Not Selected	Singular		
concordantiebestand	Noun	Not Selected	Not Selected	Use a concordance file in Microsoft Office Word to quickly mark index entries.	
voorwaardelijke expressie	Noun	Feminine	Singular		
Boole-expressie	Noun	Feminine	Singular		
voorwaardelijke opmaak	Noun	Not Selected	Not Selected	[Office Online] In InfoPath, conditional formatting allows you to specify different formatting options for a control based on logical conditions that occur on the form. If the specified conditions are present when a user fills out the form, the conditional formatting is displayed. You can use conditional formatting to apply bold, underline, italic, strikethrough, font color, and background color to controls.	
inhoudsklasse	Noun	Not Selected	Singular		
inhoudssjabloon	Noun	Not Selected	Not Selected		

coördinatenpaar	Noun	Not Selected	Not Selected		
aangepaste woordenlijst	Noun	Not Selected	Singular		
aangepaste groep	Noun	Not Selected	Not Selected		
veld met aangepaste groepen	Noun	Not Selected	Not Selected		
gegevensformulier	Noun	Not Selected	Singular		
gegevensindeling	Noun	Not Selected	Singular		
gegevenslabel	Noun	Not Selected	Not Selected		
gegevensoverzicht	Noun	Not Selected	Not Selected	[Office Online] The Data Outline displays a tree view of the data model of a data access page.	
gegevenspunt	Noun	Not Selected	Singular		
gegevensreeks	Noun	Not Selected	Not Selected		
gegevenstabel	Noun	Not Selected	Singular		
gegevensvalidatie	Noun	Not Selected	Not Selected	[Office Online] You can set up data validation to prevent users from entering data that isn't valid, or allow invalid data but check for it after the user is finished.	
databaseverbinding	Noun	Not Selected	Not Selected		
standaardwaarde	Noun	Not Selected	Not Selected	[Office Online] The Date function returns the current date. You might use it in an expression that sets the default value for a field in a table. That way, whenever a new record is added, the field defaults to the current date.	
niveau verlagen	Noun	Not Selected	Not Selected		
ontwerpelement	Noun	Not Selected	Not Selected		
ontwerpsjabloon	Noun	Not Selected	Singular		
ontwerpweergave	Noun	Not Selected	Not Selected	[Office Online] To create a form, you work in Design view. Viewing a form in Design view is like sitting at a workbench surrounded by useful tools.	This is the capitalization of the term as it appears in UA content.
doelbestand	Noun	Not Selected	Singular		
digitale id	Noun	Not Selected	Not Selected	[Office Online] You can make a copy of your digital ID as a backup in case the Digital ID is damaged. You can also move the Digital ID to use it on another computer. You can delete a Digital ID from a computer you no longer use. You do this by using the Import/Export button on the Security tab.	
digitale foto	Noun	Not Selected	Not Selected		PhotoDraw is a discontinued product
uitgeschakeld besturingselement	Noun	Not Selected	Not Selected	[MSDN] An application can use this function to enable or disable a control in a dialog box. A disabled control cannot receive the input focus, nor can a user access it.	
documentbibliotheek	Noun	Not Selected	Not Selected	[Office Online] During creation of the document library, information that you enter on the Create Document Library page, such as document library friendly name, document library description, and contact name, is transmitted in plain text.	Term occurs in lowercase in SharePoint Portal Server 2003
tekenpapier	Noun	Not Selected	Not Selected		
loodlijnen	Noun	Not Selected	Not Selected		
slagschaduw	Noun	Not Selected	Singular		PhotoDraw is a discontinued product
vervolgkeuzelijst	Noun	Not Selected	Not Selected	[Office Online] You cannot type a value in a drop-down list box.	
besturingselement Selectie uitvouwen	Noun	Not Selected	Not Selected	[Office Online] You might want to delete or modify some of the standard elements of the data access page. For example, select the expand control in the header that contains the filter control, and then press DELETE.	

XSL	Noun	Not Selected	Not Selected		
Extensible Stylesheet Language	Noun	Not Selected	Not Selected		
pipet	Noun	Not Selected	Not Selected		PhotoDraw is a discontinued product
formulierfilter	Noun	Not Selected	Not Selected		
selectiefilter	Noun	Not Selected	Not Selected		
negatief selectiefilter	Noun	Not Selected	Not Selected		
grafisch filter	Noun	Not Selected	Singular		PhotoDraw is a discontinued product
grafisch filter	Noun	Not Selected	Singular		Office used the term graphics filter somewhere in the Publisher program. It is an approved but nonpreferred term.PhotoDraw is a discontinued product
rugmarge	Noun	Not Selected	Not Selected		
verkeerd-om inspringen	Noun	Not Selected	Not Selected		
hyperlinkveld	Noun	Not Selected	Not Selected	[Office Online] Place the insertion point in the hyperlink field in the datasheet, or in the text box or other control that accepts hyperlinks on the form.	
indexvermelding	Noun	Not Selected	Singular		
inlineobject	Noun	Not Selected	Singular		
opvulteken	Noun	Not Selected	Not Selected	To set tabs with leader characters: On the Format menu, click Tabs. Under 'Tab stop position', type the position for a new tab, or select an existing tab stop to which you want to add leader characters. Under Alignment, select the alignment for text typed at the tab stop. Under Leader, click the leader option you want, and then click Set.	
koppelingsbalk	Noun	Not Selected	Not Selected		
lijstbesturingselement	Noun	Not Selected	Not Selected	[Office Online] When designing a form, you can insert list controls, which automatically format text into lists as users type into them.	
vergrendeld	Adjective	Not Selected	Not Selected	Once a record has been opened for editing, it becomes a 'locked record.' Other users may not make changes while the record is locked.	
tabelmaakquery	Noun	Not Selected	Not Selected	[Office Online] You can use make-table queries to archive old records, to make backup copies of your tables, to select a group of records to export to another database, or to use as a basis for reports that display data from a specific time.	Access 2003
				[MSDN] You can copy rows into a new table using a Make Table query, which is useful for creating subsets of data to work with or copying the contents of a table from one database to another. A Make Table query is similar to an Insert From query, but creates a new table to copy rows into.	Access 2007 & SQL Server
hoofddocument	Noun	Not Selected	Singular		
samenvoegveld	Noun	Not Selected	Not Selected		
zoeken in eigen woorden	Noun	Not Selected	Not Selected		
natuurlijke querysyntaxis	Noun	Not Selected	Singular		
normaliseren	Noun	Not Selected	Not Selected	You can use the Table Analyzer Wizard to normalize your database.	
verschuiven	Verb	Not Selected	Not Selected		
objectbibliotheek	Noun	Not Selected	Not Selected	[Office Online] The Visual Basic project of a Microsoft Access file contains references to object libraries, and it can also contain references to other files, including other Access files.	
ODC-bestand	Noun	Not Selected	Not Selected		
OLE/DDE-koppeling	Noun	Not Selected	Not Selected		

groepsvak	Noun	Not Selected	Not Selected	[Office Online] When you add a check box, toggle button, or option button to an option group, Microsoft Access highlights the option group to show that the control will become part of the option group. If the option group isn't highlighted, you're probably placing the control too close to the edge of the option group.	
tijdelijk afbreekstreepje	Noun	Not Selected	Not Selected		This is the term used in MS Word.
optioneel afbreekstreepje	Noun	Not Selected	Singular		
alineaoopmaak	Noun	Not Selected	Not Selected		
alineamarkering	Noun	Not Selected	Singular		
alineaoopmaakprofiel	Noun	Not Selected	Singular	[Word] A paragraph style controls all aspects of a paragraph's appearance, such as text alignment, tab stops, line spacing, and borders, and it can include character formatting.	
gedeeltelijke replica	Noun	Not Selected	Not Selected		
primaire tabel	Noun	Not Selected	Not Selected	[Office Online] You can't enter a value in the foreign key field of the related table that doesn't exist in the primary key of the primary table.	
afdrukbereik	Noun	Not Selected	Singular		
afdrukvoorbeeld	Noun	Not Selected	Singular		
printerstuurprogramma	Noun	Not Selected	Singular	[Publisher] The printer driver tells Publisher what the printer can do, and also tells the printer how to print the publication.	
verwerkingsinstructies	Noun	Not Selected	Not Selected		
niveau verhogen	Noun	Not Selected	Not Selected		
eigenschappenpagina	Noun	Not Selected	Not Selected		
eigenschappenvenster	Noun	Not Selected	Not Selected	[Office Online] If you select multiple controls but don't see the properties you expect in the property sheet, you may have selected a control that you didn't mean to select. For example, you may have included a line in a group of text boxes. Properties appear in the property sheet only if they apply to all of the selected controls.	
piramidediagram	Noun	Not Selected	Singular		
radiaaldiagram	Noun	Not Selected	Not Selected		
topologie van replicaset	Noun	Not Selected	Not Selected		
query opnieuw uitvoeren	Verb	Not Selected	Not Selected	[Office Online] You can add VBA code to requery the row source for the Product combo box whenever the Category combo box is updated.	
resultaatset	Noun	Not Selected	Singular		
					MSN term
van rechts naar links	Other	Not Selected	Not Selected		
hoofdelement	Noun	Not Selected	Not Selected	[Office Online] Elements within an XML document can also be thought of as nodes of the document. The root element of the document is the root node, and all of the other elements are child nodes (or descendants) of the root node.	
scherminfo	Noun	Not Selected	Not Selected		For use in Office products

knopinfo	Noun	Not Selected	Not Selected		Do not use for Office. Use ScreenTip instead. Ok for Windows Client. Do not spell "tooltip", "Tooltip", or "ToolTip" [Vista UX guide]
diamodel	Noun	Not Selected	Singular		
sorteervolgorde	Noun	Not Selected	Singular		
standaardwerkbalk	Noun	Not Selected	Singular		
structureel bewerken	Noun	Not Selected	Not Selected		
subgegevensblad	Noun	Not Selected	Not Selected	[Office Online] You can nest a subdatasheet within a subdatasheet for up to eight levels. However, each datasheet or subdatasheet can have only one nested subdatasheet.	
subformulier	Noun	Not Selected	Not Selected	[Office Online] Subforms are especially effective when you want to show data from tables or queries with a one-to-many relationship.	
subrapport	Noun	Not Selected	Not Selected	[Office Online] You can use the main report to show detail records, such as every sale in a year, and then use a subreport to show summary information, such as the total sales for each quarter.	
				[Office Online] In the company's main SharePoint site, a new SharePoint sub-site was opened for every current, or new, project.	
				[Office Online] This behavior may occur if you are member of the Administrator site group on the Windows SharePoint Services subsite but you are not a member of the Reader site group on its parent site.	
doeldiagram	Noun	Not Selected	Not Selected		
wisselknop	Noun	Not Selected	Not Selected	[Office Online] The toggle button is not available in data access pages.	
bijgehouden wijzigingen	Noun	Not Selected	Not Selected		
overgang	Noun	Not Selected	Not Selected		
niet-afhankelijk object	Noun	Not Selected	Not Selected	[Office Online] To display unbound images, you can choose between either the image control or the unbound object frame, or you can add the image to your form as a background or watermark.	
samenvoegquery	Noun	Not Selected	Not Selected	[Office Online] A union query combines fields from two or more tables or queries into one field in the query's results. You might use a union query to combine data from two tables. For example, you might combine company name and city data for all companies in Brazil that are listed in the Suppliers and Customers tables. You could then create a make-table query based on the union query to make a new table.	
bijwerkquery	Noun	Not Selected	Not Selected	[Office Online] If it helps, you can think of update queries as a more powerful version of the Find and Replace dialog box. Your update queries contain select criteria (the equivalent of a search string) and update criteria (the equivalent of a replacement string). The query finds all records that match your select criteria, and then writes your update criteria to those records, all in one pass.	
Venn-diagram	Noun	Not Selected	Not Selected		
webdiscussie	Noun	Not Selected	Not Selected		
synchroniseren	Verb	Not Selected	Not Selected	[Vista] Synchronize data and settings between your computer and other devices. This partnership failed to sync and did not give a reason.	
synchroniseren	Verb	Not Selected	Not Selected		
tabblad	Noun	Not Selected	Singular		

transactie	Noun	Not Selected	Singular	[Windows XP] Using Microsoft Distributed Transaction Coordinator (MS DTC) ensures that, in a transaction, either both actions succeed or neither is executed. [CRM 3.0 Mobile] Data related to a transaction that shows up in the synchronization issues log is not updated in Microsoft CRM, and usually requires a follow-up user action to resolve the problem. [Office Online] Mark the beginning of a transaction with the BeginTrans statement, commit the transaction by using the CommitTrans statement, and undo all your changes since BeginTrans by using the Rollback statement. Transactions are optional and can be nested up to five levels. Transactions increase the speed of operations that change data and enable you to reverse changes easily. Transactions are global to the referenced database object's Workspace.	
velddiepte	Noun	Not Selected	Not Selected		
DV	Noun	Not Selected	Singular		
digitale video	Noun	Not Selected	Not Selected		
projectbestand	Noun	Not Selected	Not Selected		
registratie	Noun	Not Selected	Not Selected	[OPK] Registration consists of providing the user's name, address, and other demographic information to Microsoft or to both Microsoft and the OEM. Registration information is commonly used for marketing purposes. Registration is different from activation; a user may activate their installation of Windows without providing any identification or demographic information.	
storyboard	Noun	Not Selected	Not Selected	[Vista] Drag media to the storyboard to begin making a movie.	
TCP	Noun	Not Selected	Not Selected		
Transmission Control Protocol	Noun	Not Selected	Not Selected		
knippunten	Noun	Not Selected	Not Selected		
gebeurtenis	Noun	Not Selected	Not Selected	[CRM] In Microsoft CRM, an event is typically a system or user action that is detected and acted upon by the workflow system or by the client Web forms. [MBF] In Microsoft Dynamics Tools, an event is a way for a class to notify clients of that class when something of significance happens to an object.	
inhoud	Noun	Not Selected	Not Selected		
bits per seconde	Noun	Not Selected	Not Selected		
bits per seconde	Noun	Not Selected	Not Selected		
breedbandverbinding	Noun	Feminine	Not Selected		
ingesloten object	Noun	Not Selected	Not Selected		
FAT32	Noun	Not Selected	Not Selected		
Layer Two Tunneling Protocol	Noun	Not Selected	Not Selected		
Mijn documenten	Noun	Not Selected	Not Selected		
herhaalvertraging	Noun	Not Selected	Not Selected	A longer repeat delay will prevent you from accidentally entering multiple versions of the same character.	
WebDAV	Noun	Not Selected	Singular		
Web Distributed Authoring and Versioning (WebDAV)	Noun	Not Selected	Not Selected		
KB-artikel	Noun	Not Selected	Singular		

kenmerk	Noun	Not Selected	Not Selected		
label	Noun	Not Selected	Not Selected		
Windows Update	Proper Noun	Not Selected	Mass	[OPK] By using an ActiveX control, Windows Update compares the available drivers with those on the user's system and offers to install new or updated versions.	
Windows Update-website	Other	Not Selected	Singular		
PII (persoonsgegevens)	Not Selected	Not Selected	Not Selected		
persoonsgegevens	Noun	Not Selected	Plural		
persoonlijke gegevens	Noun	Not Selected	Not Selected		
persoonlijke gegevens	Noun	Not Selected	Not Selected	[CRM] Users can later add personal information and preferences to complete their records, such as e-mail settings, passwords, e-mail templates, and calendar and time zone settings.	
kwaadaardige software	Noun	Not Selected	Singular		
schadelijke software	Noun	Not Selected	Not Selected		The MSTP recommends using this term instead of "malware". However, I expect many non-product teams to use "malware".
downgrade	Noun	Not Selected	Singular		
masker	Noun	Neuter	Singular		
toegangsfout	Noun	Not Selected	Not Selected		
wizard Toegankelijkheid	Noun	Not Selected	Not Selected		
accountdomein	Noun	Not Selected	Not Selected		
hoofdgebruikersdomein	Noun	Not Selected	Not Selected		
verloopdatum van een account	Noun	Not Selected	Not Selected		
accountvergrendeling	Noun	Not Selected	Not Selected		
asynchroon	Adjective	Not Selected	Not Selected		
ActiveX-object	Noun	Not Selected	Not Selected		
automatiseringsobject	Noun	Not Selected	Not Selected		
maken van clip	Verb	Not Selected	Not Selected	[Vista] For other video file formats, clips cannot always be created automatically using clip creation.	
kleurruimteconversie	Noun	Not Selected	Not Selected		[andrea] While style would dictate use of the hyphen, actual usage (at MS and externally) appears to favor the non-hyphenated term.
					[andrea] While style would dictate use of the hyphen, actual usage (at MS and externally) appears to favor the non-hyphenated term.
samengesteld teken	Noun	Not Selected	Not Selected		Term will be removed from the Longhorn Beta 2 version of OPK glossary and will not appear in the product.
verbinding maken	Verb	Not Selected	Not Selected		In general, we probably will substitute the term "connect" for "map" whenever we're talking about conceptual stuff related to connecting to a network drive (but not necessarily mapping to one) and whenever we're writing for a less technical audience – in
Connection Manager	Noun	Not Selected	Not Selected		

DUN	Noun	Not Selected	Not Selected		
Inbelnetwerk	Noun	Not Selected	Not Selected		
gebeurtenisregistratie	Noun	Not Selected	Not Selected	[Office Online] To create an event handler in InfoPath, you must associate the event with the correct field, and then write the code in Microsoft Script Editor (MSE) or Microsoft Visual Studio .NET 2003. Because the event handler is referred to in the form definition (.xsf) file, you should not create a new handler entirely from within MSE or Visual Studio. In addition, you should not modify the event handler name or its arguments.	
zwevende werkbalk	Noun	Not Selected	Not Selected	[Office Online] To resize a floating toolbar, move the pointer over any edge until it changes to a double-headed arrow, and then drag the edge of the toolbar.	
GAL	Noun	Not Selected	Singular		
globale adreslijst	Noun	Not Selected	Singular		
Global Address List	Noun	Not Selected	Singular		Capitalization per Outlook 2003 UI
afspatiëren	Noun	Not Selected	Not Selected		
beheerconsole	Noun	Not Selected	Not Selected		
beheersysteem	Noun	Not Selected	Not Selected		
niet-gespatieerd teken	Noun	Not Selected	Not Selected		
					Term will be removed from the Longhorn Beta 2 version of OPK glossary and will not appear in the product.
spatieteken	Noun	Not Selected	Not Selected		
postcode	Noun	Not Selected	Singular		
				[Office Online] While most queries return recordsets that you can edit, some queries return snapshots, which can't be edited.	
				When you uninstall DPM, you can choose whether to remove or retain your existing shadow copies and replicas. To continue accessing shadow copies on the DPM server after you uninstall DPM, you must choose to retain your data protection configuration during the uninstallation.	This is the preferred term for Mojito.
ongedaan maken	Verb	Not Selected	Not Selected	Your change causes a cycle in the relationship graph. The wizard will undo the change.	
terugdraaien	Verb	Not Selected	Singular	[Vista] Are you sure you would like to roll back to the previous driver package? [SQL Server] To reverse changes made by transactions that were uncommitted at the point in time to which a database is being recovered. [Visual Studio] If you roll back to a certain version, all versions subsequent to that version are deleted.	
opnieuw activeren	Verb	Not Selected	Not Selected	Remove all transformations and redo auto-mapping.	
				[Powerline] To continue using your computer, you must activate Windows within 10 hours. [SBA] To continue to use all the features of Microsoft Office Small Business Accounting, you need to activate and register it. [BCM] To continue to use all the features of Microsoft Office Business Contact Manager for Outlook, you need to activate and register it.	[MSTP 4.6] Do not use 'activate' as a synonym for open, start, or switch to.
Windows Setup	Proper Noun	Not Selected	Not Selected		
metric	Noun	Not Selected	Singular		
LANGID	Noun	Not Selected	Not Selected		
taal-id	Noun	Not Selected	Singular		
LCP	Noun	Not Selected	Singular		

Link Control Protocol	Proper Noun	Not Selected	Singular		
melding	Noun	Not Selected	Singular		
opmerkingen bij de release	Noun	Not Selected	Plural	The CD autorun program by default has a link to more information. This is typically a text file containing release notes. You can specify the file to use below.	
accountbeheerder	Noun	Masculine	Singular	The account manager may now obtain log files of user ID changes with time and date stamps.	
vergaderverzoek	Noun	Not Selected	Singular		
verzendadres	Noun	Not Selected	Singular		
postadres	Noun	Not Selected	Singular	[Outlook] When you create a contact, you can enter up to three addresses for it. You select one address as the mailing address, which becomes the primary address that appears in most views and which is used in mail merges in Microsoft Word.	
				Wave Draws a wave where you click or drag in the active window. To draw a wave that retains its default height-to-width ratio, hold down SHIFT and drag.	
dokken	Verb	Not Selected	Not Selected		
				[Vista UX guide] Because tooltips have proved so useful, their usage has been expanded to have more descriptive text with infotips.	[Vista UX guide] There is no infotip control; infotips are implemented with the tooltip control. The distinction is in usage, not implementation. For this reason, developers refer to both tooltips and infotips as 'tooltips'
				Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.	
menu Bestand	Noun	Not Selected	Singular	To edit this connection later, select it, click the File menu, and then click Properties.	
				To contact Microsoft Product Support Services or to make a suggestion to improve Office, click Contact Us on the Help menu.	
Help	Noun	Not Selected	Singular		
				My Computer or Windows Explorer has not been properly initialized yet. Try again later.	
schuifpijlkноп	Noun	Masculine	Singular		
schuifpijl	Noun	Not Selected	Singular		
bovenliggend knooppunt	Noun	Not Selected	Singular		
taak	Noun	Not Selected	Singular		
				For example, the progress indicator might note that a connection is being made to a remote computer; after the connection is made, the indicator might note that data is being retrieved. However, no effort is made to estimate how long it will be before data retrieval is complete. Although it is possible to create progress indicators that do this, the code required for the progress indicator would be longer and more complex than the code required to carry out the primary function of the script.[http://www.microsoft.com/technet/scriptcenter/guide/sas_ent_bkhg.msp]	
aanvraag	Noun	Not Selected	Not Selected	[CRM] A customer submits a problem by letter, telephone call, fax, or e-mail. A case is created in Microsoft CRM, including the date the case was created, a case tracking ID number, a title and description of the case, and any other information, as appropriate.	SBA uses the synonym "job" instead of "case".

taak	Noun	Not Selected	Not Selected		SBA uses "job" instead of the synonym "case".
contract	Noun	Not Selected	Singular	[SBA] A job might be known as a project, a contract, a policy (in the insurance industry) or a case (in the legal industry).	
KB	Noun	Not Selected	Not Selected		
Knowledge Base	Noun	Not Selected	Not Selected	Internal users can browse or search the Knowledge Base to find information about the organization's products and services. This information is in the form of articles and is organized by subjects. The Knowledge Base is searchable by keyword, header text, or full text.	[MSTP 4.6] Use all lowercase for generic references to the "expert system" database type. Use title caps when referring to the Microsoft Knowledge Base. It's not necessary to precede Knowledge Base with the company name.
Microsoft Knowledge Base	Noun	Not Selected	Not Selected		
organisatie	Noun	Not Selected	Not Selected	[CRM] The organization can be a specific business, a holding company, a corporation, and so on. There can be only one organization per Microsoft CRM deployment. The organization is divided into business units. This chapter provides information about setting up your own organization, assigning users to teams and managers, and assigning user permissions based on roles.	
prijzlijst	Noun	Not Selected	Not Selected	[CRM] Price lists are a component of the product catalog. Price lists contain one or more individual product prices that have been categorized into a list to allow for maintenance and accessibility. The price list includes the prices that are charged for each unit group of a product. [CRM] Salespeople use price lists to determine the pricing in a quote for a customer. In addition, a default price list can be added to a product.	
inhoudsbibliotheek	Noun	Not Selected	Singular		
Documentcontrole	Noun	Not Selected	Singular	Privacy warning: This document contains macros, ActiveX controls, XML expansion pack information, or Web components. These may include personal information that cannot be removed by the Document Inspector.	
Elektronisch visitekaartje	Noun	Not Selected	Singular		This is the true full form that will be used in end-user documentation to refer to what is being called "Business Card" in the UI.
Visitekaartje	Noun	Not Selected	Singular	Every Outlook Contact will have an associated Business Card in Outlook 12.	"Electronic" was dropped from the UI string because it was too long.
Samenvoeging voltooiën	Not Selected	Not Selected	Not Selected	Next: Complete the merge	
Eigenschappen bewerken	Verb	Not Selected	Not Selected	The file was not saved because some properties are missing or invalid. Use the Property Editor to provide the correct values and save the file again.	
RSS	Noun	Not Selected	Not Selected		
RDF Site Summary	Noun	Not Selected	Not Selected		RDF means Resource Description Framework
Really Simple Syndication	Noun	Not Selected	Not Selected		
Rich Site Summary	Noun	Not Selected	Not Selected		
Handtekeninginstellingen	Noun	Not Selected	Plural		
				Validate acceptable latency for disk read and write operations.	
KB	Noun	Not Selected	Singular		[CRM] In our UI, we have two strings that we shortened to KB for space reasons.
knowledge base	Noun	Not Selected	Not Selected		[MSTP 4.6] Use all lowercase for generic references to the "expert system" database type. Use title caps when referring to the Microsoft Knowledge Base.
Toestaan	Verb	Not Selected	Not Selected		
Ben zo terug	Proper Noun	Not Selected	Not Selected		
internetverbinding	Noun	Not Selected	Singular		
webverbinding	Noun	Not Selected	Singular	[Vista] Phishing Filter uses an SSL web connection to send website addresses to Microsoft.	
uitnodigen	Verb	Not Selected	Not Selected		
Opslaan	Verb	Not Selected	Singular	For Microsoft Office Communicator, "Saves the text of the current conversation as a file on the user's computer."	
Zoeken	Proper Noun	Not Selected	Not Selected	For Microsoft Office Communicator, "In the Add a Contact Wizard, search for a contact, either by e-mail address or sign-in name, or by name or company information."	
Opzoeken	Verb	Not Selected	Not Selected	[Works] The user enters a search keyword and then clicks Look Up. The dictionary definition, if any, is displayed.	[Works] Used in dictionary UI.
partnerverband	Noun	Not Selected	Singular	You can create a partnership with a different computer and make that computer your primary computer. However, you can have only one partnership. After you create this new partnership, the partnership with your previous primary desktop computer will no longer... [Vista] Start syncing all of your partnerships./ Stop this partnership.	[Vista UI string] Partnership

isometrisch	Adjective	Not Selected	Not Selected		
.NET Framework	Noun	Not Selected	Singular		
webonderdeel	Noun	Not Selected	Singular		
activa	Noun	Not Selected	Not Selected	[Axapta] The property is a company asset. [SBA] An asset is something owned, such as cash, inventory, buildings, or equipment. Assets equal liabilities plus equity. [Office12 Packaging] Microsoft® Office Access 2007 helps you manage projects, assets, inventory, contacts, and more.	
inkt	Noun	Not Selected	Singular		GTMT usage note: Okay to use digital ink in tutorials. Use ink in documentation and UI.
digitale inkt	Noun	Not Selected	Not Selected		GTMT usage note: Okay to use digital ink in tutorials. Use ink in documentation and UI.
Titelgebied	Noun	Not Selected	Singular	[Vista] Show title area on note.	
tunneling	Noun	Not Selected	Singular	[ISA] A tunneling protocol is a network protocol which encapsulates one protocol or session inside another. Protocol A is encapsulated within protocol B, such that A treats B as though it were a data link layer. Tunneling may be used to transport a network protocol through a network which would not otherwise support it.	In "Avalon", the names of events that use this routing strategy are prefixed with the word "Preview". These events have the same signature as their counterparts that use the bubbling event routing strategy.
Snel zoeken	Proper Noun	Not Selected	Not Selected		
wazig	Adjective	Not Selected	Not Selected		
Vaag	Noun	Not Selected	Mass		[Windows] A filter effect in Windows Movie Maker.
				[Commerce Server] Information from registered users is transmitted back to the server and can be used to tell how many of your customers are male and female, how many purchased specific items, which customers consistently order the same products, and other details.	
actie	Not Selected	Not Selected	Not Selected	[CRM] When a rule condition is met, an action is triggered in the workflow system.	
branden	Verb	Not Selected	Not Selected		
bibliotheek	Noun	Feminine	Singular		
Boeginees	Noun	Not Selected	Not Selected		
Buhid	Noun	Not Selected	Not Selected		
Bouwstenenbeheer	Noun	Not Selected	Singular		
blog	Noun	Not Selected	Not Selected		Preferred form per MSTP 4.6.
					This spelling provided by MSN and is also shown in MSTP 4.6.
Ethernet	Noun	Not Selected	Not Selected	[OPK] Ethernet is the IEEE 802.3 standard that uses Carrier Sense Multiple Access with Collision Detection (CSMA/CD) as the medium access control.	
phishing	Noun	Not Selected	Mass		The term can be localized if it is deemed necessary. However, it is similar to a phrase like SPAM that may become used as a term in many languages as is and not localized [Michael Aldridge (group product planner)]
				[Commerce Server] An adapter is a COM or .NET-based component that helps exchange messages between applications. The adapter consists of design-time components and run-time components for receive and send operations. [Axapta] After you code a custom adapter, configure it by specifying its direction (inbound, outbound, bidirectional, or unidirectional) and making it active and available.	

JavaScript	Noun	Not Selected	Not Selected		
Info over	Proper Noun	Not Selected	Not Selected		Together with a product name, this forms a string (e.g. "About Microsoft Works")
AutoHerstel	Not Selected	Not Selected	Not Selected		
einddatum	Noun	Not Selected	Singular	[Great Plains] In Dynamics GP Payables Management, a due date is the date when a payment to a vendor is due. In Dynamics GP Manufacturing, the due date is when the items on a sales order should be ready to ship.	
Vervagen	Verb	Not Selected	Not Selected		
Start	Noun	Not Selected	Singular		
Mobiel	Adjective	Not Selected	Not Selected		This is a field name and might be rendered as a noun or adjective. It's ambiguous in English because "phone number" is implied.
Project	Noun	Not Selected	Not Selected		
Korte rondleiding	Not Selected	Not Selected	Singular		
Naast elkaar	Adverb	Not Selected	Not Selected		
Configuration Manager	Proper Noun	Not Selected	Not Selected		
Itanium	Proper Noun	Not Selected	Not Selected		
LCID	Not Selected	Not Selected	Not Selected		
landinstellingen-id	Not Selected	Not Selected	Singular		
Locale ID	Proper Noun	Not Selected	Not Selected		
lange bestandsnaam	Noun	Not Selected	Not Selected		
configuratieset	Noun	Not Selected	Not Selected		
configuratieset	Noun	Not Selected	Not Selected		
LBA	Noun	Not Selected	Not Selected		
addressering middels logische blokken	Noun	Not Selected	Not Selected		
AAL	Noun	Not Selected	Not Selected		
ATM-aanpassingslaag	Noun	Not Selected	Not Selected		
oudere functie	Noun	Not Selected	Not Selected		
synchronisatie	Noun	Not Selected	Singular	[Vista] Sync Stopped. [CRM 3.0 Mobile] To start synchronization, tap Tools > Sync > Start Sync.	Some examples of it being used as a noun are limited to UI: Sync results (to show the results of a sync). Sync Manager (the tool that lets you set up your sync options). [Works 9.0 review] Function has been removed.

synchronisatie	Noun	Not Selected	Singular	[CRM 3.0 Mobile] To start synchronization, tap Tools > Sync > Start Sync.[CRM 3.0 Mobile] During synchronization, data on the mobile device and data in Microsoft CRM are brought up to date and reconciled.	[Works 9.0 review] Function has been removed.
menu Start	Noun	Not Selected	Singular		
taalgroep	Noun	Not Selected	Singular		
bitspecificatie	Noun	Feminine	Singular		
Tablet PC	Not Selected	Not Selected	Not Selected		
multimedia	Noun	Not Selected	Not Selected		
furigana	Noun	Not Selected	Singular	However, individual kanji characters often have more than one pronunciation, and each pronunciation has a different meaning. Kanji characters are often augmented with tiny hiragana (or sometimes katakana) characters written above or next to them to indicate	
informatiebalk	Noun	Masculine	Singular		
e-mailaccount	Noun	Not Selected	Singular		
aanmelden bij regel	Verb Noun	Not Selected Not Selected	Not Selected Singular		
filter	Noun	Not Selected	Singular	[Axapta] A filter can define which records or columns are returned from a query. A filter always limits the outcome.	
vervolgkeuzelijst	Noun	Not Selected	Singular		
boekhouding	Noun	Not Selected	Singular	[SBA] When you save an item receipt, it is posted. Because an item receipt affects accounting, you cannot delete it.	
cheque	Noun	Not Selected	Singular	[SBA]: Every transaction involving a check is entered into a bank account register.	
cheque	Noun	Not Selected	Singular		UK variant of "check"
afwijking	Noun	Not Selected	Singular	[Office Online] Analyzing variance is not an end in itself, but the starting point for discovering the causes of variance. Determining the root causes of negative variances, or repeatable elements that lead to positive variances, helps your company develop successful financial plans.	
					related term 'Allow'
gesprek	Noun	Not Selected	Singular		
iSCSI-initiator	Noun	Not Selected	Singular		[Vista UI string] iSCSI initiator
identiteit	Noun	Feminine	Singular	Are you sure you want to delete this identity? When you delete an identity, Groove also deletes all workspaces and messages associated with that identity. This operation cannot be undone.	

lid	Noun	Not Selected	Singular		
					'PivotTable' is a registered trademark
celverwijzing	Noun	Not Selected	Singular		
					'PivotChart' is a registered trademark
					'PivotTable' is a registered trademark
					'PivotTable' is a registered trademark
draaitabelrapport	Noun	Not Selected	Singular	[Axapta] The cube returns report data that can be viewed in a PivotTable report.	'PivotTable' is a registered trademark
					This is the correct form of this term per Outlook editor Meera Krishna.
				Other people cannot see an item marked private, even if they have permission to access your folders.	
Leesvenster	Noun	Not Selected	Singular		[Vista UI string] Reading Pane
terugkerend	Adjective	Not Selected	Not Selected		
				[Outlook] Reminders appear any time Outlook is running, even if it isn't your active program.	
Lijst met betrouwbare geadresseerden	Noun	Not Selected	Singular		
Lijst met betrouwbare afzenders	Noun	Not Selected	Singular	[Vista] E-mail messages from people or domain names not on your Safe Senders list will be treated as junk e-mail messages, so you should only choose this option if you are certain that every person or domain name you want to receive messages from is on your Safe Senders list.	
3DES	Noun	Not Selected	Singular		
Triple DES	Noun	Not Selected	Singular		
Triple Data Encryption Standard	Noun	Not Selected	Singular		

				[Office Online] In print layout view or Web layout view, markup balloons show markup elements, such as comments and tracked changes, in the margins of your document. Use these balloons to easily see and respond to reviewers' changes and comments.	
tekstballon	Noun	Not Selected	Singular	[Office Online] In print layout view or Web layout view, markup balloons show markup elements, such as comments and tracked changes, in the margins of your document. Use these balloons to easily see and respond to reviewers' changes and comments.	
Documentstructuur	Noun	Not Selected	Singular	[Office Online] Use the Document Map to quickly navigate through the document and keep track of your location in it.	
overzichtsweergave	Noun	Not Selected	Singular		
sectie-einde	Noun	Not Selected	Singular		
				[Office Online] When you're saving an entire workbook as a noninteractive Web page, you can preview the page without publishing it by clicking Web Page Preview on the File menu.	
				Measures are the units of data that are being analyzed. In Business Scorecard Manager, key performance indicators (KPIs) are measures that are used to monitor progress toward specific performance goals.	
Adresboek	Proper Noun	Not Selected	Singular	When you first open the Address Book, the default address book (usually your Global Address List) is displayed. You can change the default address book and also set other Address Book preferences, such as which address book to check first when sending a message and the location to store personal addresses.	
Windows Contactpersonen	Noun	Not Selected	Singular		Windows Address Book has been replaced by Windows Contacts in Windows Vista. Windows Contacts has all the features of the old Windows Address Book, as well as enhancements such as the ability to add pictures to your contacts.
					[MSTP 4.6] Do not use mobile telephone.
XML-kenmerk	Noun	Not Selected	Singular		
categorie	Noun	Not Selected	Singular	[MSN] Categories allow you to organize your blog entries by subject matter. This helps you find old entries quickly, and helps your readers find topics of interest to them.	
item	Noun	Not Selected	Singular		
Outlook-item	Noun	Not Selected	Singular		
				[Outlook] You can distinguish a journal entry from other items by the clock that appears in the lower-left corner of the icon.	
AutoTekst	Noun	Not Selected	Singular		

Activiteitenrapportage	Noun	Not Selected	Singular	[Vista] Activity Reporting On. Activity Reporting Off.	
Windows Defender	Noun	Not Selected	Not Selected		Not a trademark. Windows Defender is a technology of Windows. It is not a product.
blindheid	Noun	Not Selected	Singular	[Vista] Accommodate blindness (accessibility options)	
doofheid	Noun	Not Selected	Singular	[Vista] Accommodate deafness or hearing	
Belichtingscompensatie	Not Selected	Not Selected	Not Selected		
Belichtingscompensatie	Not Selected	Not Selected	Not Selected		More commonly referred to simply as Exposure Compensation.
feed	Noun	Not Selected	Singular		
webfeed	Noun	Not Selected	Singular	[Vista] Internet Explorer can automatically download your web feeds and let you know when your web feeds have new updates without having to visit each site manually.	
RSS-feed	Noun	Not Selected	Not Selected		
XML-feed	Noun	Not Selected	Singular		
samengevatte inhoud	Noun	Not Selected	Singular		
Feeddetectie	Noun	Not Selected	Singular		[Vista UI menu item] Feed Discovery
origineel	Not Selected	Not Selected	Not Selected		
Opruimprogramma voor winterslaapstandbestanden	Noun	Not Selected	Singular		
beperkt gezichtsvermogen	Noun	Not Selected	Singular	[Vista] Accommodate low vision (accessibility options)	
sleepbeweging	Not Selected	Not Selected	Not Selected		
Personen dichtbij	Not Selected	Not Selected	Not Selected		
Windows Back-up	Noun	Not Selected	Singular	[Vista] Welcome to SafeDocs; Windows Backup (SafeDocs) has finished using this CD/DVD.	
BitLocker	Not Selected	Not Selected	Not Selected		[Product Studio, Windows OS Bug, #1397407] All instances of "Secure Startup" replaced with "BitLocker" in the UI.
BitLocker-stationsversleuteling	Noun	Not Selected	Singular		In Windows Vista Beta 2 BitLocker Drive Encryption Step-by-Step Guide, "BitLocker Drive Encryption" is explained as follows: BitLocker Drive Encryption is an integral new security feature in the Windows Vista operating system that provides considerable off-line data and operating system protection for your computer. BitLocker ensures that data stored on a computer running Windows Vista is not revealed if the machine is tampered with when the installed operating system is offline. It optionally uses a Trusted Platform Module (TPM) to provide enhanced protection for your data and to assure early boot component integrity. This helps protect your data from theft or unauthorized viewing by encrypting the entire Windows volume.
Sepia	Not Selected	Not Selected	Not Selected		
Oplossingen voor problemen	Noun	Not Selected	Plural	[Vista] The program %1 version %2 stopped interacting with Windows and was closed. To see if more information about the problem is available, check the problem history in the Solutions to Problems control panel.	
Synchronisatiecentrum	Noun	Not Selected	Singular	[Vista] To find out if your device is compatible with Sync Center, plug it into your computer and see if it is detected by Windows.	
systeemclassificatie	Not Selected	Not Selected	Not Selected	[Vista] System rating is not available; General tab in System properties.	
delen opheffen	Verb	Not Selected	Not Selected		
niet meer stapelen	Verb	Not Selected	Singular	[Vista] Options to stack and unstack.; Unstacks the current view.	
Webmappen	Noun	Not Selected	Plural		

Diagnostische gegevens	Noun	Not Selected	Singular		
Windows Diagnostische gegevens	Noun	Not Selected	Singular	[Vista] Windows Diagnostics did not identify any problems with your network.	
Windows Terzijde	Noun	Not Selected	Singular		
Aero	Noun	Not Selected	Singular	[Vista] Windows Aero is an environment with an additional level of visual sophistication, one that is even more responsive and manageable, providing a further level of clarity and confidence to Windows users.	2005-12-23: This term will most likely not appear in the UI, but in marketing material and explanations around Windows Vista UX. 2006-03-08: term is being used in customer facing content and will be trademarked.
"Authentic, Energetic, Reflective en Open"	Adjective	Not Selected	Not Selected	[Vista] AERO stands for Authentic, Energetic, Reflective, and Open and is the user experience guidelines for Windows Vista, governing the look and feel of the operating system.	2005-12-23: This term will most likely not appear in the UI, but in marketing material and explanations around Windows Vista UX. 2006-03-08: term is being used in customer facing content and will be trademarked. 2006-03-31: Adjectival Phrase (p-o-s Other).
wizard Aero	Noun	Not Selected	Singular	[Vista] Not used in Aero Wizard.	
UAC	Not Selected	Not Selected	Not Selected		
Beheer van gebruikersaccounts	Not Selected	Not Selected	Not Selected		Replaces "User Account Protection" as official name.
gadget (het)	Noun	Not Selected	Singular	[Vista] A gadget is a mini-application in Window Vista that is designed to provide information, useful lookup, or enhance an application or service user's computer. Examples of gadgets: a weather gadget running on your desktop or on your homepage and displaying weather in the cities of user's choice, an RSS Gadget that pulls in user's favorite feeds, or an extension of a business application providing just-in-time status on the pulse of user's business.	
validatie	Noun	Not Selected	Singular	[Axapta] Before the transaction updates the database, it must go through validation to ensure that the data is correct. [Axapta] XML schema validation ensures that the XML conforms to the relevant XSD schema.	
initiator	Noun	Not Selected	Singular		
Personen dichtbij	Not Selected	Not Selected	Not Selected	[Vista] People Near Me is the technology that makes it possible for you to see and be seen by other people on your network and to participate in activities such as Windows MeetingSpace.	
					2006-02-23: Changed to Windows Shared View. A mere UI change. No feature change. 2006-03-09: Windows Shared View, previously Windows Collaboration, is now changed back to Windows Collaboration.
SideShow	Noun	Not Selected	Not Selected		
Windows SideShow	Noun	Not Selected	Singular		
Phishingfilter	Noun	Not Selected	Singular		Descriptive name - will not be trademarked [Peter Becker - LCA]. The term can be localized if it is deemed necessary. However, it is similar to a phrase like SPAM that may become used as a term in many languages as is and not localized [Michael Aldridge (group product planner)]
wizard Netwerkprinter installeren	Noun	Not Selected	Singular		
phishingwebsite	Noun	Not Selected	Singular	[Vista] Phishing Filter has determined that this might be a phishing website. We recommend you do not give any of your information to such websites. Phishing websites impersonate trustworthy websites for the purpose of obtaining your personal or financial information.	The term can be localized if it is deemed necessary. However, it is similar to a phrase like SPAM that may become used as a term in many languages as is and not localized [Michael Aldridge (group product planner)]
Opgeslagen netwerken	Noun	Not Selected	Plural		
wizard Luidsprekers afstemmen	Noun	Not Selected	Singular	[Vista] To run automatic calibration tests for levels, delay and frequency response, start the Speaker Calibration Wizard.	
Windows Draadloze verbinding maken	Not Selected	Not Selected	Not Selected	[Vista] Windows Connect Now - Config Registrar Service	
Windows Fotogalerie	Noun	Not Selected	Singular	[Vista] Open Photo Gallery after importing	
Netwerkcentrum	Not Selected	Not Selected	Not Selected		The Network Center is Windows Vista's next-generation version of Network Neighborhood.
OneX	Not Selected	Not Selected	Not Selected	[Vista] The OneX flags in the profile are invalid.	OneX is short hand for "the 802.1x security standard". String has no functional dependency and is fully localizable.
802.1X	Other	Not Selected	Not Selected		
IEEE 802.1x-beveiligingsstandaard	Not Selected	Not Selected	Not Selected		IEEE = Institute of Electrical and Electronics Engineers

				[Office] Blocks of time that are marked tentative appear with a striped availability indicator and are shown as available when other people view your Calendar.	
Synchronisatiecentrum openen	Verb	Not Selected	Not Selected	[Vista] Open Sync Center mobsync.exe. Click to open Sync Center.	
accu	Noun	Not Selected	Singular	[Vista] The battery is low. Shut down your computer before changing the battery. The digital video camera was either turned off, unplugged, or ran out of battery power.	
hulpbeeldscherm	Noun	Not Selected	Singular	[Vista] Placing an auxiliary display on the lid of a notebook allows users to perform some tasks on their device without opening up the computer and waiting for it to start up.	
extra beeldscherm	Noun	Not Selected	Singular	[Vista] If you are connecting to the additional display for the first time, the New Display Detected dialog box appears, where you can choose the appearance of your desktop on both displays.	
extern beeldscherm	Noun	Not Selected	Singular	[Vista] Show my desktop on the external display only.	
Energiebeheer	Noun	Not Selected	Singular	[Vista] If you right-click the battery icon, a menu appears that lets you quickly open Power Options in Control Panel, where you can change low and critical battery notification settings.	
ongewenste software	Noun	Not Selected	Singular	[Vista] Spyware and other unwanted software can definitely be annoying, but they can also damage your computer.	Unwanted software is a broad category of software types that includes spyware and malware/malicious software.
Beperkingen van internetgebruik	Noun	Not Selected	Plural	[Vista] Click the name of the user you want to set up Web restrictions for.	
Ouderlijk toezicht	Noun	Not Selected	Plural	[Vista] To change the ratings system used to control games, open Parental Controls.	
Instellingen van beeldscherm	Noun	Not Selected	Plural	[Vista] If you use three or more displays, open Display Properties in Control Panel to set your primary monitor, arrange your desktop, and apply display settings.	
Windows Easy Transfer	Not Selected	Not Selected	Not Selected		New term in build # 5305
SpyNet	Noun	Not Selected	Not Selected	[Vista] The online SpyNet community helps you choose whether to block, allow, or remove potentially unwanted software.	
Automatisch afspelen	Not Selected	Not Selected	Not Selected	[Vista] Click to open AutoPlay in Control Panel.	
antispysware	Noun	Not Selected	Not Selected		
contextuele spelling	Noun	Not Selected	Not Selected		
gegevensbalk	Noun	Not Selected	Singular		
Documentinformatiescherm	Noun	Not Selected	Singular		
Logicacontrole	Noun	Not Selected	Not Selected		
Markeren als Definitief	Verb	Not Selected	Singular		
Snelle opmaak	Noun	Not Selected	Not Selected		
RSS-abonnementen	Noun	Not Selected	Plural		
Gestructureerde verwijzingen	Noun	Not Selected	Plural		
takenlijst Vandaag	Noun	Not Selected	Not Selected		
Documenten redigeren	Verb	Not Selected	Not Selected		
werkbalk Snelle toegang	Noun	Not Selected	Not Selected		
bouwsteen	Noun	Not Selected	Singular		
berekende kolom	Noun	Not Selected	Singular		

conflict	Noun	Not Selected	Not Selected	[CRM] If you change the date and time of the appointment Microsoft CRM will recheck for a conflict in the schedule.	
				[Vista] Although Windows Defender can disinfect an infected system, its primary goal is to prevent infections from ever occurring in the first place. This is accomplished through the use of three agents; an Internet agent, a system agent, and an application agent. Each of these agents contains multiple checkpoints which may be enabled or disabled individually.	Translation tip: The control panel UI, settings, and Help all contain references to "agents", which I'd prefer to call "options" (Cynthia Veysey (UA Writer)).
Leesmij-bestand	Noun	Not Selected	Singular		
LEESMIJ	Not Selected	Not Selected	Not Selected		
				[Word] When you apply a style, you apply a whole group of formats in one simple task.	
				Microsoft Office Word displays comments in balloons in the margin of the document or in the Reviewing Pane.	
				In Word and Excel, if Overtyp mode is turned on, OVR appears on the status bar.	
XML-schema	Noun	Not Selected	Singular	[Axapta] Documents are exchanged in XML format and the XML schema closely matches database tables.[Office Online] An XML schema gives data a structure that can be used by various groups to collect and store information consistently, and to share data easily and reliably. You can create an InfoPath form based on an existing XML schema, so that your form uses an established data structure	Capitalization of 'schema' varies in source. Target capitalization (if applicable) should match source, or comply with the usual standards for your language.
AES	Noun	Not Selected	Not Selected		
Advanced Encryption Standard	Proper Noun	Not Selected	Singular		
edutainment	Noun	Not Selected	Not Selected		[MSTP 4.6] Do not use in documentation. It's marketing jargon to refer to educational software (usually multimedia or Web-based) that purports to entertain while it educates. The term can also cause difficulties for localization.
beeldkwaliteit	Noun	Not Selected	Not Selected	[GTMT] A working set has fidelity if a single physical entity instance represents all corresponding entity key targets (Tonya Fehr (tfehr)).	
HDMI	Noun	Not Selected	Not Selected		
High-Density Multichip Interconnect	Noun	Not Selected	Not Selected		Although a synonym to "high-definition multimedia interface", this term is rarely used.
HDMI (High Definition Multimedia Interface)	Not Selected	Not Selected	Not Selected		
lint	Noun	Not Selected	Singular		
ActiveX-besturingselement	Noun	Not Selected	Singular		[MSTP 4.6] Do not capitalize 'control' when referring to programming objects. Do not use 'COM control'; there is no such thing. It is all right to use 'control' alone if the context is clear.
WPA	Noun	Not Selected	Not Selected		
Wi-Fi Protected Access	Noun	Not Selected	Not Selected		
WPA2	Noun	Not Selected	Not Selected		
Wi-Fi Protected Access 2	Noun	Not Selected	Not Selected		
modus Virtualisatie	Noun	Not Selected	Not Selected		

modus Hoofdtelefoonvirtualisatie	Noun	Not Selected	Not Selected		
Meditatief	Noun	Not Selected	Not Selected		
DES	Noun	Not Selected	Not Selected		
Data Encryption Standard	Noun	Not Selected	Not Selected		
XrML	Noun	Not Selected	Not Selected		
Extensible Rights Markup Language	Noun	Not Selected	Not Selected		
PRF	Noun	Not Selected	Not Selected		
pseudo-willekeurige functie	Noun	Not Selected	Singular		
MPEG-7	Noun	Not Selected	Not Selected		
MCDI	Noun	Not Selected	Not Selected		
Multimedia Content Description Interface	Noun	Not Selected	Not Selected		
Automatische film	Noun	Not Selected	Singular	[Vista] AutoMovie cannot continue because either no video clips or pictures are selected, or the combined duration of the selected video clips or pictures is not at least 30 seconds.	
Basistitel	Noun	Not Selected	Singular		
snelheid van cd-brander	Noun	Not Selected	Singular	[Vista] The movie cannot be burned successfully to the recordable CD because the CD burner speed is not fast enough for the high-speed recordable CD.	
Exploderend	Noun	Not Selected	Not Selected		
Exploderende omtrek	Noun	Not Selected	Not Selected		
Flitsen	Verb	Not Selected	Not Selected		
Naar buiten vliegen	Verb	Not Selected	Not Selected		
glas	Noun	Not Selected	Not Selected		
transparantie	Noun	Not Selected	Not Selected	[Vista] You can change the color and glassiness of windows, the Start menu, and the taskbar. Pick a color or make your own.	
Spiegelen	Verb	Not Selected	Not Selected		This is a special video effect name. This effect adds text coming from both left and right sides of user's video.
Krantenkop	Noun	Not Selected	Not Selected		
Krant	Noun	Not Selected	Not Selected		
Verfdruppen	Noun	Not Selected	Not Selected		
Vegen met stift	Verb	Not Selected	Not Selected		
Scorebord bij sport	Noun	Not Selected	Singular		
Uitrekken	Verb	Not Selected	Not Selected		
Ondertitel	Noun	Not Selected	Singular		
Serpentine	Noun	Not Selected	Not Selected		
Typemachine	Noun	Not Selected	Singular		
Video links	Noun	Not Selected	Not Selected		
Video boven	Noun	Not Selected	Not Selected		
NTLM	Noun	Not Selected	Not Selected		
Windows NT LAN Manager	Noun	Not Selected	Not Selected		
IKE	Noun	Not Selected	Not Selected		
Internet Key Exchange	Noun	Not Selected	Not Selected		
Video importeren	Noun	Not Selected	Not Selected		

pan	Noun	Not Selected	Singular		
PAN	Noun	Not Selected	Not Selected		
Personal Area Network	Noun	Not Selected	Not Selected		
WSD	Noun	Not Selected	Not Selected		
WinSock Direct	Noun	Not Selected	Not Selected		
beveiligingspunt	Noun	Not Selected	Singular	[Vista] Protection points can be created automatically by Windows at designated times when you use System Restore or at any other time you choose (for example before you make changes to the computer that you might want to undo).	
IAS	Noun	Not Selected	Not Selected		
Information Access Service	Noun	Not Selected	Not Selected		
SHA	Noun	Not Selected	Not Selected		
Systeemstatusagent	Noun	Not Selected	Singular		
persoonlijke instellingen	Noun	Not Selected	Plural	[Vista] Handwriting personalization is not available for this input language.	
Shape Client	Noun	Not Selected	Not Selected		Sometimes referred to as a simply the "trainer" or "trainer dll"
medewerker	Noun	Not Selected	Singular		
lezer	Noun	Not Selected	Singular		
afdruk samenvoegen	Noun	Not Selected	Not Selected		
Bronbeheer	Noun	Not Selected	Singular		
lineaire breuk	Noun	Not Selected	Singular		
schuine breuk	Noun	Not Selected	Singular		
gestapelde breuk	Noun	Not Selected	Singular		
Diagnostische gegevens van Office	Noun	Not Selected	Plural	[Office] Office Diagnostics can help to identify problems and may be able to repair your installation of Office.	Repro steps to get to this feature: Start > Programs > Microsoft Office > Microsoft Office Tools > Microsoft Office Diagnostics
Weergave voor presentator	Noun	Not Selected	Singular		
vereist resultaat	Noun	Not Selected	Singular		
CJK-vormen	Noun	Not Selected	Plural		
Nieuw Tai Lue	Noun	Not Selected	Mass		
Tifinagh	Noun	Not Selected	Mass		

Microsoft Office InterConnect	Other	Not Selected	Not Selected	The IBC file you are trying to open is either encrypted or invalid. It may be opened using Microsoft Office InterConnect.	Localize for Japanese market only; all others leave in English.
vervolgmenuanker	Noun	Not Selected	Singular		
aaneengesloten	Adjective	Not Selected	Not Selected		
					For use after first full reference to legal name.
toegangspunt	Noun	Not Selected	Singular	An access point is a kind of router within the GPRS network that connects the wireless part of the mobile network to the Internet.	
tijdelijk netwerk	Noun	Not Selected	Singular		According to MSTP 4.6 and GTMT, "ad hoc" is spelled as two words. Term appears incorrectly as one word in Vista UI.
computer-naar-computernetwerk	Noun	Not Selected	Singular		
Speciale tekens	Noun	Not Selected	Plural		
Klassieke weergave	Noun	Not Selected	Singular		
definities	Noun	Not Selected	Plural		
IMAP	Noun	Not Selected	Not Selected		
Internet Message Access Protocol	Noun	Not Selected	Not Selected		
				[MSN] Phishers use many tactics including creating and sending links to fraudulent Web sites or e-mail messages that appear to be valid in an attempt to fool you into submitting personal, financial and password information.	
wachtwoordzin	Noun	Not Selected	Singular		
RDP	Noun	Not Selected	Not Selected		
Remote Desktop Protocol	Noun	Not Selected	Not Selected		
SSID	Noun	Not Selected	Not Selected		
serviceset-id	Noun	Not Selected	Not Selected		
standaardaccount	Noun	Not Selected	Singular		
synchronisatiefout	Noun	Not Selected	Singular		
systeemgebeurtenis	Noun	Not Selected	Singular		
Universal Disk Format	Noun	Not Selected	Not Selected		
UDF	Noun	Not Selected	Not Selected		
USB-flashstation	Noun	Not Selected	Singular		
vCard	Noun	Not Selected	Not Selected		
WEP	Noun	Not Selected	Not Selected		
Wired Equivalent Privacy	Noun	Not Selected	Not Selected		
				[InfoPath] Form designers can specify whether a form can be opened in offline mode and, if it can, which data sources are accessible in that mode.	

deelteken	Noun	Not Selected	Singular		
aanraakaanwijzer	Noun	Not Selected	Singular		
Netwerkverkenner	Noun	Not Selected	Singular	[Vista] The new Network Explorer in Windows Vista makes it easy to share files and take advantage of the connectivity that a network provides.	http://www.microsoft.com/windowsvista/features/default.mspx
				The Overview is an overview of the tools offered in the Member Center Space, not a homepage.	
					This is a standalone title. The product name may be added in a separate line.
					This phrase is located at the point where the setup instructions begin in the Getting Started Guide.
beantwoorder	Noun	Not Selected	Singular		
takendeelvenster	Noun	Not Selected	Singular		[DarlaC] Do not refer to this as a "pane"; always use "task pane" (two words, lowercase), except when explicitly referring to the Task Pane command on the View menu. The name of the task pane should be capitalized. Example: Styles and Formatting task pane
ontvanger	Noun	Not Selected	Singular		
radardiagram	Noun	Not Selected	Singular		
pagina-instelling	Noun	Not Selected	Singular		
online handboek	Noun	Not Selected	Not Selected		
persoonlijke instellingen	Noun	Not Selected	Plural		
folder	Noun	Not Selected	Not Selected		
logboek	Noun	Not Selected	Not Selected		
nieuwsbrief	Noun	Masculine	Singular		
cv	Noun	Not Selected	Not Selected		This is considered a synonym of 'resume' for the purposes of Works. Please refer to separate concept (#15233) for more traditional definition of this term.
resumé	Noun	Neuter	Not Selected		
curriculum vitae	Noun	Not Selected	Singular		This is considered a synonym of 'resume' for the purposes of Works. Please refer to separate concept (#15233) for more traditional definition of this term.
adres van afzender	Noun	Not Selected	Singular		
Spreadsheet	Noun	Not Selected	Not Selected		This is the name of an actual application in Works and not a spreadsheet in the generic sense.
begeleidende brief	Noun	Not Selected	Singular		
Taak starten	Noun	Not Selected	Singular		
installatieprogramma voor Trojaanse paarden	Noun	Not Selected	Singular		
Trojaanse proxyserver	Noun	Not Selected	Singular		
downloadprogramma in Trojaans paard	Noun	Not Selected	Singular		
melder voor Trojaanse paarden	Noun	Not Selected	Singular		
wachtwoorddief	Noun	Not Selected	Singular		Sometimes written in initial caps. Capitalization varies.

					Sometimes written in initial caps. Capitalization varies.
installatieprogramma	Noun	Not Selected	Singular		
browseraanpassing	Noun	Not Selected	Singular		
kiezer	Noun	Not Selected	Singular		
bulk-e-mailprogramma	Noun	Not Selected	Singular		
Trojaans bulk-e-mailprogramma	Noun	Not Selected	Singular		
programma voor delen van bestanden	Noun	Not Selected	Singular		
controlesoftware	Noun	Not Selected	Plural		
programma voor externe besturing	Noun	Not Selected	Singular		
instellingenparameter	Noun	Not Selected	Singular		
cv	Noun	Not Selected	Singular		
curriculum vitae	Noun	Not Selected	Singular		In Works, the terms CV and resume are used synonymously.
Momentopname van agenda	Noun	Not Selected	Singular		
tekenobject	Noun	Not Selected	Singular		
aanzetten tot haat	Noun	Not Selected	Not Selected		
Windows Foutrapportage	Noun	Not Selected	Singular		Avoid the term "Watson". This is an internal code name, although it's been used publicly on occasion. Note that Watson is not the same program as Dr. Watson, which is now out-of-date. "Windows Error Reporting" is the official name of the Watson service in Windows XP and Windows Server 2003.
Windows Probleemreportage	Noun	Not Selected	Singular		
Verkenner	Noun	Not Selected	Singular	[Vista] The new Explorers are powerful yet easy-to-use tools for working with files consistently across Windows Vista. Explorers give you more information and control while simplifying how you work with your files.	A collective, superordinate concept for the various types of Explorers in Vista.
browsen met tabbladen	Noun	Not Selected	Not Selected		
WAU	Noun	Not Selected	Singular		Windows Anytime Upgrade is a brand. It will be a site similar to Windows Upgrade. The logo can be found on https://mediabank.partners.extranet.microsoft.com/main.asp . Go to Media Database Active U-Z Windows Vista Windows Anytime Upgrade
Windows Anytime Upgrade	Noun	Not Selected	Not Selected		Windows Anytime Upgrade is a brand. It will be a site similar to Windows Upgrade. The logo can be found on https://mediabank.partners.extranet.microsoft.com/main.asp . Go to Media Database Active U-Z Windows Vista Windows Anytime Upgrade
digitale licentie	Noun	Not Selected	Singular		
Afnemen naar binnen	Noun	Not Selected	Not Selected		
Afnemen naar buiten	Noun	Not Selected	Not Selected		

Systeembeveiliging	Noun	Not Selected	Singular		
Windows Agenda	Noun	Not Selected	Singular		
Introductiecentrum	Noun	Not Selected	Singular		
Stationsbehuizing	Noun	Not Selected	Singular		
WinRE	Noun	Not Selected	Singular		
Windows Herstelomgeving	Noun	Not Selected	Singular		
volumelicentiesleutel	Noun	Not Selected	Singular		
productcode van de volumelicentie	Noun	Not Selected	Singular		
productcode voor meerdere activeringen	Noun	Not Selected	Singular		
volumelicentie	Noun	Not Selected	Singular	Volume licensing is a flexible and economical way to acquire from five to thousands of licenses for software. Microsoft Volume Licensing programs provide potentially substantial savings, ease of deployment, flexible acquisition, numerous payment options, and other benefits such as Software Assurance.	
volumelicentie	Noun	Not Selected	Singular		
Client voor activeren van Windows	Noun	Not Selected	Singular		
Systeemvak	Noun	Not Selected	Singular		[OPK] This is a separate area from the notification area.
landinstellingen voor de gebruiker	Noun	Not Selected	Plural		
Windows-installatiekopie	Noun	Not Selected	Singular		
SLCC	Noun	Not Selected	Singular		
Software Licensing Commerce Client	Noun	Not Selected	Singular		
set tabbladen	Noun	Not Selected	Singular		
				[SBA] You can type an account balance in the Balance field if you are creating the account to bring over balances from another system.	
overhead	Noun	Not Selected	Singular		
status	Noun	Not Selected	Singular		

weergavenaam	Noun	Not Selected	Singular		
bekabeld	Adjective	Not Selected	Singular		
scannen	Verb	Not Selected	Not Selected		
CSR	Noun	Not Selected	Singular		
Client-Side Rendering	Noun	Not Selected	Singular		Also spelled "Client Side Rendering"
offline-Help	Noun	Not Selected	Singular		[Dawn Tanner] Online/Offline Help refers to whether the user opts to get the latest content from our website, which is not called Windows Online Help. If they choose Online Help, they'll be in the better when connected scenario and will see the latest Help content. If they choose Offline Help, they'll get the local Help content that shipped on the box.
scannerkop	Noun	Not Selected	Singular		
wisselbestand	Noun	Not Selected	Singular		
wisselbestand	Noun	Not Selected	Singular		[GTMT] preferred term.
wisselbestand	Noun	Not Selected	Singular		[GTMT] In XP Embedded, also called "swap file".
				[MSTP 4.6] A plus sign next to a folder indicates that it can be expanded to show more folders; a minus sign indicates that it can be collapsed.	
galerie	Noun	Not Selected	Singular	[Office12] Controls cannot be added to a built-in gallery.	
Scherminfo	Noun	Not Selected	Singular		
uitgebreide scherminfo	Noun	Not Selected	Singular		
miniwerkbalk	Noun	Not Selected	Singular		
				[Office Online] Analogous colors used together create a harmonious and unified feeling because two of the colors contain the third.	
faciliteitveld	Noun	Not Selected	Singular		
faciliteitcode	Noun	Not Selected	Singular		
foutcode	Noun	Not Selected	Singular		
foutcode	Noun	Not Selected	Singular		
Office Forms Server	Proper Noun	Not Selected	Singular	[Office] The form template is currently set to be compatible with InfoPath and Office Forms Server.	

Microsoft® Office Forms Server	Proper Noun	Not Selected	Singular		
dvd-films met extra inhoud	Noun	Not Selected	Singular		
audio-cd's met extra inhoud	Noun	Not Selected	Singular		
HD (high-definition)-dvd	Noun	Not Selected	Singular		generic term
HD-film	Noun	Not Selected	Not Selected	[Vista Packaging] Windows Media Center for HD movies, TV, music, and photos.	
HD-dvd	Noun	Not Selected	Singular		product name
SVCD	Noun	Not Selected	Singular		
Super Video-cd	Noun	Not Selected	Singular		
Classificatie van SpyNet-community	Noun	Not Selected	Singular		
inhoudsrestrictie	Noun	Not Selected	Singular		
Windows Marketplace	Noun	Not Selected	Singular		
DCB	Noun	Not Selected	Singular		
mapbeheerblok	Noun	Not Selected	Singular		
					[MSTP 4.6] Not 'accent acute'
					[MSTP 4.6] Do not use '&' in text or headings to mean 'and' unless you are specifically referring to the symbol on the user interface. It is, of course, all right to use and refer to the ampersand in appropriate contexts. For example, in HTML the ampersand precedes the code name or number of a special character, and in C and other programming languages the ampersand is an operator.
				[MSTP 4.6] Use apostrophes to form the possessive case of nouns and to indicate a missing letter in a contraction.	
					Use to distinguish from other apostrophe characters (for publishing).
copyrightinformatie	Noun	Not Selected	Not Selected	[MSTP] Online, the copyright notice appears on the program startup screen (splash screen) and in the About dialog box on the Help menu of each program. Because online Help is copyrighted as part of the software product, its copyright notice should use the copyright date for the software itself.	
album	Noun	Neuter	Singular		
vooruitspoelen	Verb	Not Selected	Not Selected		
locatie	Noun	Feminine	Singular		
Mijn muziek	Noun	Feminine	Singular		
Mijn video's	Noun	Masculine	Plural		
Nu afspelen	Verb	Not Selected	Not Selected		
afspelen	Verb	Not Selected	Not Selected		
afspelen	Verb	Not Selected	Not Selected		
classificatie	Noun	Feminine	Singular		
terugspoelen	Verb	Not Selected	Not Selected		
willekeurige volgorde	Noun	Masculine	Singular		
links uitgelijnd	Adjective	Not Selected	Not Selected		[MSTP4.6] Use to refer to text that is aligned at the left margin. Hyphenate left-aligned in all positions in the sentence. Do not use left-justified.
rechts uitgelijnd	Adjective	Not Selected	Not Selected		[MSTP4.6] Use to refer to text that is aligned at the right margin. Hyphenate right-aligned in all positions in the sentence. Do not use right-justified.

					[MSTP 4.6] The term quotation marks, used without modifiers, refers to double curly quotation marks (" "). Refer to quotation marks as quotation marks, not as quote marks or quotes. Use the terms opening quotation marks or closing quotation marks, not open quotation marks, close quotation marks, beginning quotation marks, or ending quotation marks.
					[MSTP 4.6] Quotation marks (not quotes or quote marks). Curly quotation marks is all right if necessary to distinguish from straight quotation marks.
					[MSTP 4.6] The term quotation marks, used without modifiers, refers to double curly quotation marks (" "). Refer to quotation marks as quotation marks, not as quote marks or quotes. Use the terms opening quotation marks or closing quotation marks, not open quotation marks, close quotation marks, beginning quotation marks, or ending quotation marks.
					[MSTP 4.6] Quotation marks (not quotes or quote marks). Curly quotation marks is all right if necessary to distinguish from straight quotation marks.
				[MSTP 4.6] In online content, use straight quotation marks.	[MSTP 4.6] straight quotation marks (not quotes or quote marks).
tijdsduur	Noun	Masculine	Singular		
					[MSTP 4.6] When referring to italic formatting, use italic, not italics or italicized.
envelop	Noun	Not Selected	Singular		
Toegankelijkheidscentrum	Noun	Not Selected	Singular		
dempen	Verb	Not Selected	Not Selected		
vermenigvuldigingstekens	Noun	Not Selected	Not Selected	[MSTP 4.6] In general, use the multiplication sign (x), not the letter x, to indicate the mathematical operation.	
Verstreken	Adjective	Not Selected	Not Selected	[Example 1] Time that has elapsed has already gone by. [Example 2] The amount of time that has elapsed is 12 minutes.	
GN	Noun	Not Selected	Singular		
Group Ad-hoc Network	Noun	Not Selected	Singular	[GTMT] In order to support a Group Ad-hoc Network, one (and only one) of the devices must be in the Group Ad-hoc Network (GN) role. Other computers and devices connect to the GN device using the PAN Client role.	
Microsoft Windows Softwareverkenner	Noun	Not Selected	Singular		
Snelle tabbladen	Noun	Not Selected	Plural		
thuiscel	Noun	Not Selected	Singular	[GTMT] Aces can be moved to home cells immediately, and other cards of the same suit can be moved on top of them in ascending order. You win the game by moving all the cards to the home cells.	
DPI-schaalbaarheid	Noun	Not Selected	Singular		
stilzetten	Verb	Not Selected	Not Selected		
voorbeeld van het lettertype	Noun	Not Selected	Singular		
slepen en neerzetten	Verb	Not Selected	Not Selected	[Office12 Packaging] Build detailed forms using pre-built templates and a simple drag-and-drop interface.	[MSTP 4.6] Do not use as a verb or as a noun. The action of dragging includes dropping the element in place. It is all right to use drag-and-drop as an adjective to describe moving objects between windows and programs or to describe behavior a programmer wants to put in a program. In these cases, use a phrase such as "drag-and-drop editing" or "a drag-and-drop feature."

				[Office Online] Type user names or e-mail addresses for the members you want to invite to the Document Workspace, separated by semicolons.	
				[Office Online] When you create a Document Workspace site that's based on a document in a document library, the Document Workspace site carries the same name as the document on which it is based. The document is then stored in a separate document library in the new Document Workspace site. This document can be published back to its source location, in the original document library, from the Document Workspace site.	
					[MSTP 4.6] Use 'e-mail message' or 'message' to refer to an individual piece of e-mail. Do not use e-mail as a synonym for message.
					[MSTP 4.6] Use 'e-mail message' or 'message' to refer to an individual piece of e-mail. Do not use e-mail as a synonym for message.
				The clock speed determines how many instructions per second the processor can execute.	
Complete PC-back-up	Noun	Not Selected	Singular	[Vista] Use CompletePC Backup to make a backup image of your entire computer, which can be used to recover from a hardware failure.	
Complete PC terugzetten	Noun	Not Selected	Singular	[Vista] Use CompletePC Restore to restore the contents of your computer from a backup image.	
Digitale kluis	Noun	Not Selected	Singular		
Adresbalk	Noun	Not Selected	Singular		
				Any information that you share with Microsoft is completely anonymous, and absolutely no information is personally identifiable as being yours.	
foutinjectie	Noun	Not Selected	Singular		
				[SBA] You can make an adjustment to the quantity or value of inventory for damaged items by charging Cost of Goods Sold.	
geheugentoe wijzing	Noun	Not Selected	Singular		
				[SBA]: Type the payment term name. For example, COD, Net 30, or 1%10 Net30.	
				[SBA] He drew up a contract when he retained the plumber for his services.	
					[MSTP 4.6] Use only to refer to closing a program. Do not use to refer to closing a document or a window. Do not use to refer to switching from one program, document, or window to another.
				[MSTP 4.6] To end your server connection, on the Tools menu, click Disconnect Network Drive.	
knipsel	Noun	Not Selected	Singular		
iSNS	Noun	Not Selected	Singular		
Internet Storage Name Service	Noun	Not Selected	Singular		
QC	Noun	Not Selected	Singular		
trap uitvoeren	Noun	Not Selected	Mass		
verzegelen	Verb	Not Selected	Not Selected		
PAC	Noun	Not Selected	Singular		

Privilege Attribute Certificate	Noun	Not Selected	Singular		
DCE	Noun	Not Selected	Singular		
Data Communications Equipment	Noun	Not Selected	Singular		
vasteschijfstation	Noun	Not Selected	Singular		[MSTP 4.6] Be clear whether you are talking about the disk itself or the drive, which should be referred to as the hard disk drive, not the hard drive, internal drive, fixed disk drive, or hard disk system. Do not hyphenate hard disk.
Loose XAML	Noun	Not Selected	Singular		
toepassen	Verb	Not Selected	Not Selected	[Office12 Packaging] Apply text effects, Smart Art graphics and colours throughout your document.	
commerciële afdruk	Noun	Not Selected	Singular	[Office12 Packaging] Full support for commercial printing, including Pantone® Colors, and CMYK conversion.	
contactpersonenbeheer	Noun	Not Selected	Not Selected	[Office12 Packaging] Microsoft® Office Small Business 2007 offers new contact management and marketing tools to help you save time and deliver better customer service.	
vinden	Verb	Not Selected	Not Selected	[Office12 Packaging] Locate any message or Outlook information using new Instant Search—even see results as you type.	
sorteren	Noun	Not Selected	Not Selected		
stroomlijnen	Verb	Not Selected	Not Selected	[Office12 Packaging] Streamline information-gathering with forms that are easy to create, share and reuse.	
teksteffect	Noun	Not Selected	Not Selected	[Office12 Packaging] Word: Create great-looking documents with enhanced bullets, text effects, and visual galleries.	
met één klik	Adverb	Not Selected	Not Selected	[Office12 Packaging] Access: Create reports with one click and use improved tools to filter, sort, and group data. Create reports with one click and modify them in real time using new interactive design tools.	
profiteren	Verb	Not Selected	Not Selected	[Vista Packaging] Take advantage of updated features, including Windows Defender, parental controls and self-diagnostics.	
automatisch	Adjective	Not Selected	Not Selected	[Vista Packaging] Automatic backup, new security tools, etc.	
levensduur van de accu	Noun	Not Selected	Not Selected	[Vista Packaging] Discover a better PC experience, with improved battery life, performance, and reliability.	
verbinden	Verb	Not Selected	Not Selected	[Vista Packaging] Share entertainment throughout your home by connecting to XBOX 360.	
leveren	Verb	Not Selected	Not Selected	[Vista Packaging] The new operating system that delivers more productivity and entertainment to your PC at home and on the go.	
effectief	Adjective	Not Selected	Not Selected	[Vista Packaging] Whether you're sharing photos, browsing the Internet, or simply writing email, Windows Vista Home Basic helps you make the most effective use of your computer.	
uitgebreid	Adjective	Not Selected	Not Selected		
entertainment	Noun	Not Selected	Not Selected	[Vista Packaging] The best edition of Windows Vista -- with the power and security you need for work and the entertainment and ease you want for fun.	
ervaring	Noun	Not Selected	Not Selected	[Windows] For example, the photo experience includes printing, sharing, and organizing. A customer will buy the product because the entire "experience" is easier to deal with than just one of the scenarios (i.e. printing)	
hardwarefout	Noun	Not Selected	Not Selected		
thuis	Noun	Not Selected	Not Selected	[Vista Packaging] Enjoy your favorite entertainment on your PC and share it throughout the home on devices including Xbox 360.	
verloren gegevens	Noun	Not Selected	Not Selected	[Vista Packaging] Protect your data against loss or theft with Windows BitLocker.	
ouderlijk toezicht	Noun	Not Selected	Plural		
kracht	Noun	Not Selected	Not Selected	[Vista Packaging] The best edition of Windows Vista - with the power and security you need for work, and the entertainment and ease you want for fun.	
beschermen	Verb	Not Selected	Not Selected	[Vista Packaging] Protect against hardware failure with enhanced Backup and Restore.	
tv	Noun	Not Selected	Not Selected		
actief en werkend	Adjective	Not Selected	Not Selected		
gemakkelijk	Adverb	Not Selected	Not Selected		
browsegeschiedenis	Noun	Not Selected	Singular		May also be referred to as "Web History" or "webpage history".
Grijstinten	Noun	Not Selected	Not Selected		

				[Office Online] In design mode, a repeating table displays a single row, plus a header row into which you can type column labels.	
				[Office Online] In Microsoft Office InfoPath 2003, a form's visual structure, or layout, is created primarily through the use of layout tables. Among other things, you can use layout tables to organize controls or to arrange logos and other graphics on a form. After you insert layout tables onto a form, you can type text, such as control labels, into them and insert the controls with which your users will interact.	
				[Office Online] Repeating tables are bound to repeating groups. Each column in a repeating table contains a control, and each control is bound to a field that is part of the repeating table's group.	
				[Office Online] Repeating tables are bound to repeating groups. Each column in a repeating table contains a control, and each control is bound to a field that is part of the repeating table's group.	
				[Office Online] When you insert a section onto your form, you are essentially inserting an empty container. For the section control to be useful, you must insert other controls inside it.	
				When the MS Mail Connector receives a message with a foreign address type, it will convert the address to an X.400 address with DDA (domain defined attribute) type and DDA value.	
Purple Pairs	Noun	Not Selected	Plural		
				[Office Online] Constraints are business logic that your database server enforces for you. They limit the possible values that users can enter into specified columns, enforcing referential integrity. When you create constraints in the Database Designer, they conform to the ANSI standard for creating and altering tables.	
Printers en beeldapparaten	Noun	Not Selected	Plural		
evaluatieperiode	Noun	Not Selected	Singular		
evaluatieperiode	Noun	Not Selected	Singular		
				[Office Online] Use the Sum and DSum functions to calculate the sum the values in a field in a domain such as a query.	
				[MSDN] Labels have certain characteristics:Labels don't display values from fields or expressions. Labels don't change as you move from record to record.	
				[MSDN] Follow the instructions in the Table Analyzer Wizard dialog boxes. Note that the first two dialog boxes explain what normalization is and why it is useful. The third dialog box asks if you want to manually split a database or if you want to let the wizard do it for you.	
Start	Noun	Not Selected	Singular		
				[Office Online] Changes to the data in a replicated table in one replica are sent and applied to the other replicas.	
				[Office Online] The information in a form can be divided into sections... Each section has a specific purpose and prints in a predictable order in the form.	
label	Noun	Not Selected	Singular		Approved term for OneNote 2007
notitielabel	Noun	Not Selected	Singular		Approved term for OneNote 2007
prestatie	Noun	Not Selected	Not Selected		
				[Office Online] In Datasheet view, you can edit fields, add and delete data, and search for data.	
				[Office Online] After you remove records using a delete query, you cannot undo the operation. If you want to know which records were deleted, first examine the results of a select query that uses the same criteria, and then run the delete query.	

				[Office Online] If your database is the Design Master and you want to make the other replica the Design Master, select the Make 'Filename' the Design Master check box. (This option is unavailable if either of the replicas to be synchronized is a partial replica.)	
				[Office Online] An external table may take the form of another file or it may be a table in another relational database.	
				[Office Online] In Layout Preview, you can take a quick look at the layout, which includes just a sample of the data in the report. It does not show the actual data in the report.	
				[Office Online] If you use linked tables, keep in mind that linked tables aren't automatically replicated. If you create a linked table in the Design Master, it's created as a local object and remains local until you make it replicable.	
				[Office Online] A Lookup field provides a list of values that you can choose from when you are entering data. This makes data entry easier and ensures the consistency of the data in that field. A Lookup field can get its list of values from a table or query, or from a fixed set of values that you have specified.	
ODBC-gegevensbron	Noun	Not Selected	Singular	[Office Online] An ODBC data source — for example, a database and the server on which it resides — is accessed through an Open Database Connectivity (ODBC) driver.	
				[Office Online] In Access 2002 or later, forms support two new views: PivotTable view and PivotChart view. PivotTable view uses the Office PivotTable Component to facilitate interactive data analysis. PivotChart view uses the Office Chart Component to help you create dynamic, interactive charts.	'PivotChart' is a registered trademark
				[Office Online] In Access 2002 or later, forms support two new views: PivotTable view and PivotChart view. PivotTable view uses the Office PivotTable Component to facilitate interactive data analysis. PivotChart view uses the Office Chart Component to help you create dynamic, interactive charts.	'PivotTable' is a registered trademark
				[Office Online] If you want, you can view or edit the SQL statement in SQL view. However, after you make changes to a query in SQL view, the query might not be displayed the way it was previously in Design view.	
				[Office Online] You use Access to create a report snapshot. However, you can view, print, store, publish, distribute, and archive a report snapshot without having an Access license by using a combination of Snapshot Viewer and other programs, such as Microsoft Windows Explorer, an e-mail program, or a Web browser, such as Microsoft Internet Explorer.	
				[Office Online] Using the Find Duplicates Query Wizard, you can create a select query to determine if there are duplicate records in a table. For example, you might search for duplicate values in an Address field to determine if you have duplicate records for the same supplier, or you might search for duplicate values in a City field to see which suppliers are in the same city.	
				[Office Online] Referential integrity is a system of rules that Microsoft Access uses to ensure that relationships between records in related tables are valid, and that you don't accidentally delete or change related data.	
				[MSDN] An example of a recordset based on a table is "all customers," which accesses a Customer table.	
verkleinen	Verb	Not Selected	Not Selected		
SA	Noun	Not Selected	Singular	An SA is identified by the combination of a Security Parameters Index (SPI), destination IP address, and security protocol (Authentication Header (AH) or Encapsulating Security Payload (ESP)). An SA must be negotiated before secured data can be sent.	
beveiligingskoppeling	Noun	Not Selected	Singular		
gebied	Noun	Not Selected	Singular		
Basiskennis van Windows	Noun	Not Selected	Singular		
				[Office] A copy of this file is checked out on another machine. The server copy may not contain your latest changes. Would you like to discard your check out before opening the server copy?	

Entry Note

Windows/OE agrees conceptually with this definition, but not for use with their audience. See GTMT #18102 for team-authored definition.

Unicode (hex) character 2026.

Unicode (hex) character 2014.

Encryption is an effective way to help keep information secure. To decipher a file that has been encrypted, the receiver must have the secret key or password that will translate it.

[Access] A set of criteria applied to data in order to display a subset of the data or to sort the data.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

HTTP makes it possible for a user with a client program to enter a URL (or click a hyperlink) and retrieve text, graphics, sound, and other digital information from a Web server.

HTTP makes it possible for a user with a client program to enter a URL (or click a hyperlink) and retrieve text, graphics, sound, and other digital information from a Web server.

HTTP makes it possible for a user with a client program to enter a URL (or click a hyperlink) and retrieve text, graphics, sound, and other digital information from a Web server.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

An ISP typically charges a monthly or hourly connection fee. Some ISPs are large national or multinational corporations that offer access in many locations, while others are limited to a single city or region. Also called access provider, service provider.

Rules associated with resources, or objects, that are shared on a network, such as a file, directory, or printer. Permissions control which users can view or change a file, directory, computer, network location, etc. The computer administrator or owner of the area being accessed usually sets permissions.[Access] A set of attributes that specify what kind of access a user has to data or objects in a database.

Rules associated with resources, or objects, that are shared on a network, such as a file, directory, or printer. Permissions control which users can view or change a file, directory, computer, network location, etc. The computer administrator or owner of the area being accessed usually sets permissions.[Access] A set of attributes that specify what kind of access a user has to data or objects in a database.

--

--

--

--

"Batch program" is often used interchangeably with "script" in the Windows environment.

--

--

[Old/OPK] A software package that replaces an installed version of a product with a newer version of the same product. The upgrade process typically leaves existing customer data and preferences intact while replacing the existing software with the newer version.

[Old/OPK] A software package that replaces an installed version of a product with a newer version of the same product. The upgrade process typically leaves existing customer data and preferences intact while replacing the existing software with the newer version.

Upgrading, unlike performing a new installation, leaves existing settings and files in place.

Aids deployment or administration of a product.

[previous definition] A hardware device, such as an expansion board or chip, that can be added to a computer to expand its capabilities.

[previous definition] A hardware device, such as an expansion board or chip, that can be added to a computer to expand its capabilities.

Altered definition to align with what is in published source.

Note that this concept is specific to Office

Note that this concept is specific to Office.

ASP pages are files that contain HTML tags, text, and script commands. ASP pages can call Component Object Model (COM) components to perform tasks, such as connecting to a database or performing a business calculation. With ASP, the user can add interactive content to Web pages or build entire Web applications that use HTML pages as the interface to your customers.

ASP pages are files that contain HTML tags, text, and script commands. ASP pages can call Component Object Model (COM) components to perform tasks, such as connecting to a database or performing a business calculation. With ASP, the user can add interactive content to Web pages or build entire Web applications that use HTML pages as the interface to your customers.

[MSTP 4.6] High-level data access programming interface to the underlying OLE DB data access technology, implemented using COM.

[MSTP 4.6] High-level data access programming interface to the underlying OLE DB data access technology, implemented using COM.

Unicode (hex) character 002B.

Unicode (hex) character 002B.

generic usage. Compare: Address Book

Related concept: dialog box

For example, one might allocate sufficient memory for use by a program or allocate an inventory item for sale or assembly.Related term: deallocate

[GTMT-MSXGloss] All file systems used by Windows organize hard disks based on allocation units. The smaller the allocation unit size, the more efficiently a disk stores information. If you do not specify an allocation unit size when formatting the disk, Windows picks default sizes based on the size of the volume. These default sizes are selected to reduce the amount of space that is lost and the amount of fragmentation on the volume.

[GTMT-MSXGloss] All file systems used by Windows organize hard disks based on allocation units. The smaller the allocation unit size, the more efficiently a disk stores information. If you do not specify an allocation unit size when formatting the disk, Windows picks default sizes based on the size of the volume. These default sizes are selected to reduce the amount of space that is lost and the amount of fragmentation on the volume.

Angle brackets are frequently used to enclose text or character strings, such HTML or XML tags. They may surround return addresses in e-mail headers. In IRC channels, MUDs, and some e-mail and Usenet posts, angle brackets surround descriptions of actions or expressions.

To remove infrequently used information from a table or database, and move it to another table or database where it can be stored but also easily retrieved, if needed.
[Data Protection Manager]

[Outlook] Information that you send to a folder instead of to a person.

[Outlook] Information that you send to a folder instead of to a person.

Unicode (hex) character 002A.

Unicode (hex) character 0040.

Most modern e-mail clients have the ability to attach documents, as well as to decode attached documents that are received.

[Old] One of the reference lines of a coordinate system.
[MS Press] The colors, textures, patterns, and pictures that comprise the surface of the desktop, upon which icons, buttons, menu bars, and toolbars are situated.
[MS Press] The colors, textures, patterns, and pictures that comprise the surface of the desktop, upon which icons, buttons, menu bars, and toolbars are situated.
[PowerPoint] The underlying color of a slide.
Unicode (hex) character 005C.The character used to separate directory names in MS-DOS path specifications. When used as a leading character, it means that the path specification begins from the topmost level for that disk drive.
Unicode (hex) character 005C.The character used to separate directory names in MS-DOS path specifications. When used as a leading character, it means that the path specification begins from the topmost level for that disk drive.
Some application programs automatically make backup copies or data files, maintaining both the current version and the preceding version.
Some application programs automatically make backup copies or data files, maintaining both the current version and the preceding version.
Some application programs automatically make backup copies or data files, maintaining both the current version and the preceding version.
Related (subordinate) concepts: clustered bar, stacked bar, 100% stacked bar
Related (subordinate) concepts: clustered bar, stacked bar, 100% stacked bar
[previous definition] A character followed by a nonspacing character. Typically this is a character that receives an accent or diacritical mark.

Old definition: A new software or hardware product, or one that is being updated, that is ready to be released to users for beta testing in real-world situations.

Old definition: A new software or hardware product, or one that is being updated, that is ready to be released to users for beta testing in real-world situations.

For example, most Arabic, Hebrew, Persian, and Urdu characters are read from right to left, but numbers and quoted Western terms within these languages` text are read from left to right.

For example, most Arabic, Hebrew, Persian, and Urdu characters are read from right to left, but numbers and quoted Western terms within these languages` text are read from left to right.

[MS Press] Having two components, alternatives, or outcomes. The binary number system has 2 as its base, so values are expressed as combinations of two digits, 0 and 1.

[MS Press] A file consisting of a sequence of 8-bit data or executable code, as distinguished from files consisting of human-readable ASCII text.

[MS Support Online Glossary] To associate two pieces of information with one another. The term is most often used with reference to associating a symbol (such as the name of a variable) with some descriptive information (such as a memory address, a data type, or an actual value).

The CAPS LOCK key does not affect numbers, punctuation marks, or other symbols.

The CAPS LOCK key does not affect numbers, punctuation marks, or other symbols.

[Windows 2000 Server] Normally the flashing vertical bar that indicates the insertion point in text, it can actually have a range of appearances and is used to indicate keyboard focus location to other software utilities.

[Windows 2000 Server] Normally the flashing vertical bar that indicates the insertion point in text, it can actually have a range of appearances and is used to indicate keyboard focus location to other software utilities.

Unicode (hex) character 00A2.

[Windows] A letter, number, punctuation mark, or other symbol.
[GTMT] A control used to enter information by marking a selection, instead of typing in a data entry field.
Unicode (hex) character 00AB; ISO-8859-1: US-Kbd: Alt++ Octal:\253 HTML:«
Related concept: select
Related concept: standard module

[Windows XP] To turn off an option by removing the X or check mark from a check box.

The system clock signal is precisely set by a quartz crystal, typically at a specific frequency between 1 and 50 megahertz. The clock rate of a computer is one of the prime determinants of its overall processing speed, and it can go as high as the other components of the computer allow.

The system clock signal is precisely set by a quartz crystal, typically at a specific frequency between 1 and 50 megahertz. The clock rate of a computer is one of the prime determinants of its overall processing speed, and it can go as high as the other components of the computer allow.

Related Concepts: exit, end

Unicode (hex) character 005D

Unicode (hex) character 00BB; ISO-8859-1: US-Kbd: Alt-; Octal:\273 HTML:»

Unicode (hex) character 007D.

Unicode (hex) character 0029.

[Office Live] Color depth can range from 1 bit (black and white) to 32 bits (over 16.7 million colors).

[Office Live] Color depth can range from 1 bit (black and white) to 32 bits (over 16.7 million colors).

A color monitor, unlike a monochrome display, has a screen coated internally with patterns of three phosphors that glow red, green, and blue when struck by an electron beam. To create colors such as yellow, pink, and orange, the three phosphors are lighted together in varying degrees. A video card that uses large groups of bits (6 or more) to describe colors and that generates analog (continuously variable) signals is capable of generating an enormous potential range of colors on a color monitor.

Related concept: row

Related (subordinate) concepts: clustered column, stacked column, 100% stacked column, 3-D column

[InfoPath] A control that combines a text box and a list box, allowing users to either type an entry or choose one from the list.

[InfoPath] A control that combines a text box and a list box, allowing users to either type an entry or choose one from the list.

Unicode (hex) character 002C.

[Access] A control that runs a macro, calls a Visual Basic function, or runs an event procedure.

[Access] A control that runs a macro, calls a Visual Basic function, or runs an event procedure.

[Old] An artificial language that specifies instructions to be executed on a computer. The term covers a wide spectrum, from binary-coded machine language to high-level languages.

[Old] An artificial language that specifies instructions to be executed on a computer. The term covers a wide spectrum, from binary-coded machine language to high-level languages.

[Old] A representation of a numeric or string value that doesn't change. True, False, and Null are constants. You can use constants in expressions in tables, queries, forms, reports, and macros. In a Visual Basic module, you can use the Const statement to declare your own constants. A constant may be a string or numeric literal, another constant, or any combination that includes arithmetic or logical operators, except the Is statement and exponentiation.

In reference to hardware, control of system operations can reside in a data pathway called a control bus. In reference to software, control refers to program instructions that manage data-handling tasks.

[MS Press] In many application programs, Control (labeled CTRL or Ctrl on a PC keyboard) plus another key is used as a command for special functions. A designation used to label the Control key on computer keyboards.

[MS Press] In many application programs, Control (labeled CTRL or Ctrl on a PC keyboard) plus another key is used as a command for special functions. A designation used to label the Control key on computer keyboards.

[MS Press] In many application programs, Control (labeled CTRL or Ctrl on a PC keyboard) plus another key is used as a command for special functions. A designation used to label the Control key on computer keyboards.

--

In computer graphics and displays, coordinates specify such elements as points on a line, the corners of a square, or the location of a pixel on the screen. In other computer applications, coordinates specify cells on a spreadsheet, data points on a graph, locations in memory, and so on.

Related concept: floating-point processor

In many countries the originator of a work has copyright in the work as soon as it is fixed in a tangible medium (such as a piece of paper or a disk file); that rule applies in the United States for works created after 1977. Registration of a copyright, or the use of a copyright symbol, is not needed to create the copyright but does strengthen the originator's legal powers. Unauthorized copying and distribution of copyrighted material can lead to severe penalties, whether done for profit or not. Copyrights affect the computer community in three ways: the copyright protection of software, the copyright status of material (such as song lyrics) distributed over a network such as the Internet, and the copyright status of original material distributed over a network (such as a newsgroup post). The latter two involve electronic media that are arguably not tangible, and legislation protecting the information disseminated through electronic media is still evolving.

Crossing sets of parallel lines: #.

Crossing sets of parallel lines: #.

Related concept: built-in toolbar

Traditionally, hardware customizing ranges from designing an electronic circuit for a particular customer to putting together a computer facility tailored to a customer's special need. Software customizing usually means modifying or designing software for a specific customer.

Unicode (hex) character 2020; ASCII #134

[MS Press] Plural of the Latin datum, meaning an item of information. In practice, data is often used for the singular as well as the plural form of the noun.

[MS Web] In a graphical user interface, a special window displayed by the system or application to solicit a response from the user.

[AWS] A group that is only used for e-mail distribution and that is not security-enabled. Distribution groups cannot be listed in discretionary access control lists (DACLS) used to define permissions on resources and objects.

[AWS] A group that is only used for e-mail distribution and that is not security-enabled. Distribution groups cannot be listed in discretionary access control lists (DACLS) used to define permissions on resources and objects.

Related concept: floating toolbar

Documents are generally thought of as word-processed materials only. To a computer, however, data is nothing more than a collection of characters, so a spreadsheet or a graphic is as much a document as is a letter or report.

In database design and management, the set of valid values for a given attribute. For example, the domain for the attribute AREA-CODE might be the list of all valid three-digit numeric telephone area codes in the United States.

For example, you can move a window to another location on the screen by dragging its title bar.

[Office12 Packaging] changes/corrections of errors related to text for publication/presentation in documents

An editor is usually less powerful than a word processor, lacking the latter's capability for text formatting, such as use of italic characters.

[InfoPath] An element or attribute in the data source that can contain data. If the field is an element, it can contain attribute fields. Fields store the data that is entered into controls.

[Access] One or more table fields (columns) that refer to the primary key field or fields in another table. A foreign key indicates how the tables are related.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

[Outlook] A way to distribute and collect information electronically. For example, a form can be available for anyone to order supplies or to post information in a public folder. All Outlook items, such as messages and appointments, are based on forms.[InfoPath] a document with a set of controls into which users can enter information. InfoPath forms can contain features such as rich text boxes, date pickers, optional and repeating sections, data validation, and conditional formatting.

In Excel, a formula always begins with an equal sign (=).
[MSTP 4.6] Hardware that converts image data into electronic signals processed by a computer monitor.
Unicode (hex) character 0060.
[Windows] A filter effect in Windows Movie Maker.
Unicode (hex) character 003E.Can be used as an operator to compare two (or more) values or expressions. Also used in conjunction with a left angle bracket to enclose text or tags.[MSTP 4.6] In e-mail and Usenet posts, a right angle bracket (>) commonly precedes included (quoted) text. In UNIX, a right angle bracket redirects the output of a command into a file.
Unicode (hex) character 003E.Can be used as an operator to compare two (or more) values or expressions. Also used in conjunction with a left angle bracket to enclose text or tags.[MSTP 4.6] In e-mail and Usenet posts, a right angle bracket (>) commonly precedes included (quoted) text. In UNIX, a right angle bracket redirects the output of a command into a file.
Unicode (hex) character 2265.
[InfoPath] An element in the data source that can contain fields and other groups. Examples: A collection of records in a database report, a collection of objects that can be moved and transformed as a single object in a drawing program. In various multiuser operating systems, a group is a set of user accounts, sometimes called members.
component name
[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.
[Access] A unique Integer value (Long in a 32-bit environment) you use to identify and access a Form or Report window.

[Windows Error Reporting] An application is considered 'hung' if it does not respond to user input. Windows defines a hang as being unresponsive to 'ping' messages for a certain period of time.[MSPress]A hung program or computer system does not respond to user input, but the screen looks as if everything is running normally. The program or system might be waiting for something, for example, information from a network, or it might have terminated abnormally. It might resume running normally on its own, or the user might need to terminate and restart the program or reboot the computer. A hung computer system is said to be locked up.

[Office] Use to display a title, column headings, dates, or page numbers at the top of every page in a form or report. In a form, the page header appears only when you print the form.

[Office] Use to display a title, column headings, dates, or page numbers at the top of every page in a form or report. In a form, the page header appears only when you print the form.

[Office] Use to display a title, column headings, dates, or page numbers at the top of every page in a form or report. In a form, the page header appears only when you print the form.

[MSPress] The user can access help without interrupting work in progress or leafing through a manual. Some help facilities are context-sensitive, meaning that the user receives information specific to the task or command being attempted.

ACPI S4, or Suspend to Disk. Suspend to Disk uses a non-volatile store, but is much slower to resume than S3. S3 and S4 are specific system power states specified in the ACPI specification; virtually all PCs support these states.

[Tablet PC] To hold the tablet pen above the screen, keeping the pointer in the same location.

Unicode (hex) character 2010.

[Access] An element of an expression that refers to the value of a field, control, or property. For example, Forms!Orders![OrderID] is an identifier that refers to the value in the OrderID control on the Orders form.)

2004-01-06: updated definition.
Conventions such as the TIFF (Tagged Image File Format) and PICT formats (for graphics files) make importing easier.
Related concept: active window
[Access] A feature that speeds up searching and sorting in a table based on key values and can enforce uniqueness on the rows in a table. The primary key of a table is automatically indexed. Some fields can't be indexed because of their data type.
[andraa] note that this entry describes the noun form, but the def contains the adjective (which is documented in a separate entry).
In Disk Management, to detect a disk or volume and assign it a status (for example, healthy) and a type (for example, dynamic).
[Access] An object created from the class that contains its definition. For example, multiple instances of a form class share the same code and are loaded with the same controls that were used to design the form class.

For example, to invert the colors on a monochrome display means to change light to dark and dark to light.

Repeated calculation of a worksheet until a specific numeric condition is met. [Excel]

Similar to C++, Java is smaller, more portable, and easier to use than C++ because it is more robust and it manages memory on its own. Java was also designed to be reliable and platform-neutral (meaning that it can be run on any platform) through the fact that Java programs are compiled into bytecodes, which are similar to machine code and are not specific to any platform. This makes it a useful language for programming Web applications, since users access the Web from many types of computers. Currently, the most widespread use of Java is in programming small applications, or applets, for the World Wide Web.

Related concept: print job

A database operation that combines records from two or more tables, based on an exact match of key values in these tables. Once a recordset has been created based on a join, it functions as if the records were all in one table.

A joystick is usually used as a relative pointing device, moving an object on the screen when the stem is moved and stopping the movement when the stem is released. In industrial control applications, the joystick can also be used as an absolute pointing device, with each position of the stem mapped to a specific location on the screen.

Subordinate concept to concept# 3417.[MSTP4.6] Only permissible in content for software developers .Moves the focus to a menu, command, or control, without using the mouse.

Subordinate concept to concept# 3417.[MSTP4.6] Only permissible in content for software developers .Moves the focus to a menu, command, or control, without using the mouse.

Superordinate concept. [MSTP4.6] Permissible in content for home users, information workers, as well as software developers.

Related concept: reserved word

[MSN] A characteristic word that is associated with or appears in a Web page and can be searched upon to find relevant sites.

Each layer is responsible for providing specific services or functions for computers exchanging information over a communications network (such as the layers in the ISO/OSI reference model) and information is passed from one layer to the next. Although different suites have varying numbers of levels, generally the highest layer deals with software interactions at the application level, and the lowest governs hardware-level connections between different computers.

Unicode (hex) character 007B.

Unicode (hex) character 0028.

Unicode (hex) character 005B.

The designation refers particularly to a change in process or technique that requires translating old data files to a new system.

Unicode (hex) character 2264.Can be used as an operator to compare two (or more) values or expressions.

Unicode (hex) character 003C.Can be used as an operator to compare two (or more) values or expressions. Also used in conjunction with a right angle bracket to enclose text or tags.

Unicode (hex) character 003C.Can be used as an operator to compare two (or more) values or expressions. Also used in conjunction with a right angle bracket to enclose text or tags.

Related concept: manual line break

[MSTP] Any type of box containing a list of items the user can select. The user cannot type a selection in a list box.Related concept: drop-down list box

For example, Web servers maintain log files listing every request made to the server.

Windows does not include a macro recorder, but many software programs do. [Access] An action or set of actions you can use to automate tasks.

A Windows component intended to provide low-vision users with adequate support to successfully interact with the Windows operating system UI.

Laptops have flat LCD or plasma screens and small keyboards. Most can run the same software as their desktop counterparts and can accept similar peripherals, such as sound cards, internal or external modems, and floppy disks and CD-ROM drives. Some laptops are designed to be plugged into a docking station, effectively making them desktop computers. Most have connectors for plugging in external keyboards and full-sized monitors.

Laptops have flat LCD or plasma screens and small keyboards. Most can run the same software as their desktop counterparts and can accept similar peripherals, such as sound cards, internal or external modems, and floppy disks and CD-ROM drives. Some laptops are designed to be plugged into a docking station, effectively making them desktop computers. Most have connectors for plugging in external keyboards and full-sized monitors.

Laptops have flat LCD or plasma screens and small keyboards. Most can run the same software as their desktop counterparts and can accept similar peripherals, such as sound cards, internal or external modems, and floppy disks and CD-ROM drives. Some laptops are designed to be plugged into a docking station, effectively making them desktop computers. Most have connectors for plugging in external keyboards and full-sized monitors.

Related concept: scrolling text control

[OLD definition, MSPress] The server-based component of software or data protection. In some systems, data or applications are stored on a server and must be downloaded to the local machine for use. When a client requests the data, it presents a session key. If the session key supplied matches the master key, the key server sends the requested packet.

A sequence of bits or bytes at the beginning of a message that usually provides a timing sequence and specifies such aspects of the message structure as its length, data format, and block identification number.

[Previous definition, specific to "file"] Information about a file that is not the content of the file itself. Metadata is the descriptive characteristics of a file.

A mouse is a relative pointing device because there are no defined limits to the mouse's movement and because its placement on a surface does not map directly to a specific screen location.

[previous definition] An operating system used on all personal computers and compatibles. As with other operating systems, it translates user keyboard input into operations the computer can perform. MS-DOS can be easily accessed by using the command prompt, while MS-DOS-based programs can be accessed through the use of shortcuts on the desktop.

[previous definition] An operating system used on all personal computers and compatibles. As with other operating systems, it translates user keyboard input into operations the computer can perform. MS-DOS can be easily accessed by using the command prompt, while MS-DOS-based programs can be accessed through the use of shortcuts on the desktop.

[previous definition] An operating system used on all personal computers and compatibles. As with other operating systems, it translates user keyboard input into operations the computer can perform. MS-DOS can be easily accessed by using the command prompt, while MS-DOS-based programs can be accessed through the use of shortcuts on the desktop.

The column on the left side of the Outlook window that includes panes such as Shortcuts or Mail and the shortcuts or folders within each pane. Click a folder to show the items in the folder. [Outlook]

[Vista] original definition: In tree structures, a location on the tree that can have links to one or more nodes below it.

[previous definition] The area on the taskbar to the right of the taskbar buttons. The notification area displays the time and can also contain shortcuts that provide quick access to programs, such as Volume Control and Power Options. Other shortcuts can appear temporarily, providing information about the status of activities. For example, the printer shortcut icon appears after a document has been sent to the printer and disappears when printing is complete.

[previous definition] The area on the taskbar to the right of the taskbar buttons. The notification area displays the time and can also contain shortcuts that provide quick access to programs, such as Volume Control and Power Options. Other shortcuts can appear temporarily, providing information about the status of activities. For example, the printer shortcut icon appears after a document has been sent to the printer and disappears when printing is complete.

[Access] A query in which a user interactively specifies one or more criteria values. A parameter query is not a separate kind of query; rather, it extends the flexibility of a query.

Applies to all content, not just text and graphics [andraa]

[MSPress] a protocol standard drafted by Microsoft and submitted to the IETF for consideration. PCT, like the Netscape-designed SSL (Secure Sockets Layer), supports authentication and encryption for securing privacy in Internet communications.

[MSPress] a protocol standard drafted by Microsoft and submitted to the IETF for consideration. PCT, like the Netscape-designed SSL (Secure Sockets Layer), supports authentication and encryption for securing privacy in Internet communications.

Unicode (hex) character 0025.

[Access] A case-sensitive alphanumeric string 4 to 20 characters long that Access uses in combination with the account name to identify a user or group in an Access workgroup.

[Access] A case-sensitive alphanumeric string 4 to 20 characters long that Access uses in combination with the account name to identify a user or group in an Access workgroup.

Unicode (hex) character 00B1.

The most common pointing device is the mouse. Other pointing devices include graphics tablets, styluses, light pens, joysticks, pucks, and trackballs.

Previous definition: An industry standard suite of protocols for the use of point-to-point links to transport multiprotocol datagrams. PPP is documented in RFC 1661.

Previous definition: An industry standard suite of protocols for the use of point-to-point links to transport multiprotocol datagrams. PPP is documented in RFC 1661.

[previous definition] A connection point, or outlet, on a computer where you can connect devices. For example, a printer is usually connected to a parallel (or LPT) port and a modem is usually connected to a serial (or COM) port.

Characterized by size and weight and includes laptops, ultralights, handheld devices.

A number that identifies each postal delivery area in a country.

Unicode (hex) character 0023.

Unicode (hex) character 0023.

The primary mouse button is the left button on most mice and trackball devices, and the lower button on some trackball devices, but you can switch the function of the buttons by using the Mouse Properties dialog box in Control Panel.

The primary mouse button is the left button on most mice and trackball devices, and the lower button on some trackball devices, but you can switch the function of the buttons by using the Mouse Properties dialog box in Control Panel.

[old] A 25-character, alpha-numeric string. Customers must enter this string to activate their installation of Windows. The product key is located on the certificate of authenticity, which is attached to the computer chassis.

[Excel] To make settings for a worksheet or workbook that prevent users from viewing or gaining access to the specified worksheet or workbook elements.

[InfoPath] To make a form template available for other people to fill out in InfoPath or a Web browser.

[Office Online] A specific request for the retrieval, creation, modification, or deletion of data in a database. Related concept: action query

Unicode (hex) character 003F.

In Windows printing terminology, a queue refers to a group of documents waiting to be printed. In NetWare and OS/2 environments, queues are the primary software interface between the application and print device; users submit documents to a queue. With Windows, however, the printer is that interface; the document is sent to a printer, not a queue.

A record is more commonly called a row in an SQL database.

A record is more commonly called a row in an SQL database.

[Access] In an Access database, to redisplay the records in a form or datasheet to reflect changes that other users have made. In an Access project, to rerun a query underlying the active form or datasheet in order to reflect changes to records.

[additional info from MS Press] Reliability is measured by different performance indexes. For example, the reliability of a hard disk is often given as mean time between failures (MTBF): the average length of time the disk can be expected to function without failing. See also MTBF, MTTR.

See also ray tracing.

[Access] The process of copying a database so that two or more copies can exchange updates of data or replicated objects. This exchange is called synchronization.
[Windows XP Glossary] In Active Directory, replication synchronizes schema, configuration, application, and domain directory partitions between domain controllers. In Distributed File System (DFS), replication synchronizes files and folders between DFS roots and root targets.

[Old] Use to refer to text that's aligned at the right margin. Hyphenate the adjective in all positions in the sentence. Do not use right-justified.

The folder on a drive from which all other folders branch. The root folder's name consists of a single backslash character (\). For example, on drive C, this folder would be represented in the file system as C:\.[Office XP]

The folder on a drive from which all other folders branch. The root folder's name consists of a single backslash character (\). For example, on drive C, this folder would be represented in the file system as C:\.[Office XP]

The right button on most mice and trackball devices, and the upper button on other trackball devices, but you can switch the function of the buttons in the Mouse Control Panel.

Every account on a network is issued a unique SID when the account is first created. Internal processes in Windows refer to an account's SID rather than the account's user or group name.

Every account on a network is issued a unique SID when the account is first created. Internal processes in Windows refer to an account's SID rather than the account's user or group name.

Every account on a network is issued a unique SID when the account is first created. Internal processes in Windows refer to an account's SID rather than the account's user or group name.

[Windows XP] To specify, or highlight, an object or block of text so that you can manipulate or edit it in some way. A single or double mouse click, mouse click and drag, or keystrokes may be used to make the selection.

The term is adapted from usage in relation to manual typewriters, in which the key physically shifted the carriage to print an alternative character.

Subordinate concept to concept# 3417.[MSTP4.6] Only permissible in content for software developers.[Old definition] A key or combination of keys that, when pressed will quickly perform an action that would normally require several user actions, such as menu selections.

Subordinate concept to concept# 3417.[MSTP4.6] Only permissible in content for software developers.[Old definition] A key or combination of keys that, when pressed will quickly perform an action that would normally require several user actions, such as menu selections.

[Old] Standby or hibernation mode. Power-saving modes in which some or all devices are switched off, but the computer can still continue functioning when the user switches it back ("wakes it") without data loss.

[Old] Standby or hibernation mode. Power-saving modes in which some or all devices are switched off, but the computer can still continue functioning when the user switches it back ("wakes it") without data loss.

[InfoPath] The collection of fields and groups that define and store the data for an InfoPath form.[MSDN] A source of data and the connection information needed to access that data. Examples of data sources are Microsoft Access, Microsoft SQL Server, Oracle RDBMS, a spreadsheet, and a text file. Examples of connection information include server location, database name, logon ID, password, and various ODBC driver options that describe how to connect to the data source.

[InfoPath] The collection of fields and groups that define and store the data for an InfoPath form.[MSDN] A source of data and the connection information needed to access that data. Examples of data sources are Microsoft Access, Microsoft SQL Server, Oracle RDBMS, a spreadsheet, and a text file. Examples of connection information include server location, database name, logon ID, password, and various ODBC driver options that describe how to connect to the data source.

--

ACPI S3, or Suspend to RAM. Your data and machine state are in volatile memory. Resuming from S3 is really fast – about 2 or 3 sec., and Windows preserves your entire session and any open files – a very good on/off working model. However, if power is lost, so is your data and context. S3 and S4 are specific system power states specified in the ACPI specification; virtually all PCs support these states.

When first turned on (cold boot) or reset (warm boot), the computer executes the software that loads and starts the computer's more complicated operating system and prepares it for use.

Style sheets can be created using stylesheet languages such as Cascading Style Sheets (CSS) or eXtensible Stylesheet Language (XSL).

component name

component name

component name

[GMT] If syntax checking is enabled, errors are highlighted after you type a line and press ENTER.[Old] An error resulting from a statement that violates one or more grammatical rules of a programming language.

Hardware system means a computer (including main processing unit, memory, input and output devices, storage devices and peripherals). A software system (also called operating system) is a set of software programs, needed to manage the hardware as well as software applications and data files.

[Access] A control you can use to construct a single form or dialog box that contains several pages, each with a tab, and each containing similar controls, such as text boxes or option buttons. When a user clicks a tab, that page becomes active.

[Access] A control you can use to construct a single form or dialog box that contains several pages, each with a tab, and each containing similar controls, such as text boxes or option buttons. When a user clicks a tab, that page becomes active.

The word tab is short for "tabulator," which was the name given to this key on typewriters, where it was used in creating tables.

[andras] Can apply to worksheets, Web pages, slides, etc., not just "documents." [Excel] A workbook that you create and use as the basis for other similar workbooks.

This describes a specific feature, currently available in some Office applications, and is distinct from the generic concept of text, word, or line wrap (see separate entry).

[MSPress] The conversion of text-based data into voice output by speech synthesis devices to allow users to gain access to information by telephone or to allow blind or illiterate people to use computers.

[MSPress] The conversion of text-based data into voice output by speech synthesis devices to allow users to gain access to information by telephone or to allow blind or illiterate people to use computers.

Previous definition: In programming, a process that is part of a larger process or program.

Unicode (hex) character 005F.
[Access] To accept changes to data in a record. The changes are saved in the database when you move to another record on a form, datasheet, or data access page, or when you explicitly save the record.

Access displays the message specified in the ValidationText property when the rule is violated.

--

Unicode (hex) character 007C.

Unicode (hex) character 007C.

[Access] In an Access project, an object that is a virtual table based on an SQL SELECT statement. For example, a view might only contain 3 out of 10 available columns in a join of two tables, in order to limit access to certain data. [MS Press] technical definition: In relational database management systems, a logical table created through the specification of one or more relational operations on one or more tables. A view is equivalent to a divided relation in the relational model.

[PowerPoint] A way of displaying the contents of a presentation and providing the user with the means to interact with it.[InfoPath] A form-specific display setting that can be saved with a form template and applied to form data when the form is being filled out.

Unicode (hex) character 002F.

Unicode (hex) character 002F.

Unicode (hex) character 002F.

--

--

--

--

--

Documents on the World Wide Web, called pages or Web pages, are written in HTML (Hypertext Markup Language), identified by URLs (Uniform Resource Locators) that specify the particular machine and pathname by which a file can be accessed, and transmitted from node to node to the end user under HTTP (Hypertext Transfer Protocol). Codes, called tags, embedded in an HTML document associate particular words and images in the document with URLs so that a user can access another file, which may be halfway around the world, at the press of a key or the click of a mouse. These files may contain text (in a variety of fonts and styles), graphics images, movie files, and sounds as well as Java applets, ActiveX controls, or other small embedded software programs that execute when the user activates them by clicking on a link. A user visiting a Web page also may be able to download files from an FTP site and send messages to other users via e-mail by using links on the Web page. The World Wide Web was developed by Timothy Berners-Lee in 1989 for the European Laboratory for Particle Physics (CERN).

Documents on the World Wide Web, called pages or Web pages, are written in HTML (Hypertext Markup Language), identified by URLs (Uniform Resource Locators) that specify the particular machine and pathname by which a file can be accessed, and transmitted from node to node to the end user under HTTP (Hypertext Transfer Protocol). Codes, called tags, embedded in an HTML document associate particular words and images in the document with URLs so that a user can access another file, which may be halfway around the world, at the press of a key or the click of a mouse. These files may contain text (in a variety of fonts and styles), graphics images, movie files, and sounds as well as Java applets, ActiveX controls, or other small embedded software programs that execute when the user activates them by clicking on a link. A user visiting a Web page also may be able to download files from an FTP site and send messages to other users via e-mail by using links on the Web page. The World Wide Web was developed by Timothy Berners-Lee in 1989 for the European Laboratory for Particle Physics (CERN).

Documents on the World Wide Web, called pages or Web pages, are written in HTML (Hypertext Markup Language), identified by URLs (Uniform Resource Locators) that specify the particular machine and pathname by which a file can be accessed, and transmitted from node to node to the end user under HTTP (Hypertext Transfer Protocol). Codes, called tags, embedded in an HTML document associate particular words and images in the document with URLs so that a user can access another file, which may be halfway around the world, at the press of a key or the click of a mouse. These files may contain text (in a variety of fonts and styles), graphics images, movie files, and sounds as well as Java applets, ActiveX controls, or other small embedded software programs that execute when the user activates them by clicking on a link. A user visiting a Web page also may be able to download files from an FTP site and send messages to other users via e-mail by using links on the Web page. The World Wide Web was developed by Timothy Berners-Lee in 1989 for the European Laboratory for Particle Physics (CERN).

Documents on the World Wide Web, called pages or Web pages, are written in HTML (Hypertext Markup Language), identified by URLs (Uniform Resource Locators) that specify the particular machine and pathname by which a file can be accessed, and transmitted from node to node to the end user under HTTP (Hypertext Transfer Protocol). Codes, called tags, embedded in an HTML document associate particular words and images in the document with URLs so that a user can access another file, which may be halfway around the world, at the press of a key or the click of a mouse. These files may contain text (in a variety of fonts and styles), graphics images, movie files, and sounds as well as Java applets, ActiveX controls, or other small embedded software programs that execute when the user activates them by clicking on a link. A user visiting a Web page also may be able to download files from an FTP site and send messages to other users via e-mail by using links on the Web page. The World Wide Web was developed by Timothy Berners-Lee in 1989 for the European Laboratory for Particle Physics (CERN).

Documents on the World Wide Web, called pages or Web pages, are written in HTML (Hypertext Markup Language), identified by URLs (Uniform Resource Locators) that specify the particular machine and pathname by which a file can be accessed, and transmitted from node to node to the end user under HTTP (Hypertext Transfer Protocol). Codes, called tags, embedded in an HTML document associate particular words and images in the document with URLs so that a user can access another file, which may be halfway around the world, at the press of a key or the click of a mouse. These files may contain text (in a variety of fonts and styles), graphics images, movie files, and sounds as well as Java applets, ActiveX controls, or other small embedded software programs that execute when the user activates them by clicking on a link. A user visiting a Web page also may be able to download files from an FTP site and send messages to other users via e-mail by using links on the Web page. The World Wide Web was developed by Timothy Berners-Lee in 1989 for the European Laboratory for Particle Physics (CERN).

[Word] Any graphic or text, such as "Confidential," that when printed appears either on top of or behind existing document text.

Related concept: orphan

Windows Explorer resembles the File Manager of Windows 3.1. The user can select folders from a list displayed on the left side of the screen and access files in a selected folder from a list displayed on the right side of the screen.

[Access] A group of users in a multiuser environment who share data and the same workgroup information file.

[Access] A group of users in a multiuser environment who share data and the same workgroup information file.

Zooming is a feature of many programs, including drawing, word processing, and spreadsheet programs, that allow the user to select a small part of the screen, zoom it, and make changes to the enlarged portion at a finer level of detail. The amount of zoom is usually shown as a percentage (200% size) or ratio (for example, 2:1 means twice normal size).

Zooming is a feature of many programs, including drawing, word processing, and spreadsheet programs, that allow the user to select a small part of the screen, zoom it, and make changes to the enlarged portion at a finer level of detail. The amount of zoom is usually shown as a percentage (200% size) or ratio (for example, 2:1 means twice normal size).

The amount of zoom is usually shown as a percentage (25% size, 50% size) or ratio (for example, 1:2 means reduced to 1/2 size).

[andrra] need to compare against "parent" and "parent element"
[andrra] need to compare against "parent" and "parent element"
Feature name
[Word] Text that is not formatted with a built-in heading style (Heading 1 through Heading 9) or an outline-level paragraph format (Level 1 through Level 9).
[Word] A list of words to include in an index.
Formatting the contents of a control in a form or report based on one or more conditions. A condition can reference another control, the control with focus, or a user-defined Visual Basic for Applications function.

The private key stays on the sender's computer, and the certificate contains the public key. The certificate is sent with digitally signed messages. Recipients save it and use the public key to encrypt messages to the sender.

[MSTP 4.6] A closed version of a list box with an arrow next to it. Clicking the arrow opens the list.

--

[Old, AWS UA Term Review: InfoPath] An XML vocabulary for specifying formatting semantics. An XSL style sheet specifies the presentation of a class of XML documents by describing how an instance of the class is transformed into an XML document that uses the formatting vocabulary.

[Old, AWS UA Term Review: InfoPath] An XML vocabulary for specifying formatting semantics. An XSL style sheet specifies the presentation of a class of XML documents by describing how an instance of the class is transformed into an XML document that uses the formatting vocabulary.

In an Access database (.mdb), it's a field with a Hyperlink data type. In an Access project (.adp), it's a field that has the IsHyperlink property set to True.

Often used in tables of contents.

[Office] This enables you to give search instructions such as "Find all appointments for today."

[Office] This enables you to give search instructions such as "Find all appointments for today."

The file that contains an object library typically has the extension .olb.

With a partial replica, you can set filters and identify relationships that define which subset of the records in the full replica should be present in the database.

[InfoPath] A short description that appears when the user holds the mouse pointer over an object, such as a button or hyperlink.[GTMT] A note that appears on the screen to provide information about a toolbar button, tracked change, or comment or to display a footnote or endnote. ScreenTips also display the text that will appear if you choose to insert a date or AutoText entry.[Vista] A small pop-up window that labels the unlabeled control being pointed to, such as unlabeled toolbar controls or command buttons.Related concept: What's This tip

[InfoPath] A short description that appears when the user holds the mouse pointer over an object, such as a button or hyperlink.[GTMT] A note that appears on the screen to provide information about a toolbar button, tracked change, or comment or to display a footnote or endnote. ScreenTips also display the text that will appear if you choose to insert a date or AutoText entry.[Vista] A small pop-up window that labels the unlabeled control being pointed to, such as unlabeled toolbar controls or command buttons.Related concept: What's This tip

[Office] A site that lives somewhere other than the top of the URL, e.g. <http://portal/teams/site>. Used for Tahoe scenarios

[Office] A site that lives somewhere other than the top of the URL, e.g. <http://portal/teams/site>. Used for Tahoe scenarios

Known as Web discussions to differentiate from discussion boards. Requires a Web server that is running SharePoint Team Services or Windows SharePoint Services.

[Office] Any one of a number of task-based sections within the ribbon that contains a collection of groups related to that task.[andrea] This concept needs to be rationalized with "tab control"

pertains to things like database roll-back and revert operations[Access] A series of changes made to a database's data and schema.

Table with 20 empty rows.

[InfoPath] The script function code in a form that responds to a form event or data validation event.

Related concept: docked toolbar

The address book that contains all user, group, and distribution list e-mail addresses in your organization. The administrator creates and maintains this address book. It may also contain public folder e-mail addresses. [Outlook]

The address book that contains all user, group, and distribution list e-mail addresses in your organization. The administrator creates and maintains this address book. It may also contain public folder e-mail addresses. [Outlook]

The address book that contains all user, group, and distribution list e-mail addresses in your organization. The administrator creates and maintains this address book. It may also contain public folder e-mail addresses. [Outlook]

Related concept: spacing character

Related concept: spacing character

Related concept: composite character. The letter 'ü' can be coded either as one code position [U+00FC] (precomposed character) or as a sequence 'u' + '¨' [U+0075, U+00A8] (composite character).

Related concept: non-spacing character

[SQL Server] In Reporting Services, refers to a static report instance: data and layout, as it exists at a specific point in time.

[SQL Server] In Reporting Services, refers to a static report instance: data and layout, as it exists at a specific point in time.

Original SQL Server definition: "The data sent to the subscriber as the result of a subscription. For event-triggered subscriptions, Notification Services produces a notification each time an input event matches the subscription. For scheduled subscriptions, Notification Services might produce a notification each time the subscription is scheduled, if an event matches the subscription."Original DPS definition: "An event that is rendered into a message sent to an administrator. A text message sent to a notification recipient (by e-mail, pager or other mechanism) in response to an event in the computer running DPS."

[Vista UX guide] A small pop-up window that describes the object being pointed to, such as descriptions of toolbar controls, icons, graphics, links, Explorer objects, Start menu items, and taskbar buttons.

Examples are progress bar, hourglass, and .avi animation.

[Access] A file (.snp extension) that contains a high-fidelity copy of each page of an Access report. It preserves the two-dimensional layout, graphics, and other embedded objects of the report.

[Access] A file (.snp extension) that contains a high-fidelity copy of each page of an Access report. It preserves the two-dimensional layout, graphics, and other embedded objects of the report.

See entry #126 "Microsoft .NET Framework" for additional target languages. It is a duplicate concept and the synonym needs to be moved to this entry.

Related concepts: bubbling, direct routing, routed event

component name [Vista, old] A component in Windows folders that allows users a quick and simple way to find their files. Users can simply type some text and their current set of files is filtered down automatically, as they type, in real time, by both filename and properties. For example, the user can type in Word to filter down their files to only "Microsoft Word" documents.

component name [Vista, old] A component in Windows folders that allows users a quick and simple way to find their files. Users can simply type some text and their current set of files is filtered down automatically, as they type, in real time, by both filename and properties. For example, the user can type in Word to filter down their files to only "Microsoft Word" documents.

[Windows] A filter effect in Windows Movie Maker.

[Windows] A filter effect in Windows Movie Maker.

Feature name.

Blogs are often used to publish personal or company information in an informal way.

Blogs are often used to publish personal or company information in an informal way.

Blogs are often used to publish personal or company information in an informal way.

Ethernet supports different mediums, such as coaxial cable, fiber-optic cable, and twisted-pair wiring, and different data rates, such as 10 megabits per second (Mbps).

[Works] The date by which a To Do should be completed.

Moving the slider to the left makes the image less faded (less transparent); moving it to the right makes the image more faded (more transparent). If an image is not transparent, it can be difficult to read the text in the document.

An example of a Works Project is "Plan a Party" or "Start a Fundraiser."

[Access] The process of updating two members of a replica set by exchanging all updated records and objects in each member. Two replica set members are synchronized when the changes in each have been applied to the other. [Windows Media Player] The process of maintaining data on a mobile device based on the rules in a partnership or actions specified by the user. This may require copying data from a computer or server to a device, updating information on the device, or deleting files from the device. [Works 9.0 review] Function has been removed.

[Access] The process of updating two members of a replica set by exchanging all updated records and objects in each member. Two replica set members are synchronized when the changes in each have been applied to the other. [Windows Media Player] The process of maintaining data on a mobile device based on the rules in a partnership or actions specified by the user. This may require copying data from a computer or server to a device, updating information on the device, or deleting files from the device. [Works 9.0 review] Function has been removed.

In Internet Explorer, the Information bar appears below the Address bar and displays information about downloads, blocked pop-up windows, and other activities.

A condition or action, or a set of conditions or actions, that automatically performs tasks based on events and values in the form.[InfoPath]Windows/OE agrees conceptually with this definition, but not for use with their audience. See GTMT #38137 for team-authored definition.

A condition or action, or a set of conditions or actions, that automatically performs tasks based on events and values in the form.[InfoPath]Windows/OE agrees conceptually with this definition, but not for use with their audience. See GTMT #38137 for team-authored definition.

[Communicator] A list of accounts on an IM network that a user has indicated are allowed to initiate an IM session with the user or view presence information about the user.[MSN] A list that specifies websites where pop-ups are allowed.

[Communicator] A list of accounts on an IM network that a user has indicated are allowed to initiate an IM session with the user or view presence information about the user.[MSN] A list that specifies websites where pop-ups are allowed.

[PowerPoint] A table included with a chart that provides sample information showing where to type your own row and column labels and data.

A section break stores the section formatting elements, such as the margins, page orientation, headers and footers, and sequence of page numbers.

[Online Help] Text that's contained within a single text box or a chain of linked text boxes.

This option is available in a number of Office applications. It allows users to display their content in a Web browser to see how it will appear before actually publishing it to a Web site.

Feature name

Feature name

Categories help the user to find, sort, filter and group items.

A symbol that indicates there is a follow-up action needed from you or from someone else.[Outlook]

[Duet] An instance of any of the built-in item types supported by Outlook. For example, Appointment, Contact, Distribution List, Mail, Note, Post, and Task.

[Duet] An instance of any of the built-in item types supported by Outlook. For example, Appointment, Contact, Distribution List, Mail, Note, Post, and Task.

feature name
[Office] A file of or link to RSS data that RSS aggregators read and display; the content source for RSS.
[Office] A file of or link to RSS data that RSS aggregators read and display; the content source for RSS.
[Office] A file of or link to RSS data that RSS aggregators read and display; the content source for RSS.
[Office] A file of or link to RSS data that RSS aggregators read and display; the content source for RSS.
[Office] A file of or link to RSS data that RSS aggregators read and display; the content source for RSS.
feature name
[Vista] Using genuine Microsoft software offers you greater capabilities and easy integration with the widest variety of hardware, software, and services. It also provides confidence that you will receive the latest product features, updates, and ongoing improvements to keep your PC performing at its best.
feature name
feature name
It protects data by preventing unauthorized users from breaking Windows file and system protection on lost or stolen computers. It provides the following values: ensures boot integrity, protects data while the system is offline, eases equipment recycling.
It protects data by preventing unauthorized users from breaking Windows file and system protection on lost or stolen computers. It provides the following values: ensures boot integrity, protects data while the system is offline, eases equipment recycling.
[Vista] Based on the observation that in the early part of the 20th century black-and-white images were not really black-and-white, but more brown and white, owing to the dyes used to print the pictures.

feature name
feature name
[old] A service of Windows Vista that implements User Account Protection (UAP).
[old] A service of Windows Vista that implements User Account Protection (UAP).
[LIP] The process of checking whether entered data meets certain conditions or limitations.
feature name
[previous definition] A platform that enables users to view useful data from their PCs or other devices and peripherals by using gadgets.
[previous definition] A platform that enables users to view useful data from their PCs or other devices and peripherals by using gadgets.
A feature in Internet Explorer 7.0 and an add-in to the MSN Search toolbar.
feature name
feature name
Security is increased by passing Extensible Authentication Protocol (EAP) messages in Ethernet frames instead of using Point-to-Point Protocol.
Security is increased by passing Extensible Authentication Protocol (EAP) messages in Ethernet frames instead of using Point-to-Point Protocol.
Security is increased by passing Extensible Authentication Protocol (EAP) messages in Ethernet frames instead of using Point-to-Point Protocol.

This definition needs to be approved by MSTP before being used externally.

This definition needs to be approved by MSTP before being used externally.

Types of styles you can create and apply include paragraph style, character style, table style, and list style.

--

[Word] A list of the words and phrases that are discussed in a printed document, along with the page numbers they appear on.

--

--

--

--

--

--

--

--

--

--

Feature name.

Feature name.

[Old] A wireless implementation that is based on a subset of the IEEE 802.11i standard.

[Old] A wireless implementation that is based on a subset of the IEEE 802.11i standard.

--

--

--

[Vista] A hashing scheme is a method for transforming data (for example, a password) in such a way that the result is unique and cannot be changed back to its original form. The Challenge Handshake Authentication Protocol (CHAP) uses challenge-response with one-way MD5 hashing on the response. In this way, you can prove to the server that you know your password without actually sending the password over the network.

Text appears with no motion or fade

[Credits] Paired credits zoom in and outline explodes off screen

Zooms in, outline explodes off screen

Flashes on and off

Fades in, pauses, flies out right

[Title] Text flies in and out from both sides. [Credits] Paired credits fly in from both sides

Banner fades in and out (overlay)

Spins and zooms in (overlay)

Fills with paint

Slides down and then up (overlay)

Stretches up and in

Subtitle at bottom (overlay)

Scrolls right to left in color band (overlay)

Typing text one letter at a time

[Credits] Credits scroll up on the right with video squeezed on left (overlay)

[Credits] Credits scroll up on the bottom with video squeezed on top (overlay)

feature name

component name
component name
A permission level in the "File Sharing" function.
A permission level in the "File Sharing" function.
Feature name.
Feature name.
Unicode range 31C0-31EF
Unicode range 1980-19DF
Unicode range 2D30-2D7F

Localized for Japanese market only.

[InfoPath] A managed-code programming environment that is used to create, edit, and debug Visual Basic or Visual C# code included in an InfoPath form template.

[InfoPath] A managed-code programming environment that is used to create, edit, and debug Visual Basic or Visual C# code included in an InfoPath form template.

[InfoPath] A managed-code programming environment that is used to create, edit, and debug Visual Basic or Visual C# code included in an InfoPath form template.

feature name

In Windows Vista, this is one of several parameters that combine to control the turbulent vector field which causes the bubbles to move around.

In Windows Vista, this is one of several parameters that combine to control the turbulent vector field which causes the bubbles to move around. Turbulence speed controls how fast we are moving through the noise space.

--

The features include: 1. Protection from contact with deceptive people or predators 2. Contact Management through ABCH 3. Online application control for Windows Live Communications Services 4. Protection from exposure to pornography and/or inappropriate content 5. Content Filtering technology 6. Local application restriction controls 7.Game restriction controls

--

--

feature name

feature name

--

[MSN] The act of using a blog to receive or send information or data

[MSN] One who maintains a blog

--

--

--

--

--

--

--

--

--

--

--

--

The official URL: <http://windowshelp.microsoft.com>

The official URL: <http://windowshelp.microsoft.com>

--

feature name
One of the entry points for bare metal recovery.
One of the entry points for bare metal recovery.
Select, MSDN, and Worldwide Fulfillment (WWF) media are the only media available for multiple installations. Retail product CDs (boxed product purchased from a retail outlet) can no longer be used for multiple installations.
Select, MSDN, and Worldwide Fulfillment (WWF) media are the only media available for multiple installations. Retail product CDs (boxed product purchased from a retail outlet) can no longer be used for multiple installations.
Select, MSDN, and Worldwide Fulfillment (WWF) media are the only media available for multiple installations. Retail product CDs (boxed product purchased from a retail outlet) can no longer be used for multiple installations.
Refers to concept of "tabbed browsing"
Health is defined by a client computer's configuration state. Some common measurements of health include: the operational status of Windows Firewall, the update status of antivirus signatures, and the installation status of security updates.

[additional definition] In computers, an error results when an event does not occur as expected or when impossible or illegal maneuvers are attempted. In data communications, an error occurs when there is a discrepancy between the transmitted and received data.
The local Help content that shipped on the box.
[MSDN Article ID 555223] A file stored in the root of a partition to where the operating system will move pages (4 KB pieces) when the memory in use exceeds the amount of RAM available; thus, freeing RAM for other uses.
[MSDN Article ID 555223] A file stored in the root of a partition to where the operating system will move pages (4 KB pieces) when the memory in use exceeds the amount of RAM available; thus, freeing RAM for other uses.
[MSDN Article ID 555223] A file stored in the root of a partition to where the operating system will move pages (4 KB pieces) when the memory in use exceeds the amount of RAM available; thus, freeing RAM for other uses.
Microsoft allocates new facility codes as they become necessary.
Microsoft allocates new facility codes as they become necessary.

www.windowsmarketplace.com
Unicode (hex) character 00B4.
Unicode (hex) character 0026.
Unicode (hex) character 0027.
Unicode (hex) character 0027.
The copyright notice for Microsoft usually takes the following form:© 1985-2003 Microsoft Corporation. All rights reserved.
Unicode (hex) character 00F7
Unicode (hex) character 0024
Unicode (hex) character 003D
Unicode (hex) character 0021.

Unicode (hex) character 201C.
Unicode (hex) character 201C.
Unicode (hex) character 201D.
Unicode (hex) character 201D.
Unicode (hex) character 0022.
Unicode (hex) character 00AE.
Unicode (hex) character 2122.
Unicode (hex) character 007E.
Unicode (hex) character 00A7.
In MS software italic text slants to the right for all languages (including Arabic and Hebrew). However, the preference for right-to-left languages would be for italic text to slant to the left, and this may be the case in other applications.
By selecting the appropriate statements from a series of impairments or difficulties, the users are presented with a list of recommended settings on their computer to make it easier for them to use.
Unicode (hex) character 00D7.
Unicode (hex) character 20AC.
This term was added to standardize its usage as a UI string.
Vista desktop will provide automatic scaling of legacy applications for high resolution monitors.
A metaphor of user manipulation with data and documents, leveraging the concept of material representation of data pieces that can be handled by mouse pointer in a fashion, similar to handling pieces of paper on a desktop.

[GTMT] A Microsoft Windows SharePoint Services site that is created for collaborating on one or more documents.

[GTMT] A Microsoft Windows SharePoint Services site that is created for collaborating on one or more documents.

feature name

Replaces the Address bar that has been around since Windows 98 and displayed a DOS-like path. This new bar looks like and serves a similar purpose as its predecessor. However, rather than being a static representation of the path, it is completely "live." In other words, not only can you click on any folder name listed in the this new bar to access that folder, but you can click on the arrow icon that appears in between each folder name and access a drop-down menu that lists all the sub folders contained in that particular folder.

Multiple monitors feature in Vista

Related Concepts: close, end

Related Concepts: exit, close

A discovery and name services proposal under consideration by the Internet Engineering Task Force, <http://www.ietf.org/>.

A discovery and name services proposal under consideration by the Internet Engineering Task Force, <http://www.ietf.org/>.

Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a community Framework for Electronic Signatures, OJ L13/12 of 19.1.2000: "a certificate which meets the requirements laid down in Annex I and is provided by a certification-service-provider who fulfils the requirements laid down in Annex II."

A DCE is an intermediary device that often transforms input from a DTE before sending it to a recipient. A modem, for example, is a DCE that modulates data from a microcomputer (DTE) and sends it along a telephone connection.

A DCE is an intermediary device that often transforms input from a DTE before sending it to a recipient. A modem, for example, is a DCE that modulates data from a microcomputer (DTE) and sends it along a telephone connection.

[MSTP 4.6] Make it clear whether you are talking about a disk or its associated drive.

Related concept: overwrite

This results in selecting the item or beginning an action.

feature name
[Access] A restriction placed upon the value that can be entered into a column or a row. For example, values in the Age column cannot be less than 0 or greater than 110.
feature name
[Access] A control that displays descriptive text, such as a title, a caption, or instructions, on a form, report or data access page.
[MSDN] The process of organizing data in a database.
Examples of reports are sales summaries, phone lists, and mailing labels.
[Office Online] All forms have a detail section, but a form can also include form header, page header, page footer, and form footer sections.
Note tags include descriptors (like "Web site" or "Question") or action items ("To Do" "Email to send").
Note tags include descriptors (like "Web site" or "Question") or action items ("To Do" "Email to send").

