



Royal Netherlands Academy of Arts and Sciences (KNAW) KONINKLIJKE NEDERLANDSE AKADEMIE VAN WETENSCHAPPEN

Microbial Impact on climate change: Microbes in climate models

Bodelier, P.L.E.

published in
FEMS Newsletter
2013

document version
Publisher's PDF, also known as Version of record

[Link to publication in KNAW Research Portal](#)

citation for published version (APA)

Bodelier, P. L. E. (2013). Microbial Impact on climate change: Microbes in climate models. *FEMS Newsletter*, 15. http://issuu.com/fems/docs/focus15_v04_final_version

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the KNAW public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the KNAW public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:
pure@knaw.nl



FOCUS

A magnifying glass with a gold handle and a silver frame is positioned over the letter 'O' in the word 'FOCUS'. The lens of the magnifying glass is focused on the 'O', making it appear larger and more prominent than the other letters.

July 2013 No.15

NEWSLETTER OF FEMS

FEDERATION OF EUROPEAN MICROBIOLOGICAL SOCIETIES

Microbial impact on climate change

Microbes in climate models

Dr. Paul Bodelier is a microbiologist at the Netherlands Institute of Ecology (NIOO-KNAW). He is working on the functional diversity of microorganisms in natural and semi-natural wetlands, for example rice fields and flood plains. "We microbiologists have good evidence that the properties of microbial species have to be considered in climate models".



Bodelier: "There is a strong relationship between the N-cycle and methane cycling in soils and sediments, which is affected by methane-consuming microbes present. Therefore, in some areas, nitrogen fertilisation can lead to raised methane emissions, while in other environments they are reduced. The reason is a difference in the reaction of bacterial species oxidising methane. For methane-producing microbes, we showed that from soils that are physically identical, but inhabited by communities composed of different species, up 400 times different methane emissions could be observed. Biogeochemists think that biogeochemical reactions, such as the production or consumption of methane, are controlled mainly by physical, abiotic parameters. However, I strongly suggest that the characteristics of, and relations between microbial species should be considered in climate models. This will be especially important when predicting the effects of disturbance. Responses of microbes after disturbances can not be predicted from physical parameters."

Rice fields contribute significantly to methane production.